

Important notice

This document is a byproduct of my WWW spice pages. It lists names of spices in about 100 different languages as well as the scientific names used by botanists and pharmacists, and gives for each local name the language where it is taken from and the botanical name. This index does not tell you whether the plant in question is discussed extensively or is just treated as a side-note in the context of another spice article.

Another point to make perfectly clear is that although I give my best to present only reliable information here, I can take no warrant of any kind that this file, or the list as printed, or my whole WEB pages or anything else of my spice collection are correct, harmless, acceptable for non-adults or suitable for any specific purpose. Remember: *Anything free comes without guarantee!*

Copyright issues

This document, whether printed or in machine-readable form, may be copied and distributed without charge, provided the above notice and my address are retained. If the file content (not the layout) is modified, this should be indicated in the header.

Employees of Microsoft Corporation are excluded from the above paragraph. On all employees of Microsoft Corporation, a licence charge of US\$ 50 per copy for copying or distributing this file in all possible forms is levied. Failure to pay this licence charge is liable to juristical prosecution; please contact me personally for details and mode of paying. All other usage restrictions and disclaimers decribed here apply unchanged.

Aafrika pipar (Eston.) <i>Piper clusii</i>	Abròtan (Catalan) <i>Artemisia abrotanum</i>	Achansa (Rengma Naga) <i>Cinnamomum zeylanicum</i>	Adhe (Santali) <i>Zingiber officinale</i>	Aedruud (Eston.) <i>Ruta graveolens</i>
Aam (Hindi) <i>Mangifera indica</i>	Abròtan mascle (Catalan) <i>Artemisia abrotanum</i>	Ache de montagne (French) <i>Levisticum officinale</i>	Adhu (Gujrati) <i>Zingiber officinale</i>	Aedsalvei (Eston.) <i>Salvia officinalis</i>
Aamb (Dogri) <i>Mangifera indica</i>	Abrótano (Port.,Span.) <i>Artemisia abrotanum</i>	Achiote (Bulg.,Dutch,Engl.,French,Korean,Span.) <i>Bixa orellana</i>	Adi (Hindi,Maith.,Urdu) <i>Zingiber officinale</i>	Aedseller (Eston.) <i>Apium graveolens</i>
Aamp (Nepali) <i>Mangifera indica</i>	Abrotano (Esperanto) <i>Artemisia abrotanum</i>	Achote (Span.) <i>Bixa orellana</i>	Adi cirë (Azeri) <i>Carum carvi</i>	Aedtill (Eston.) <i>Anethum graveolens</i>
A-amra (Tibet.) <i>Mangifera indica</i>	Abrótano macho (Span.) <i>Artemisia abrotanum</i>	Achuete (Tagalog) <i>Bixa orellana</i>	Adiowan (Germ.) <i>Trachyspermum copticum</i>	Aelakka (Malayalam) <i>Elettaria cardamomum</i>
A 'amras (Tibet.) <i>Mangifera indica</i>	Abrotanon (Aram.) <i>Artemisia abrotanum</i>	Achul (Korean) <i>Curcuma zedoaria</i>	Adi pelin (Turk.) <i>Artemisia vulgaris</i>	Aelakkayu (Malayalam) <i>Elettaria cardamomum</i>
Aaprotti (Finn.) <i>Artemisia abrotanum</i>	Abrotanum (Lat.) <i>Artemisia abrotanum</i>	Achwete (Tagalog) <i>Bixa orellana</i>	Adi xardal (Azeri) <i>Armoracia rusticana</i>	Aelam (Malayalam) <i>Elettaria cardamomum</i>
Aaprottimaruna (Finn.) <i>Artemisia abrotanum</i>	Abrunheiro-bravo (Port.) <i>Prunus mahaleb</i>	Acı badem (Turk.) <i>Prunus dulcis</i> var. <i>amara</i>	Adiyalu (Telugu) <i>Nasturtium officinale</i>	Aelmon (Thai) <i>Prunus dulcis</i>
Aba (Sinh.) <i>Brassica nigra</i>	Absint (Hebr.) <i>Artemisia absinthium</i>	Acı kırmızı biber (Turk.) <i>Capsicum frutescens</i>	Adkham (Arab.) <i>Alpinia galanga</i>	Aema (Dz.) <i>Capsicum frutescens</i>
Ababa (Span.) <i>Papaver somniferum</i>	Absintalsem (Dutch) <i>Artemisia absinthium</i>	Acı pelin (Turk.) <i>Artemisia absinthium</i>	Adormideira (Galic..) <i>Papaver somniferum</i>	Afihun (Dhivehi) <i>Papaver somniferum</i>
Abaka (Tigr.) <i>Trigonella foenum-graecum</i>	Absinthe (French) <i>Artemisia absinthium</i>	Acmidula (Lat.) <i>Prunus dulcis</i>	Adormidera (Span.) <i>Papaver somniferum</i>	Afion (Maced.) <i>Papaver somniferum</i>
Abara (Aram.) <i>Thymus vulgaris</i>	Absinto (Esperanto) <i>Artemisia absinthium</i>	Acuyo (Span.) <i>Piper auritum</i>	Adormidera soporifera (Span.) <i>Papaver somniferum</i>	Afioni (Greek) <i>Papaver somniferum</i>
Abathai (Rongmei) <i>Mangifera indica</i>	Abson (Copt.) <i>Mentha piperita</i>	Ada (Assam.,Bengali,Chakma,Oriya,Santali) <i>Zingiber officinale</i>	Adrak (Dogri,Hindi,Kashm.,Punjabi,Urdu) <i>Zingiber officinale</i>	Aflesin (Tajik) <i>Citrus sinensis</i>
ABC kruid (Dutch) <i>Spilanthes acmella</i>	Abu an-Num (Arab.) <i>Papaver somniferum</i>	Adaçayı (Azeri,Turk.) <i>Salvia officinalis</i>	Adra (Sanskrit) <i>Zingiber officinale</i>	Aframom Rajské zrno (Slovak) <i>Aframomum melegueta</i>
Abécefü (Hung.) <i>Spilanthes acmella</i>	Abu khanjar (Arab.) <i>Tropaeolum majus</i>	Adan (Japan.,Korean) <i>Pandanus odoratissimus</i>	Aduwa (Nepali) <i>Zingiber officinale</i>	Aframom rajské zrno (Slovak) <i>Aframomum melegueta</i>
Abesón (Span.) <i>Anethum graveolens</i>	Abzinda (Georg.) <i>Artemisia vulgaris</i>	Adas (Indones.,Malay) <i>Foeniculum vulgare</i>	Adžvaje (Czech) <i>Trachyspermum copticum</i>	African grains of Selim (Engl.) <i>Xylopia aethiopica</i>
Abhini (Telugu) <i>Papaver somniferum</i>	Açaflor (Port.) <i>Crocus sativus</i>	Adas china (Malay) <i>Anethum graveolens</i>	Adžwan (Pol.) <i>Trachyspermum copticum</i>	African pepper-tree (Engl.) <i>Xylopia aethiopica</i>
Abhuyicampa (Hindi) <i>Kaempferia rotunda</i>	Açafrão (Port.) <i>Crocus sativus</i>	Adas china (Malay) <i>Illicium verum</i>	Aed-harakputk (Eston.) <i>Anthriscus cerefolium</i>	Afrikaniko piperi (Greek) <i>Xylopia aethiopica</i>
Abish (Amhar.) <i>Trigonella foenum-graecum</i>	Açafrão-bastardo (Port.) <i>Carthamus tinctorius</i>	Adas cina (Indones.) <i>Anethum graveolens</i>	Aedkoriander (Eston.) <i>Coriandrum sativum</i>	Afrikanischer Pfefferbaum (Germ.) <i>Xylopia aethiopica</i>
Abóbora (Port.) <i>Cucurbita pepo</i>	Açafrão da Índia (Port.) <i>Curcuma longa</i>	Adas cina (Indones.) <i>Illicium verum</i>	Aed-liivatee (Eston.) <i>Thymus vulgaris</i>	Afrikan koriandar (Malayalam) <i>Eryngium foetidum</i>
Abonua (Ga-Dangme) <i>Citrus aurantifolia</i>	Açafrão da terra (Port.) <i>Curcuma longa</i>	Adas manis (Indones.) <i>Anethum graveolens</i>	Aed-mädarõigas (Eston.) <i>Armoracia rusticana</i>	Afrikan malli (Malayalam) <i>Eryngium foetidum</i>
Aborotoni (Alb.) <i>Artemisia abrotanum</i>	Açafroa (Port.) <i>Carthamus tinctorius</i>	Adas pedas (Malay) <i>Foeniculum vulgare</i>	Aedmajaraan (Eston.) <i>Majorana hortensis</i>	Afsentin (Farsi,Urdu) <i>Artemisia absinthium</i>
Abraham's balm (Engl.) <i>Vitex agnus-castus</i>	Açafroa-do-Brasil (Port.) <i>Bixa orellana</i>	Adas pudus (Malay) <i>Anethum graveolens</i>	Aedmonarda (Eston.) <i>Monarda didyma</i>	Afu (Hausa) <i>Zingiber officinale</i>
Abrahamsstrauch (Germ.) <i>Vitex agnus-castus</i>	Accia (Lat.) <i>Apium graveolens</i>	Adas sowa (Indones.) <i>Anethum graveolens</i>	Aed-mustköömen (Eston.) <i>Nigella sativa</i>	Ağaç kavunu (Turk.) <i>Citrus medica</i>
Abrašica (Sloven.) <i>Artemisia abrotanum</i>	Aceituna (Span.) <i>Olea europaea</i>	Addus (Amhar.) <i>Myrtus communis</i>	Aedpetersell (Eston.) <i>Petroselinum crispum</i>	Ağad, badem (Turk.) <i>Prunus dulcis</i> var. <i>amara</i>
Abrod (Dan.) <i>Artemisia abrotanum</i>	Acem kimyonu (Turk.) <i>Cuminum cyminum</i>	Adelu (Telugu) <i>Nasturtium officinale</i>	Aed-piparrohi (Eston.) <i>Satureja hortensis</i>	Agan ghas (Urdu) <i>Cymbopogon citratus</i>
Åbrodd (Swed.) <i>Artemisia abrotanum</i>	Acemotul (Turk.) <i>Melissa officinalis</i>	Adelul kura (Telugu) <i>Nasturtium officinale</i>		
Abrodd (Norw.) <i>Artemisia abrotanum</i>	Ach (Bret.) <i>Apium graveolens</i>			

Agí (Japan.) <i>Ferula assa-foetida</i>	Aindri (Sanskrit) <i>Amomum subulatum</i>	Ajvayan (Manipuri) <i>Trachyspermum copticum</i>	Alchi, lila (Gujrati) <i>Elettaria cardamomum</i>	Allamu chettu (Telugu) <i>Zingiber officinale</i>
Aglio (Ital.) <i>Allium sativum</i>	Ainis (Gael.) <i>Pimpinella anisum</i>	Ajwain (Engl.) <i>Trachyspermum copticum</i>	Ale (Marathi) <i>Zingiber officinale</i>	Allehånde (Dan.,Norw.) <i>Pimenta dioica</i>
Aglio orsino (Ital.) <i>Allium ursinum</i>	Ainise (Irish) <i>Pimpinella anisum</i>	Ajwan (Arab.) <i>Trachyspermum copticum</i>	Alecrim (Port.) <i>Rosmarinus officinalis</i>	Allgewürz (Germ.) <i>Pimenta dioica</i>
Aglio ungherese (Ital.) <i>Allium schoenoprasum</i>	Aïo (Prov.) <i>Allium sativum</i>	Akabare Khorsani (Nepali) <i>Capsicum chinense</i>	Alecrim-do-norte (Port.) <i>Myrica gale</i>	Alliaria wasabi (bot.) <i>Wasabia japonica</i>
Aglis (Old Greek) <i>Allium sativum</i>	Aipo (Port.) <i>Apium graveolens</i>	Aka-jiso (Japan.) <i>Perilla frutescens</i>	Aleh (Kashm.) <i>Elettaria cardamomum</i>	Allibija (Kannada) <i>Lepidium sativum</i>
Agni-casti fructus (pharm.) <i>Vitex agnus-castus</i>	Aiteil (Gael.) <i>Juniperus communis</i>	Akakadur (Fante) <i>Zingiber officinale</i>	Aleh, bari (Kashm.) <i>Amomum subulatum</i>	Allibre (Basque) <i>Trigonella foenum-graecum</i>
Agnishikhe (Kannada) <i>Crocus sativus</i>	Ai thang (Hmar) <i>Houttuynia cordata</i>	Akakaduru (Twi) <i>Zingiber officinale</i>	Aleh, choti (Kashm.) <i>Elettaria cardamomum</i>	Alligator pepper (Engl.) <i>Aframomum melegueta</i>
Agnisikha (Telugu) <i>Carthamus tinctorius</i>	Aithing (Hmar) <i>Zingiber officinale</i>	Akantatar (Finn.) <i>Persicaria hydropiper</i>	Aleich (Oriya) <i>Amomum subulatum</i>	Allium (Lat.) <i>Allium sativum</i>
Agnocast (Catalan) <i>Vitex agnus-castus</i>	Aitiol (Gael.) <i>Juniperus communis</i>	Aka-shiso (Japan.) <i>Perilla frutescens</i>	Aley dafna (Hebr.) <i>Laurus nobilis</i>	All junciforme (Catalan) <i>Allium schoenoprasum</i>
Agnocasto (Ital.) <i>Vitex agnus-castus</i>	Ai tufos (Roman.) <i>Allium schoenoprasum</i>	Akenkaa (Twi) <i>Citrus aurantifolia</i>	Aley kafir laim (Hebr.) <i>Citrus hystrix</i>	Allo (Galic..) <i>Allium sativum</i>
Agno casto (Port.) <i>Vitex agnus-castus</i>	Aitz belarr (Basque) <i>Origanum vulgare</i>	Ak gorçitsa (Turkmen) <i>Sinapis alba</i>	Aley kari (Hebr.) <i>Murraya koenigii</i>	Allo de urso (Galic..) <i>Allium ursinum</i>
Agnus castus (Dutch,Engl.) <i>Vitex agnus-castus</i>	Ajagandha (Bengali) <i>Apium graveolens</i>	Akhago (Rengma Naga) <i>Pandanus odoratissimus</i>	Alfábega (Span.) <i>Ocimum basilicum</i>	Allorbe (Basque) <i>Trigonella foenum-graecum</i>
Agretto (Ital.) <i>Lepidium sativum</i>	Ajamoda (Nepali) <i>Apium graveolens</i>	Akusa (Sumi Naga) <i>Cinnamomum zeylanicum</i>	Alfábrega (Catalan) <i>Ocimum basilicum</i>	Alloro (Ital.) <i>Laurus nobilis</i>
Agrião (Port.) <i>Nasturtium officinale</i>	Ajamoda (Kannada) <i>Trachyspermum copticum</i>	Akvokreso (Esperanto) <i>Nasturtium officinale</i>	Alfarva (Port.) <i>Trigonella foenum-graecum</i>	Allrahanda (Icel.) <i>Pimenta dioica</i>
Agrião do Brasil (Port.) <i>Spilanthes acmella</i>	Ajamu (Newari) <i>Apium graveolens</i>	Alabega (Span.) <i>Ocimum basilicum</i>	Alfavaca (Port.) <i>Ocimum basilicum</i>	Allspice (Engl.) <i>Pimenta dioica</i>
Agrião do Pará (Port.) <i>Spilanthes acmella</i>	Ajedrea (Span.) <i>Satureja hortensis</i>	Alachi (Angami Naga) <i>Amomum subulatum</i>	Alfazema (Port.) <i>Lavandula angustifolia</i>	Almáraco (Span.) <i>Majorana hortensis</i>
Agriokerasia (Greek) <i>Prunus mahaleb</i>	Ajenjo (Span.) <i>Artemisia absinthium</i>	Alaichi (Nepali) <i>Amomum subulatum</i>	Alforba (Port.) <i>Trigonella foenum-graecum</i>	Almendra (Basque,Span.) <i>Prunus dulcis</i>
Agrión (Galic..) <i>Nasturtium officinale</i>	Ajgon (Kazakh) <i>Trachyspermum copticum</i>	Alamandez (Bret.) <i>Prunus dulcis</i>	Alforfa (Galic..) <i>Trigonella foenum-graecum</i>	Almendra amara (Span.) <i>Prunus dulcis</i>
Agrio skordo (Greek) <i>Allium ursinum</i>	Ají (Span.) <i>Capsicum frutescens</i>	Alamandez c'hwerv (Bret.) <i>Prunus dulcis ssp. amara</i>	Alhiv (Marathi) <i>Lepidium sativum</i>	Almendra dulce (Span.) <i>Prunus dulcis</i>
Agumbai (Tamil) <i>Borago indica</i>	Ajito-gbowie (Ga-Dangme, Twi) <i>Piper clusii</i>	Alamandez dous (Bret.) <i>Prunus dulcis ssp. dulcis</i>	Alho (Port.) <i>Allium sativum</i>	Almóinn (Irish) <i>Prunus dulcis</i>
Agumetakui (Ewe) <i>Zingiber officinale</i>	Ajlo (Esperanto) <i>Allium sativum</i>	Alanchi (Dz.) <i>Elettaria cardamomum</i>	Alho-de-urso (Port.) <i>Allium ursinum</i>	Almon (Gael.,Thai,Welsh) <i>Prunus dulcis</i>
Aguona, daržinė (Lith.) <i>Papaver somniferum</i>	Ajlo, sovaĝa (Esperanto) <i>Allium ursinum</i>	Alaychi (Kashm.) <i>Elettaria cardamomum</i>	Alholva (Span.) <i>Trigonella foenum-graecum</i>	Almond (Amhar.,Engl.) <i>Prunus dulcis</i>
Aguonos (Lith.) <i>Papaver somniferum</i>	Ajmuda (Marathi,Sanskrit) <i>Apium graveolens</i>	Alazor (Span.) <i>Carthamus tinctorius</i>	Alho-porró (Port.) <i>Allium ursinum</i>	Almond, sek'it (Amhar.) <i>Prunus dulcis var. dulcis</i>
Agurečnik (Belar.) <i>Borago officinalis</i>	Ajmodika (Sanskrit) <i>Trachyspermum copticum</i>	Albacar (Span.) <i>Ocimum basilicum</i>	Ali (Tamil) <i>Lepidium sativum</i>	Aloc (Catalan) <i>Vitex agnus-castus</i>
Agurklė (Lith.) <i>Borago officinalis</i>	Ajmodud (Hindi,Urdu) <i>Apium graveolens</i>	Albahaca (Galic.,Span.) <i>Ocimum basilicum</i>	Ali (Copt.) <i>Trigonella foenum-graecum</i>	Alojzia citrónová (Slovak) <i>Lippia citriodora</i>
Aguročnik (Belar.) <i>Borago officinalis</i>	Ajo (Span.) <i>Allium sativum</i>	Albaca (Basque) <i>Ocimum basilicum</i>	Aliah (Indones.) <i>Zingiber officinale</i>	Aloysia citriodora (bot.) <i>Lippia citriodora</i>
Aguru bacha (Oriya) <i>Alpinia galanga</i>	Ajo de oso (Span.) <i>Allium ursinum</i>	Albaraka (Basque) <i>Ocimum basilicum</i>	Alimolitong (Ao Naga) <i>Houttuynia cordata</i>	Aloysia triphylla (bot.) <i>Lippia citriodora</i>
Ahiphena (Sanskrit) <i>Papaver somniferum</i>	Ajonjolí (Span.) <i>Sesamum indicum</i>	Albasa (Hausa) <i>Allium cepa</i>	Alís (Catalan) <i>Vitex agnus-castus</i>	Aloyzija, citrininé (Lith.) <i>Lippia citriodora</i>
Ai (Roman.) <i>Allium sativum</i>	Ajo silvestre (Span.) <i>Allium ursinum</i>	Albertlevél (Hung.) <i>Laurus nobilis</i>	Alisarchuli (Georg.) <i>Carthamus tinctorius</i>	Alpanos (Copt.) <i>Capparis spinosa</i>
Ai cao (Mand.) <i>Artemisia vulgaris</i>	Ajova (Russ.) <i>Trachyspermum copticum</i>	Alcaçuz (Port.) <i>Glycyrrhiza glabra</i>	Alisfakia (Greek) <i>Salvia officinalis</i>	Alpínia galangová (Slovak) <i>Alpinia galanga</i>
Ai-eng (Mizo) <i>Curcuma longa</i>	Ajovan (Hung.) <i>Trachyspermum copticum</i>	Alcaparra (Basque,Span.) <i>Capparis spinosa</i>	Alithriten (Copt.) <i>Rhus coriaria</i>	Alpínia liečivá (Slovak) <i>Alpinia galanga</i>
Aieng (Hmar) <i>Curcuma longa</i>	Ajowan (Bret.,Dutch,Engl.,French,Germ.,Ital.,Japan.,Pol.,Port.,Span.) <i>Trachyspermum copticum</i>	Alcaparras (Port.) <i>Capparis spinosa</i>	Alium (Lat.) <i>Allium sativum</i>	Alpinija (Lith.) <i>Alpinia galanga</i>
Aiet (Prov.) <i>Allium sativum</i>	Ajowani fructus (pharm.) <i>Trachyspermum copticum</i>	Alcaparrón (Span.) <i>Capparis spinosa</i>	Aliv (Marathi) <i>Lepidium sativum</i>	Aluine (French) <i>Artemisia absinthium</i>
Ai hao (Mand.) <i>Artemisia dracunculus</i>	Ajuin (Dutch) <i>Allium cepa</i>	Alcapate (Span.) <i>Eryngium foetidum</i>	Aliv (Kannada) <i>Olea europaea</i>	Alyvmedis, europinis (Lith.) <i>Olea europaea</i>
Aijvain (Punjabi) <i>Trachyspermum copticum</i>	Ajvain (Dogri,Hindi,Urdu) <i>Trachyspermum copticum</i>	Alcaravea (Galic.,Span.) <i>Carum carvi</i>	Aliva (Belar.) <i>Olea europaea</i>	Alyvos (Lith.) <i>Olea europaea</i>
Ail (French) <i>Allium sativum</i>		Alcaravia (Port.) <i>Carum carvi</i>	All (Catalan) <i>Allium sativum</i>	Am (Assam.,Bengali,Chakhesang-Chokri Naga,Chakma,Maith.,Newari,Tibet.,Urdu) <i>Mangifera indica</i>
Ail des ours (French) <i>Allium ursinum</i>		Alcaravía (Galic..) <i>Carum carvi</i>	Alla (Kannada) <i>Zingiber officinale</i>	Amaáraco (Span.) <i>Majorana hortensis</i>
Ail sauvage (French) <i>Allium ursinum</i>			Allam (Telugu) <i>Zingiber officinale</i>	
Ailtinn (Gael.) <i>Juniperus communis</i>			Allamu (Telugu) <i>Zingiber officinale</i>	

Amachur (Kannada) <i>Mangifera indica</i>	Amerikaans wormzaad (Dutch) <i>Chenopodium ambrosioides</i>	Amygdalum (Lat.) <i>Prunus dulcis</i>	Aneto (Esperanto,Ital.,Port.) <i>Anethum graveolens</i>	Anís estrellat (Catalan) <i>Illicium verum</i>
Amaliko (Nzema) <i>Ocimum gratissimum</i>	Amerikansko lavrovo durvo (Bulg.) <i>Sassafras albidum</i>	Anaar (Pahlavi) <i>Punica granatum</i>	Aneton (Old Greek) <i>Anethum graveolens</i>	Anís étoilé (French) <i>Illicium verum</i>
Amaloko (Nzema) <i>Ocimum gratissimum</i>	Amerika-ritaso (Japan.) <i>Chenopodium ambrosioides</i>	Anaargeel (Pahlavi) <i>Cocos nucifera</i>	Aneton (Old Greek) <i>Pimpinella anisum</i>	Anisi fructus (pharm.) <i>Pimpinella anisum</i>
Amanda (Basque) <i>Prunus dulcis</i>	Ameriški poper (Sloven.) <i>Schinus terebinthifolius</i>	Anairo wie (Ga-Dangme) <i>Aframomum melegueta</i>	Anetum (Lat.) <i>Anethum graveolens</i>	Anisillo (Span.) <i>Piper auritum</i>
Amande amère (French) <i>Prunus dulcis</i>	Amethi (Rengma Naga) <i>Z. rhetsa</i>	Anai wie (Ga-Dangme) <i>Aframomum melegueta</i>	Aneumur (Copt.) <i>Foeniculum vulgare</i>	Anisi stellati fructus (pharm.) <i>Illicium verum</i>
Amande douce (French) <i>Prunus dulcis</i>	Ametler (Catalan) <i>Prunus dulcis</i>	Ananookh (Armen.) <i>Mentha piperita</i>	A ngaih (Canton.) <i>Ferula assafoetida</i>	Aniskål (Swed.) <i>Myrrhis odorata</i>
Amandel (Afrikaans,Dutch) <i>Prunus dulcis</i>	Amezhu (Rengma Naga) <i>Z. acanthopodium</i>	Ananux (Armen.) <i>Mentha piperita</i>	Angelskaje zellje (Belar.) <i>Pimenta dioica</i>	Anison (Armen.,Greek) <i>Pimpinella anisum</i>
Amapola (Span.) <i>Papaver somniferum</i>	Amghobo (Sumi Naga) <i>Pandanus odoratissimus</i>	Anar (Bengali,Chakma,Farsi, Kazakh,Maith.,Mong., Nepali,Punjabi,Santali) <i>Punica granatum</i>	Anghuzeh (Farsi) <i>Ferula assafoetida</i>	Anison asteroeides (Greek) <i>Illicium verum</i>
Amapola real (Span.) <i>Papaver somniferum</i>	Amigdalia (Greek) <i>Prunus dulcis</i>	Anar ağaşı (Kazakh) <i>Punica granatum</i>	Angol mustár (Hung.) <i>Sinapis alba</i>	Anispfeffer (Germ.) <i>Zanthoxylum piperitum</i>
Amaraka (Aram.) <i>Majorana hortensis</i>	Amilo (Nepali) <i>Rhus coriaria</i>	Anardana (Hindi,Marathi, Urdu) <i>Punica granatum</i>	Angothi (Sumi Naga) <i>Z. rhetsa</i>	Anisippuri (Finn.) <i>Zanthoxylum piperitum</i>
Amarakon (Old Greek) <i>Majorana hortensis</i>	Amindalum (Lat.) <i>Prunus dulcis</i>	Anasapuvva (Telugu) <i>Illicium verum</i>	A ngui (Vietnam.) <i>Ferula assafoetida</i>	Anisruoho (Finn.) <i>Pimpinella anisum</i>
Amara migdalo (Esperanto) <i>Prunus dulcis</i> var. <i>amara</i>	Amisi (Copt.) <i>Anethum graveolens</i>	Anason (Alb.,Bulg., Maced.,Roman.,Turk.) <i>Pimpinella anisum</i>	Anice (Ital.) <i>Pimpinella anisum</i>	Aniss (Latv.) <i>Pimpinella anisum</i>
Amarella (Ital.) <i>Artemisia vulgaris</i>	Amizon (Copt.) <i>Anethum graveolens</i>	Anason misir (Turk.) <i>Trachyspermum copticum</i>	Anice stellato (Ital.) <i>Illicium verum</i>	Anis star (Hebr.) <i>Illicium verum</i>
Amarilinis pandanas (Lith.) <i>Pandanus amaryllifolius</i>	Amla (Kannada) <i>Tamarindus indica</i>	Anason dulce (Roman.) <i>Foeniculum vulgare</i>	Anice verde (Ital.) <i>Pimpinella anisum</i>	Anisu (Japan.,Korean,Tamil) <i>Pimpinella anisum</i>
Amb (Kashm.,Punjabi) <i>Mangifera indica</i>	Amlí (Gujrati,Urdu) <i>Tamarindus indica</i>	Anason stelat (Roman.) <i>Illicium verum</i>	Anis (Eston.) <i>Pimpinella anisum</i>	Anisun (Arab.,Farsi,Urdu) <i>Pimpinella anisum</i>
Amba (Oriya,Sinh.,Urdu) <i>Mangifera indica</i>	Ammi (Engl.) <i>Trachyspermum copticum</i>	Anasonu, çin (Turk.) <i>Illicium verum</i>	Anijs (Dutch) <i>Pimpinella anisum</i>	Anisu-suta (Korean) <i>Illicium verum</i>
Ambagasa (Sinh.) <i>Mangifera indica</i>	Ammi copticum (bot.) <i>Trachyspermum copticum</i>	Anasonu, yıldız (Turk.) <i>Illicium verum</i>	Anis (Tagalog) <i>Illicium verum</i>	Anis verde (Port.) <i>Pimpinella anisum</i>
Ambemohor pat (Marathi) <i>Pandanus amaryllifolius</i>	Amóm (Slovak) <i>Amomum subulatum</i>	Anasonu, zvezdoiden (Bulg.) <i>Illicium verum</i>	Anis (Basque,Belar.,Croat., Dan.,Finn.,Germ.,Hebr., Norw.,Port.,Prov.,Russ., Serb.,Swed.,Tagalog, Ukr.) <i>Pimpinella anisum</i>	Anis vert (French) <i>Pimpinella anisum</i>
Amb halad (Hindi) <i>Curcuma zedoaria</i>	Amomon (Old Greek) <i>Amomum subulatum</i>	Anasphal (Hindi) <i>Illicium verum</i>	Anis (Catalan,Galic.,Icel., Span.) <i>Pimpinella anisum</i>	Anithi (Hindi) <i>Anethum graveolens</i>
Ambiram (Tamil) <i>Mangifera indica</i>	Amomum cardamomum (bot.) <i>Elettaria cardamomum</i>	Anasphul (Oriya) <i>Illicium verum</i>	Aniš (Serb.) <i>Pimpinella anisum</i>	Anithos (Greek) <i>Anethum graveolens</i>
Ambra (Dan.) <i>Artemisia abrotanum</i>	Amomum grana paradisi (bot.) <i>Aframomum melegueta</i>	Anato (Korean,Port.) <i>Bixa orellana</i>	Anis (Serb.) <i>Pimpinella anisum</i>	Aníz (Slovak) <i>Pimpinella anisum</i>
Ambrah (Sanskrit) <i>Mangifera indica</i>	Amomum melegueta (bot.) <i>Aframomum melegueta</i>	Anatto (Dutch,Malayalam, Slovak) <i>Bixa orellana</i>	Anis, grøn (Dan.) <i>Pimpinella anisum</i>	Aniz (Bret.) <i>Pimpinella anisum</i>
Ambrosia (Ital.) <i>Chenopodium ambrosioides</i>	Amomum mag (Hung.) <i>Pimenta dioica</i>	Anbeh (Farsi) <i>Mangifera indica</i>	Anis, zvezdasti (Serb.) <i>Illicium verum</i>	Aniz, hviezdicový (Slovak) <i>Illicium verum</i>
Ambuliya aromatnaya (Russ.) <i>Limnophila aromatica</i>	Amomum melegueta (bot.) <i>Aframomum melegueta</i>	Anbu (Dhivehi) <i>Mangifera indica</i>	Anis, zvezdchatyj (Russ.) <i>Illicium verum</i>	Aniza (Sumi Naga) <i>O. tenuiflorum</i>
Amchoor (Hindi) <i>Mangifera indica</i>	Amond (Japan.) <i>Prunus dulcis</i>	Ancha (Japan.) <i>Mangifera indica</i>	Anis, zvjezdasti (Croat.) <i>Illicium verum</i>	Anizo (Esperanto) <i>Pimpinella anisum</i>
Amchukuli (Dz.) <i>Mangifera indica</i>	Amondu (Korean) <i>Prunus dulcis</i>	Andaliman (Indones.) <i>Zanthoxylum acanthopodium</i>	Anis de la Chine (French) <i>Illicium verum</i>	Anízovec pravý (Slovak) <i>Illicium verum</i>
Amchur (Bengali,Marathi, Telugu,Urdu) <i>Mangifera indica</i>	Ampil khui (Khmer) <i>Tamarindus indica</i>	Andropogonis herba (pharm.) <i>Cymbopogon citratus</i>	Anise (Engl.) <i>Pimpinella anisum</i>	Ánizs (Hung.) <i>Pimpinella anisum</i>
Amchura (Oriya) <i>Mangifera indica</i>	Ampil tum (Khmer) <i>Tamarindus indica</i>	Aneldo (Span.) <i>Anethum graveolens</i>	Anise, Chinese (Engl.) <i>Illicium verum</i>	Ánizs, kínai (Hung.) <i>Illicium verum</i>
Amčur (Czech) <i>Mangifera indica</i>	Amra (Kannada,Tibet.) <i>Mangifera indica</i>	Aneson (Old Greek) <i>Anethum graveolens</i>	Anise, Indian (Engl.) <i>Illicium verum</i>	Ánizsbors (Hung.) <i>Zanthoxylum piperitum</i>
Ameloko (Nzema) <i>Ocimum gratissimum</i>	Amram (Malayalam) <i>Mangifera indica</i>	Anesum (Lat.) <i>Pimpinella anisum</i>	Anise, star (Engl.) <i>Illicium verum</i>	Aniz steredenne (Bret.) <i>Illicium verum</i>
Amêndoa (Port.) <i>Prunus dulcis</i>	Amramu (Telugu) <i>Mangifera indica</i>	Anet (Catalan) <i>Anethum graveolens</i>	Anise chervil (Engl.) <i>Myrrhis odorata</i>	Anjadana (Urdu) <i>Ferula assafoetida</i>
Amêndoa amarga (Port.) <i>Prunus dulcis</i>	Amro (Assam.,Mong.) <i>Mangifera indica</i>	Aneta (Basque) <i>Anethum graveolens</i>	Anise cicely (Engl.) <i>Myrrhis odorata</i>	Anjodan romi (Farsi) <i>Levisticum officinale</i>
Amêndoa doce (Port.) <i>Prunus dulcis</i>	Amtat gon'd (Mong.) <i>Foeniculum vulgare</i>	Aneth doux (French) <i>Foeniculum vulgare</i>	Aniseed (Engl.) <i>Pimpinella anisum</i>	Ankaatwaree (Twi) <i>Citrus aurantifolia</i>
Američki papar (Croat.) <i>Schinus terebinthifolius</i>	Amygdale (Old Greek) <i>Prunus dulcis</i>	Aneth odorant (French) <i>Anethum graveolens</i>	Anise pepper (Engl.) <i>Zanthoxylum piperitum</i>	Ankama (Fante) <i>Citrus aurantifolia</i>
Americký zeler (Slovak) <i>Levisticum officinale</i>	Amygdalia (Greek) <i>Prunus dulcis</i>	Anethum (Lat.) <i>Anethum graveolens</i>	Anis estrelado (Port.) <i>Illicium verum</i>	Ankasa (Mizo) <i>Spilanthes acmella</i>
	Amygdalos (Old Greek) <i>Prunus dulcis</i>		Anis Estrelado (Galic.) <i>Illicium verum</i>	Annaaru (Dhivehi) <i>Punica granatum</i>
			Anís estrella (Span.) <i>Illicium verum</i>	Annata (Czech) <i>Bixa orellana</i>

Annato (Russ.,Span.) <i>Bixa orellana</i>	Apelsin (Swed.,Uzbek) <i>Citrus sinensis</i>	Aqjelek (Kazakh) <i>Petroselinum crispum</i>	Arkol (Punjabi) <i>Rhus coriaria</i>	As (Arab.,Aram.) <i>Myrtus communis</i>
Annatopõõsa (Eston.) <i>Bixa orellana</i>	Apel'sin (Russ.) <i>Citrus sinensis</i>	Aq jelkek (Kazakh) <i>Armoracia rusticana</i>	Armoise (French) <i>Artemisia vulgaris</i>	Asabu-tade (Japan.) <i>Persicaria hydropiper</i>
Annatto (Engl.,Finn.,Germ.,Ital.) <i>Bixa orellana</i>	Apelsinai (Lith.) <i>Citrus sinensis</i>	Aqjelkek (Kazakh) <i>Petroselinum crispum</i>	Armoise amère (French) <i>Artemisia absinthium</i>	Asa-fétida (French) <i>Ferula assa-foetida</i>
Annattopuu (Finn.) <i>Bixa orellana</i>	Apelsininis citrinmedis (Lith.) <i>Citrus sinensis</i>	Aqjelken (Kazakh) <i>Petroselinum crispum</i>	Armorakia (Greek) <i>Armoracia rusticana</i>	Asafetida (Bulg.,Croat.,Engl.,Russ.,Serb.) <i>Ferula assa-foetida</i>
Anneson (Old Greek) <i>Pimpinella anisum</i>	Apelsinipuu (Eston.) <i>Citrus sinensis</i>	Arabbors (Hung.) <i>Xylopiya aethiopica</i>	Arnatto (Turk.) <i>Bixa orellana</i>	Asafétida (Span.) <i>Ferula assa-foetida</i>
Annnasi pu (Tamil) <i>Illicium verum</i>	Apelsīns (Latv.) <i>Citrus sinensis</i>	Aranchu (Tamil) <i>Citrus sinensis</i>	Arnota (Pol.) <i>Bixa orellana</i>	Asafetyda (Pol.) <i>Ferula assa-foetida</i>
Annotto (Dutch) <i>Bixa orellana</i>	Apelsiyn (Kazakh) <i>Citrus aurantifolia</i>	Arancia (Ital.) <i>Citrus sinensis</i>	Aroda (Malay) <i>Ruta graveolens</i>	Asafetida (Dutch,Engl.,Icel.) <i>Ferula assa-foetida</i>
Anoater dua (Fante) <i>Cinnamomum zeylanicum</i>	Apel'syn (Ukr.) <i>Citrus sinensis</i>	Arancia dulce (Ital.) <i>Citrus sinensis</i>	Arogula (Hebr.) <i>Eruca sativa</i>	Asa-fœtida (French) <i>Ferula assa-foetida</i>
Anoatre dua (Twi) <i>Cinnamomum zeylanicum</i>	Apfelsine (Germ.) <i>Citrus sinensis</i>	Arancio amaro (Ital.) <i>Citrus aurantium ssp. amara</i>	Aroma cinamomo (Esperanto) <i>Cinnamomum cassia</i>	Asafoetida (Gujrati) <i>Lepidium sativum</i>
Anor (Tajik,Uzbek) <i>Punica granatum</i>	Aphim (Khasi,Nepali) <i>Papaver somniferum</i>	Arancio forte (Ital.) <i>Citrus aurantium ssp. amara</i>	Aromatna limnofila (Bulg.) <i>Limnophila aromatica</i>	Asafoetida nartex (bot.) <i>Ferula assa-foetida</i>
Anotto (Ital.) <i>Bixa orellana</i>	Aphima (Oriya) <i>Papaver somniferum</i>	Aranybors (Hung.) <i>Capsicum frutescens</i>	Aromatopeperi (Greek) <i>Pimenta dioica</i>	Asaföötida (Eston.) <i>Ferula assa-foetida</i>
Anrarr (Arab.) <i>Origanum vulgare</i>	Aphimu (Kannada) <i>Papaver somniferum</i>	Arapsaçı (Turk.) <i>Foeniculum vulgare</i>	Arpagic (Roman.) <i>Allium cepa</i>	Asaheteida (Japan.) <i>Ferula assa-foetida</i>
An shi liu (Mand.) <i>Punica granatum</i>	Aphu guti (Assam.) <i>Papaver somniferum</i>	Arar (Arab.,Hebr.) <i>Juniperus communis</i>	Arrayán (Span.) <i>Myrtus communis</i>	Asalhiyaa (Dhivehi) <i>Lepidium sativum</i>
Anthrammu (Hmar) <i>Brassica nigra</i>	Api (Basque,Catalan,Prov.) <i>Apium graveolens</i>	Ar'ar (Hebr.) <i>Juniperus communis</i>	Arrifouar (Prov.) <i>Armoracia rusticana</i>	Asaliya (Gujrati) <i>Lepidium sativum</i>
Anthriskion (Old Greek) <i>Anthriscus cerefolium</i>	Apiganos (Greek) <i>Ruta graveolens</i>	Aratha (Sinh.) <i>Alpinia galanga</i>	Arrosa (Basque) <i>Rosa damascena</i>	Asam Jawa (Indones.,Malay) <i>Tamarindus indica</i>
Anthriskon (Old Greek) <i>Anthriscus cerefolium</i>	Aping Bipang (Garo) <i>Papaver somniferum</i>	Ar-atsil (Hebr.) <i>Laurus nobilis</i>	Arrowroot, Indian (Engl.) <i>Curcuma zedoaria</i>	Asam kuning (Indones.) <i>Tamarindus indica</i>
Anthriskos (Greek) <i>Anthriscus cerefolium</i>	Apium (Span.) <i>Apium graveolens</i>	Aratta (Malayalam) <i>Alpinia galanga</i>	Arruda (Port.) <i>Ruta graveolens</i>	Asamodagam (Sinh.,Tamil) <i>Trachyspermum copticum</i>
Antipka (Russ.) <i>Prunus mahaleb</i>	Apio de montaña (Span.) <i>Levisticum officinale</i>	Arattai (Tamil) <i>Alpinia galanga</i>	Arrúgula (Span.) <i>Eruca sativa</i>	Asant (Germ.) <i>Ferula assa-foetida</i>
Antram (Mizo) <i>Brassica nigra</i>	Apium (Lat.) <i>Apium graveolens</i>	Arbore das pelucas (Port.) <i>Rhus coriaria</i>	Arşa (Kazakh) <i>Juniperus communis</i>	Asapoetida (Korean) <i>Ferula assa-foetida</i>
Antypka (Pol.) <i>Prunus mahaleb</i>	Apium carvi (bot.) <i>Carum carvi</i>	Arbre au poivre (French) <i>Vitex agnus-castus</i>	Ārstniecības gurķenes (Latv.) <i>Borago officinalis</i>	Asare (Nepali) <i>Murraya koenigii</i>
Anyafű (Hung.) <i>Artemisia vulgaris</i>	Apium petroselinum (bot.) <i>Petroselinum crispum</i>	Arbre de Sant Josep (Catalan) <i>Vitex agnus-castus</i>	Ārstniecības ingvers (Latv.) <i>Zingiber officinale</i>	Asa smrdutá (Czech) <i>Ferula assa-foetida</i>
Anyaméhfü (Hung.) <i>Melissa officinalis</i>	Apo perexil (Basque) <i>Anthriscus cerefolium</i>	Archa (Uzbek) <i>Juniperus communis</i>	Ārstniecības izops (Latv.) <i>Hyssopus officinalis</i>	Asatuki (Japan.) <i>Allium schoenoprasum</i>
Anyinle (Nzema) <i>Zanthoxylum xanthoxyloides</i>	Appelsien (Dutch) <i>Citrus sinensis</i>	Ardei (Roman.) <i>Capsicum annuum</i>	Ārstniecības melisa (Latv.) <i>Melissa officinalis</i>	Ascalonia (Lat.,Span.) <i>Allium ascalonicum</i>
Anys (Fris.) <i>Pimpinella anisum</i>	Appelsiini (Finn.) <i>Citrus sinensis</i>	Ardei dulce (Roman.) <i>Capsicum annuum</i>	Ārstniecības salvijas (Latv.) <i>Salvia officinalis</i>	Aschantipeffer (Germ.) <i>Piper clusii</i>
Anyż (Pol.) <i>Pimpinella anisum</i>	Appelsin (Dan.,Norw.) <i>Citrus sinensis</i>	Ardei gras (Roman.) <i>Capsicum annuum</i>	Artemisa (Span.) <i>Artemisia vulgaris</i>	Aschlauch (Germ.) <i>Allium ascalonicum</i>
Anyž (Slovak) <i>Pimpinella anisum</i>	Appelsína (Icel.) <i>Citrus sinensis</i>	Ardei iute (Roman.) <i>Capsicum frutescens</i>	Artemisa vulgar (Catalan) <i>Artemisia vulgaris</i>	Asea aranian (Kenya) <i>Ocimum basilicum</i>
Anyż gwiazdkowaty (Pol.) <i>Illicium verum</i>	Apró (Hung.) <i>Citrus aurantifolia</i>	Arđic (Azeri) <i>Juniperus communis</i>	Artemisia (Port.) <i>Artemisia vulgaris</i>	Ase fétide (French) <i>Ferula assa-foetida</i>
Anyžinė ožiažolė (Lith.) <i>Pimpinella anisum</i>	Apentia (Greek) <i>Artemisia absinthium</i>	Arđıç yemişi (Turk.) <i>Juniperus communis</i>	Artemisia (Greek) <i>Artemisia vulgaris</i>	Aselio (Hindi) <i>Lepidium sativum</i>
Anyžius (Lith.) <i>Pimpinella anisum</i>	Apsinthia (Greek) <i>Artemisia absinthium</i>	Ardoog (Armen.) <i>Juniperus communis</i>	Artemizio (Esperanto) <i>Artemisia vulgaris</i>	Asentsio (Basque) <i>Artemisia absinthium</i>
Anyžius, Kinijos (Lith.) <i>Illicium verum</i>	Apsinthion (Old Greek) <i>Artemisia absinthium</i>	Arel (Welsh) <i>Laurus nobilis</i>	Artimisia (Hebr.) <i>Artemisia vulgaris</i>	Aseymirus (Dhivehi) <i>Piper nigrum</i>
Anyžių sėklos (Lith.) <i>Pimpinella anisum</i>	Apsinthos (Old Greek) <i>Artemisia absinthium</i>	Aresfilon (Copt.) <i>Anthriscus cerefolium</i>	Arts (Mong.) <i>Juniperus communis</i>	Asfour (Arab.) <i>Carthamus tinctorius</i>
Anyż vonný (Czech) <i>Pimpinella anisum</i>	Apsintinon (Aram.) <i>Artemisia absinthium</i>	Arhrikreh (Mizo) <i>Zanthoxylum armatum</i>	Artuch (Armen.) <i>Juniperus communis</i>	Asfur (Arab.,Turk.) <i>Carthamus tinctorius</i>
Ao chun jiang (Mand.) <i>Boenbergia pandurata</i>	Aptechnyj ukrop (Russ.) <i>Foeniculum vulgare</i>	Arigan (Roman.) <i>Origanum vulgare</i>	Aruda (Sinh.,Tamil,Telugu) <i>Ruta graveolens</i>	Ashadil (Marathi) <i>Sesamum indicum</i>
Ao-jiso (Japan.) <i>Perilla frutescens</i>	Apteegitill, harilik (Eston.) <i>Foeniculum vulgare</i>	Arillus Myrasticae (pharm.) <i>Myristica fragrans</i>	Arugula (Dan.,Engl.,Roman.) <i>Eruca sativa</i>	Ashali (Malayalam) <i>Lepidium sativum</i>
Ao le gang (Mand.) <i>Origanum vulgare</i>	Apteegitilliseemned (Eston.) <i>Foeniculum vulgare</i>	Arishina (Kannada) <i>Curcuma longa</i>	Aruvada (Tamil) <i>Ruta graveolens</i>	Ashanti bors (Hung.) <i>Piper clusii</i>
Ao le gang cao (Mand.) <i>Origanum vulgare</i>	Apyeon (Korean) <i>Papaver somniferum</i>	Arisina (Kannada) <i>Curcuma longa</i>	Arveira (Span.) <i>Schinus terebinthifolius</i>	Ashanti pepper (Engl.) <i>Piper clusii</i>
Ao-shiso (Japan.) <i>Perilla frutescens</i>	Apyon (Korean) <i>Papaver somniferum</i>	Arkeuthos (Old Greek) <i>Juniperus communis</i>	Árvore da castidade (Port.) <i>Vitex agnus-castus</i>	

Ashinsthoi (Copt.) <i>Mentha piperita</i>	Avendl (Yidd.) <i>Lavandula angustifolia</i>	Azemorina (Amhar.) <i>Rosmarinus officinalis</i>	Badamgül (Kazakh) <i>Prunus dulcis</i>	Badranjbuye (Farsi) <i>Melissa officinalis</i>
Asinstoi (Copt.) <i>Mentha piperita</i>	Averoom (Dutch) <i>Artemisia abrotanum</i>	Azhgon (Bulg.,Russ.,Tajik) <i>Trachyspermum copticum</i>	Badami (Kannada) <i>Prunus dulcis</i>	Bad'yan (Russ.) <i>Illicium verum</i>
Askalonio (Greek) <i>Allium ascalonicum</i>	Avishan (Farsi) <i>Majorana hortensis</i>	Azitrail (Basque) <i>Satureja hortensis</i>	Badam kayu (Malayalam) <i>Prunus dulcis</i>	Badyán (Czech,Slovak) <i>Illicium verum</i>
Askalono (Esperanto) <i>Allium ascalonicum</i>	Avishan kuhi (Farsi) <i>Origanum vulgare</i>	Azmatsug baldaranolisten (Bulg.) <i>Anthriscus cerefolium</i>	Badam pol (Garó) <i>Prunus dulcis</i>	Badyan (Azeri,Yidd.) <i>Illicium verum</i>
Askök (Kazakh) <i>Anethum graveolens</i>	Avotu krese (Latv.) <i>Nasturtium officinale</i>	Azmatsuk obiknoven (Bulg.) <i>Anthriscus cerefolium</i>	Badam shirin (Farsi) <i>Prunus dulcis</i> var. <i>dulcis</i>	Badyani (Urdu) <i>Illicium verum</i>
Asmäṭui (Roman.) <i>Anthriscus cerefolium</i>	Awa fadigom (Manipuri) <i>Eryngium foetidum</i>	Azmud, netch (Amhar.) <i>Trachyspermum copticum</i>	Badamshirin (Urdu) <i>Prunus dulcis</i>	Badyáník (Czech) <i>Illicium verum</i>
Aspir çiçeği (Turk.) <i>Carthamus tinctorius</i>	A wei (Mand.) <i>Ferula assa-foetida</i>	Azmud, netch (Amhar.) <i>Trachyspermum copticum</i>	Badam talakh (Farsi) <i>Prunus dulcis</i> var. <i>amara</i>	Baeggyeoja (Korean) <i>Sinapis alba</i>
Aspur (Turk.) <i>Carthamus tinctorius</i>	Awí (Korean) <i>Ferula assa-foetida</i>	Azmud, t'ikur (Amhar.) <i>Nigella sativa</i>	Badamu (Kannada,Telugu) <i>Prunus dulcis</i>	Baekdugu (Korean) <i>Amomum krervanh</i>
Asruna (Tangkhal) <i>Allium cepa</i>	Awisa (Ewe) <i>Aframomum melegueta</i>	Azü (Ao Naga) <i>Perilla frutescens</i>	Badamupappu (Telugu) <i>Prunus dulcis</i>	Baeltaerna (Oss.) <i>Sinapis alba</i>
Assafétida (Ital.,Port.) <i>Ferula assa-foetida</i>	Awishan shirazi (Farsi) <i>Thymus serpyllum</i>	Azüponhmydü (Ao Naga) <i>Houttuynia cordata</i>	Badasso (Prov.) <i>Thymus vulgaris</i>	Baerkarse (Dan.) <i>Tropaeolum majus</i>
Assem (Dutch) <i>Tamarindus indica</i>	Awusa (Ewe) <i>Aframomum melegueta</i>	Baahk dau kau (Canton.) <i>Elettaria cardamomum</i>	Badassoun (Prov.) <i>Thymus serpyllum</i>	Bagha (Korean) <i>Mentha arvensis</i> var. <i>piperascens</i>
Assenzio (Ital.) <i>Artemisia absinthium</i>	Axedrea (Galic..) <i>Satureja montana</i>	Baahk gaai choi (Canton.) <i>Sinapis alba</i>	Badayan (Dogri,Hindi) <i>Illicium verum</i>	Bagia (Greek) <i>Laurus nobilis</i>
Assenzio selvatico (Ital.) <i>Artemisia vulgaris</i>	Axenxo (Galic..) <i>Artemisia absinthium</i>	Baahk gaai ji (Canton.) <i>Sinapis alba</i>	Badejan (Belar.) <i>Illicium verum</i>	Bagichi (Urdu) <i>Thymus vulgaris</i>
Assenzio vero (Ital.) <i>Artemisia absinthium</i>	Axinse (Basque) <i>Artemisia absinthium</i>	Baahk wuh jiu (Canton.) <i>Piper nigrum</i>	Badekraud (Germ.) <i>Levisticum officinale</i>	Bagor (Chakma) <i>Coriandrum sativum</i>
Atakui (Ewe) <i>Aframomum melegueta</i>	Aya (Ga-Dangme) <i>Allium sativum</i>	Baak leih heung (Canton.) <i>Thymus vulgaris</i>	Badem (Bulg.,Croat.,Maced.,Serb.,Turk.) <i>Prunus dulcis</i>	Bägül (Turkmen) <i>Rosa damascena</i>
Athair liath (Gael.) <i>Salvia officinalis</i>	Ayak (Urdu) <i>Thymus vulgaris</i>	Baam (Lao) <i>Melissa officinalis</i>	Badem, aci (Turk.) <i>Prunus dulcis</i> var. <i>amara</i>	Bahar (Turk.) <i>Myrtus communis</i>
Atimadhura (Kannada) <i>Glycyrrhiza glabra</i>	Ayamodagam (Malayalam) <i>Trachyspermum copticum</i>	Baan laahn (Canton.) <i>Pandanus amaryllifolius</i>	Badem, gorki (Croat.,Serb.) <i>Prunus dulcis</i> var. <i>amara</i>	Bahar (Arab.) <i>Pimenta dioica</i>
Atimadthuramane (Telugu) <i>Glycyrrhiza glabra</i>	Ayembu (Sumi Naga) <i>O. tenuiflorum</i>	Baat gok (Canton.) <i>Illicium verum</i>	Badem, slatki (Croat.,Serb.) <i>Prunus dulcis</i> var. <i>dulcis</i>	Bahar halu (Arab.) <i>Pimenta dioica</i>
Atimadthuramu (Telugu) <i>Glycyrrhiza glabra</i>	Ayenle (Nzema) <i>Zanthoxylum xanthoxyloides</i>	Babér (Hung.) <i>Laurus nobilis</i>	Badem, tath (Turk.) <i>Prunus dulcis</i> var. <i>dulcis</i>	Bahari (Greek) <i>Myrtus communis</i>
Atimaduram (Sinh.,Tamil) <i>Glycyrrhiza glabra</i>	Ayi sarmsağı (Turk.) <i>Allium ursinum</i>	Babér, indonéz (Hung.) <i>Eugenia polyantha</i>	Badem ağad (Turk.) <i>Prunus dulcis</i> var. <i>amara</i>	Bahari (Georg.) <i>Pimenta dioica</i>
Atipalam (Tamil) <i>Myristica fragrans</i>	Ayit (Turk.) <i>Vitex agnus-castus</i>	Babérlevél (Hung.) <i>Laurus nobilis</i>	Badem, tath (Turk.) <i>Prunus dulcis</i> var. <i>dulcis</i>	Bahçe adaçayı (Turk.) <i>Salvia officinalis</i>
Ätirgül (Kazakh) <i>Rosa damascena</i>	Ayo (Ga-Dangme) <i>Allium sativum</i>	Babina duša (Serb.) <i>Majorana hortensis</i>	Baden (Kazakh) <i>Illicium verum</i>	Bahçe kekiği (Turk.) <i>Thymus vulgaris</i>
Atirgul (Uzbek) <i>Rosa damascena</i>	Ayowam (Span.) <i>Trachyspermum copticum</i>	Babina dušica (Maced.) <i>Thymus vulgaris</i>	Badesopu (Kannada) <i>Foeniculum vulgare</i>	Bahçe rezenesi (Turk.) <i>Foeniculum vulgare</i>
Atroj (Arab.) <i>Citrus medica</i>	Ayowan (Korean) <i>Trachyspermum copticum</i>	Baca lauri (Lat.) <i>Laurus nobilis</i>	Badiajonas (Lith.) <i>Illicium verum</i>	Bahenni rokyt (Czech) <i>Eruca sativa</i>
Atruj (Arab.) <i>Citrus medica</i>	Ayun (Papiamento,Sranan) <i>Allium cepa</i>	Baca myrtæ (Lat.) <i>Myrtus communis</i>	Badian (Kashm.) <i>Foeniculum vulgare</i>	Bahkhawr (Mizo) <i>Eryngium foetidum</i>
Atshyut (Arab.) <i>Bixa orellana</i>	Ayvadana (Turk.) <i>Artemisia vulgaris</i>	Baca rutæ (Lat.) <i>Ruta graveolens</i>	Badian (Germ.,Pol.,Roman.) <i>Illicium verum</i>	Bai beyet (Thai) <i>Laurus nobilis</i>
Atsuete (Tagalog) <i>Bixa orellana</i>	Aza (Greek) <i>Ferula assa-foetida</i>	Baccæ Juniperi (pharm.) <i>Juniperus communis</i>	Badián (Slovak,Span.) <i>Illicium verum</i>	Baidoukou (Mand.) <i>Elettaria cardamomum</i>
Atuja (Malay) <i>Zingiber officinale</i>	Azadkegh (Armen.) <i>Petroselinum crispum</i>	Bac ha (Vietnam.) <i>Mentha piperita</i>	Badiana (Span.) <i>Illicium verum</i>	Baies roses (French) <i>Schinus terebinthifolius</i>
Augue tree (Engl.) <i>Sassafras albidum</i>	Azafetida (Lith.) <i>Ferula assa-foetida</i>	Bach dau khau (Vietnam.) <i>Elettaria cardamomum</i>	Badian anise (Engl.) <i>Illicium verum</i>	Bai Hom Lap (Lao) <i>Mentha piperita</i>
Aulie (Tigr.) <i>Olea europaea</i>	Azafrán (Czech,Galic.,Slovak,Span.) <i>Crocus sativus</i>	Bach gioi tu (Vietnam.) <i>Sinapis alba</i>	Badiane (French) <i>Illicium verum</i>	Bai hu jiao (Mand.) <i>Piper nigrum</i>
Aurantii pericarpium (pharm.) <i>Citrus aurantium</i> ssp. <i>amara</i>	Azafrán arabe (Span.) <i>Curcuma longa</i>	Backtimjan (Swed.) <i>Thymus serpyllum</i>	Badiani (Georg.) <i>Illicium verum</i>	Bai jie cai (Mand.) <i>Sinapis alba</i>
Aurone (French) <i>Artemisia abrotanum</i>	Azaparán (Basque) <i>Crocus sativus</i>	Badam (Aram.,Assam.,Azeri, Bengali,Dogri,Farsi, Gujrati,Hindi,Kazakh, Manipuri,Marathi,Punjabi,Tulu,Urdu) <i>Prunus dulcis</i>	Badiani romi (Farsi) <i>Pimpinella anisum</i>	Bai jie zi (Mand.) <i>Sinapis alba</i>
Aurone mâle (French) <i>Artemisia abrotanum</i>	Azatkegh (Armen.) <i>Petroselinum crispum</i>	Badama (Oriya,Sanskrit) <i>Prunus dulcis</i>	Badijan (Maced.) <i>Illicium verum</i>	Bai kankam (Lao) <i>Mentha piperita</i>
Australischer Pfeffer (Germ.) <i>Tasmannia lanceolata</i>	Azebu-tade (Japan.) <i>Persicaria hydropiper</i>	Badama ağacı (Azeri) <i>Prunus dulcis</i> var. <i>amara</i>	Badishep (Marathi) <i>Foeniculum vulgare</i>	Bai karee (Thai) <i>Murraya koenigii</i>
Ausur (Kashm.) <i>Brassica nigra</i>	Azeitoná (Port.) <i>Olea europaea</i>		Badishep (Marathi) <i>Pimpinella anisum</i>	Bai kihut (Lao) <i>Citrus hystrix</i>
Ausytasis pipiras (Lith.) <i>Piper auritum</i>			Badjans (Latv.) <i>Illicium verum</i>	Bai krawan (Thai) <i>Laurus nobilis</i>
Avalu (Telugu) <i>Brassica nigra</i>			Badmynta (Swed.) <i>Perilla frutescens</i>	Bai li xiang (Mand.) <i>Thymus vulgaris</i>
Avaran (Aram.) <i>Laurus nobilis</i>				Bai mak kham (Lao) <i>Tamarindus indica</i>
				Bai mak nao (Khmer) <i>Cymbopogon citratus</i>

Bai makrut (Thai) <i>Citrus hystrix</i>	Baltoji garstyčia (Lith.) <i>Sinapis alba</i>	Barlen-sitroņš (Bret.) <i>Lippia citriodora</i>	Bat but (Canton.) <i>Piper longum</i>	Bazylija wonna (Pol.) <i>Ocimum basilicum</i>
Bainila (Basque) <i>Vanilla planifolia</i>	Balzsamfű (Hung.) <i>Thymus vulgaris</i>	Barna mustármag (Hung.) <i>Brassica juncea</i>	Bat giac huong (Vietnam.) <i>Illicium verum</i>	Bazylik (Ukr.) <i>Ocimum basilicum</i>
Bai saranai (Thai) <i>Mentha piperita</i>	Ban dhaniya (Bengali) <i>Eryngium foetidum</i>	Barush (Aram.) <i>Juniperus communis</i>	Bath Asa (Aram.) <i>Myrtus communis</i>	Be (Sinh.) <i>Laurus nobilis</i>
Bai taehoekoen (Lao) <i>Artemisia dracunculus</i>	Bandhaniya (Hindi) <i>Eryngium foetidum</i>	Barvilni rumenik (Sloven.) <i>Carthamus tinctorius</i>	Batrash (Mong.) <i>Mentha piperita</i>	Bear's garlic (Engl.) <i>Allium ursinum</i>
Bai teuy (Lao) <i>Pandanus amaryllifolius</i>	Banila (Basque) <i>Vanilla planifolia</i>	Barvilni žafran (Sloven.) <i>Carthamus tinctorius</i>	Batsal (Hebr.) <i>Allium cepa</i>	Beatz krechua (Basque) <i>Lepidium sativum</i>
Bai Toey (Thai) <i>Pandanus amaryllifolius</i>	Banira (Japan.) <i>Vanilla planifolia</i>	Ba sai wuh jiu muhk (Canton.) <i>Schinus terebinthifolius</i>	Baume (French) <i>Melissa officinalis</i>	Beatz krexu (Basque) <i>Lepidium sativum</i>
Bai wei hu jiao (Mand.) <i>Pimenta dioica</i>	Bankoka (Japan.) <i>Crocus sativus</i>	Basal (Arab.,Malt.,Turk.) <i>Allium cepa</i>	Baumier (French) <i>Trigonella caerulea</i>	Bebun (Twi) <i>Zanthoxylum xanthoxyloides</i>
Bajame (Alb.) <i>Prunus dulcis</i>	Ban lan (Mand.) <i>Pandanus amaryllifolius</i>	Basali (Prov.) <i>Ocimum basilicum</i>	Baunilha (Port.) <i>Vanilla planifolia</i>	Bebusui (Ewe) <i>Ocimum gratissimum</i>
Bajamja (Alb.) <i>Prunus dulcis</i>	Bansho (Japan.) <i>Capsicum annum</i>	Basar (Dogri) <i>Curcuma longa</i>	Bavari phul (Nepali) <i>Ocimum basilicum</i>	Bécsi (Hung.) <i>Lepidium sativum</i>
Ba jiao (Mand.) <i>Illicium verum</i>	Ban tulsí (Bengali) <i>Perilla frutescens</i>	Basbas (Urdu) <i>Myristica fragrans</i>	Bawang (Tagalog) <i>Allium sativum</i>	Bécsi rozmaring (Hung.) <i>Satureja hortensis</i>
Bajie (Sichuan Yi) <i>Zanthoxylum piperitum</i>	Ban-ukon (Japan.) <i>Kaempferia galanga</i>	Bashasa (Arab.) <i>Myristica fragrans</i>	Bawang daun (Indones., Malay) <i>Allium cepa</i>	Bedana (Bengali) <i>Punica granatum</i>
Bajiru (Japan.) <i>Ocimum basilicum</i>	Baqdounis (Arab.) <i>Petroselinum crispum</i>	Baseli (Prov.) <i>Ocimum basilicum</i>	Bawang merah (Indones., Malay) <i>Allium cepa</i>	Bederník anyžový (Slovak) <i>Pimpinella anisum</i>
Bakek (Malay) <i>Piper retrofractum</i>	Baqdunis (Arab.) <i>Petroselinum crispum</i>	Basgaerdaeg (Oss.) <i>Origanum vulgare</i>	Bawang putih (Indones., Malay) <i>Allium sativum</i>	Bedrovník anízový (Slovak) <i>Illicium verum</i>
Bakhar (Bulg.) <i>Pimenta dioica</i>	Barahatz (Basque) <i>Allium sativum</i>	Basibasi (Swahili) <i>Myristica fragrans</i>	Ba xi hu jiao mu (Mand.) <i>Schinus terebinthifolius</i>	Bedrovník anízový (Slovak) <i>Pimpinella anisum</i>
Bala (Burmes.) <i>Elettaria cardamomum</i>	Barangasp (Aram.) <i>Artemisia vulgaris</i>	Basièli (Prov.) <i>Ocimum basilicum</i>	Ba xi li (Mand.) <i>Petroselinum crispum</i>	Bedurncë (Alb.) <i>Salvia officinalis</i>
Balanda, vaistinė (Lith.) <i>Chenopodium ambrosioides</i>	Bara nimbu (Sanskrit) <i>Citrus limon</i>	Basilik, vürts- (Eston.) <i>Ocimum basilicum</i>	Bayas de enebro (Span.) <i>Juniperus communis</i>	Bee balm (Engl.) <i>Monarda didyma</i>
Balanoi (Tagalog) <i>Ocimum basilicum</i>	Barátcserje (Hung.) <i>Vitex agnus-castus</i>	Basil (Engl.) <i>Ocimum basilicum</i>	Bayır turpu (Turk.) <i>Armoracia rusticana</i>	Beebread (Engl.) <i>Borago officinalis</i>
Baldina (Engl.) <i>Peumus boldus</i>	Baratxuri (Basque) <i>Allium sativum</i>	Basil, Chinese (Engl.) <i>Perilla frutescens</i>	Bay leaf (Engl.) <i>Laurus nobilis</i>	Beefsteak plant (Engl.) <i>Perilla frutescens</i>
Baldırkök (Kazakh) <i>Apium graveolens</i>	Baratzuri (Basque) <i>Allium sativum</i>	Basil, sacred (Engl.) <i>Ocimum tenuiflorum</i>	Bay leaf, Indian (Engl.) <i>Cinnamomum tamala</i>	Beeren, Rosa (Germ.) <i>Schinus terebinthifolius</i>
Bali bors (Hung.) <i>Piper retrofractum</i>	Barba d'ermità (Catalan) <i>Nigella sativa</i>	Basilic (French) <i>Ocimum basilicum</i>	Bay leaf, Indonesian (Engl.) <i>Eugenia polyantha</i>	Beerlook (Dutch) <i>Allium ursinum</i>
Balicot (Prov.) <i>Ocimum basilicum</i>	Barbaforte (Ital.) <i>Armoracia rusticana</i>	Basilic commun (French) <i>Ocimum basilicum</i>	Bay leaf, West-Indian (Engl.) <i>Pimenta dioica</i>	Begar (Bret.) <i>Melissa officinalis</i>
Balinese pepper (Engl.) <i>Piper retrofractum</i>	Barbar (Hindi) <i>Ocimum basilicum</i>	Basilico (Ital.) <i>Ocimum basilicum</i>	Bazabazu (Dhivehi) <i>Myristica fragrans</i>	Behar (Assam.) <i>Brassica nigra</i>
Balinesischer Pfeffer (Germ.) <i>Piper retrofractum</i>	Barbeen (Arab.) <i>Nasturtium officinale</i>	Basilicum (Dutch,Lat.) <i>Ocimum basilicum</i>	Bazalienka (Slovak) <i>Ocimum basilicum</i>	Beh limou (Farsi) <i>Lippia citriodora</i>
Bali szigetű bors (Hung.) <i>Piper retrofractum</i>	Bar blete (Alb.) <i>Melissa officinalis</i>	Basilienkraut (Germ.) <i>Ocimum basilicum</i>	Bazalka (Czech,Slovak) <i>Ocimum basilicum</i>	Beidiog Lwyd (Welsh) <i>Artemisia vulgaris</i>
Bal kabağı (Turk.) <i>Cucurbita pepo</i>	Bar gantha (Aram.) <i>Brassica nigra</i>	Basilienkrout (Germ.) <i>Ocimum basilicum</i>	Bazalka pravá (Slovak) <i>Ocimum basilicum</i>	Beifuß (Germ.) <i>Artemisia vulgaris</i>
Balkšvasis sasafra (Lith.) <i>Sassafras albidum</i>	Bar gantha (Aram.) <i>Foeniculum vulgare</i>	Basilik (Yidd.) <i>Ocimum basilicum</i>	Baziel (Dutch) <i>Ocimum basilicum</i>	Beiskjuappelsína (Icel.) <i>Citrus sinensis</i>
Balm (Engl.) <i>Melissa officinalis</i>	Barg-e-bu (Farsi) <i>Laurus nobilis</i>	Basilika (Finn.,Slovak,Swed.) <i>Ocimum basilicum</i>	Bazielkruid (Dutch) <i>Ocimum basilicum</i>	Beißbeere (Germ.) <i>Capsicum frutescens</i>
Bal maydanozu (Turk.) <i>Petroselinum crispum</i>	Bariaj mud (Hindi) <i>Apium graveolens</i>	Basilika (Icel.) <i>Ocimum basilicum</i>	Bazilik (Belar.,Bret., Mong.,Russ.) <i>Ocimum basilicum</i>	Bela gorčica (Sloven.) <i>Sinapis alba</i>
Balm gentle (Engl.) <i>Melissa officinalis</i>	Bari aleh (Kashm.) <i>Amomum subulatum</i>	Basilikum (Afrikaans,Dan., Germ.,Norw.) <i>Ocimum basilicum</i>	Bazilika (Sloven.) <i>Ocimum basilicum</i>	Belaja harčyca (Belar.) <i>Sinapis alba</i>
Balm-mint (Engl.) <i>Melissa officinalis</i>	Baricot (Prov.) <i>Ocimum basilicum</i>	Basilkaört (Swed.) <i>Ocimum basilicum</i>	Bazilikas (Lith.) <i>Ocimum basilicum</i>	Bela slačica (Serb.) <i>Sinapis alba</i>
Balsame delle Missioni (Ital.) <i>Schinus terebinthifolius</i>	Bari elaichi (Urdu) <i>Amomum subulatum</i>	Basshash (Aram.) <i>Ruta graveolens</i>	Bazilikas, kvapusi (Lith.) <i>Ocimum basilicum</i>	Belatxeta (Basque) <i>Lavandula spicata</i>
Balsamita maior (Span.) <i>Melissa officinalis</i>	Bari i bletës (Alb.) <i>Melissa officinalis</i>	Baş soğan (Azeri) <i>Allium cepa</i>	Bazilikas, siauralapis (Lith.) <i>Ocimum tenuiflorum</i>	Beléndfű (Hung.) <i>Coriandrum sativum</i>
Balsamo (Ital.) <i>Trigonella caerulea</i>	Bari ilaichi (Dogri,Hindi, Maith.) <i>Amomum subulatum</i>	Bastaardkaneel (Dutch) <i>Cinnamomum cassia</i>	Baziliks (Latv.) <i>Ocimum basilicum</i>	Beler-dour (Bret.) <i>Nasturtium officinale</i>
Balsipi (Kazakh) <i>Myrica gale</i>	Bariktil (Marathi) <i>Sesamum indicum</i>	Bastard cinnamon (Engl.) <i>Cinnamomum cassia</i>	Bazilikum (Hebr.) <i>Ocimum basilicum</i>	Belicot (Prov.) <i>Ocimum basilicum</i>
Baltā sinepe (Latv.) <i>Sinapis alba</i>	Barkono (Hausa) <i>Capsicum frutescens</i>	Bastard saffron (Engl.) <i>Carthamus tinctorius</i>	Bazilio (Esperanto) <i>Ocimum basilicum</i>	Beli luk (Serb.) <i>Allium sativum</i>
Baltieji pipirai (Lith.) <i>Piper nigrum</i>	Bärkono (Hausa) <i>Capsicum frutescens</i>	Bastutis, juodasis (Lith.) <i>Brassica nigra</i>	Bazsalikom (Hung.) <i>Ocimum basilicum</i>	Beli poper (Sloven.) <i>Piper nigrum</i>
Baltie pipari (Latv.) <i>Piper nigrum</i>	Bärlauch (Germ.) <i>Allium ursinum</i>	Bastutis, sereptinis (Lith.) <i>Brassica juncea</i>	Bazsalikom, kínai (Hung.) <i>Perilla frutescens</i>	Bell pepper (Engl.) <i>Capsicum annum</i>

- Bellulli** (Kannada,Tulu) *Allium sativum*
- Bel piper** (Maced.) *Piper nigrum*
- Bel sinap** (Maced.) *Sinapis alba*
- Belyj perets** (Russ.) *Piper nigrum*
- Bely perac** (Belar.) *Piper nigrum*
- Bengáli bors** (Hung.) *Piper longum*
- Bengalischer Pfeffer** (Germ.) *Piper longum*
- Bengal pepper** (Engl.) *Piper longum*
- Ben hardal** (Hebr.) *Eruca sativa*
- Benibana** (Japan.) *Carthamus tinctorius*
- Beninoki** (Japan.) *Bixa orellana*
- Benitade** (Japan.) *Persicaria hydropiper*
- Benny, black** (Engl.) *Eryngium foetidum*
- Bent** (Bret.) *Mentha piperita*
- Bent-liorz** (Bret.) *Mentha piperita*
- Beogamos** (Korean) *Citrus aurantium* var. *bergamia*
- Bequera** (Catalan) *Tropaeolum majus*
- Berakatz** (Basque) *Allium sativum*
- Berbera** (Tigr.) *Capsicum frutescens*
- Berbere** (Amhar.) *Capsicum frutescens*
- Berbere, k'undo** (Amhar.) *Piper nigrum*
- Berbere tselim** (Tigr.) *Piper nigrum*
- Berelook** (Dutch) *Allium ursinum*
- Berendjasef** (Farsi) *Artemisia vulgaris*
- Bereshe** (Copt.) *Coriandrum sativum*
- Beresheu** (Copt.) *Coriandrum sativum*
- Bergaminis citrinmedis** (Lith.) *Citr. sinensis* var. *bergamia*
- Bergamot** (Dutch,Russ.) *Citrus aurantium* ssp. *bergamia*
- Bergamot** (Sloven.,Turk.) *Citrus sinensis* ssp. *bergamia*
- Bergamot** (Engl.) *Monarda didyma*
- Bergamota** (Span.) *Monarda didyma*
- Bergamote** (French) *Monarda didyma*
- Bergamotipuu** (Eston.) *Citrus aurantium* ssp. *bergamia*
- Bergamot-Marants** (Yidd.) *Citrus sinensis* ssp. *bergamia*
- Bergamoto** (Esperanto) *Citrus bergamia*
- Bergamot orange** (Engl.) *Citrus aurantium* ssp. *bergamia*
- Bergamot sinaasappel** (Dutch) *Citrus aurantium* ssp. *bergamia*
- Bergamott** (Hung.) *Monarda didyma*
- Bergamotta** (Ital.) *Monarda didyma*
- Bergamottae pericarpium** (pharm.) *Citrus aurantium* ssp. *bergamia*
- Bergamotte** (Germ.) *Citrus aurantium* ssp. *bergamia*
- Bergamotteplant** (Dutch) *Monarda didyma*
- Bergamotti** (Finn.) *Citrus aurantium* ssp. *bergamia*
- Bergamottier** (French) *Citrus aurantium* ssp. *bergamia*
- Bergamottnarancs** (Hung.) *Citrus aurantium* ssp. *bergamia*
- Bergamotto** (Ital.) *Citrus aurantium* ssp. *bergamia*
- Bergamut** (Hebr.) *Citrus aurantium* ssp. *bergamia*
- Bergminta** (Icel.) *Origanum vulgare*
- Bergmynte** (Norw.) *Origanum vulgare*
- Bergpeper** (Dutch) *Tasmanian lanceolata*
- Bergpfeffer** (Germ.) *Tasmanian lanceolata*
- Bergpfeffer** (Germ.) *Zanthoxylum piperitum*
- Bergstockrose** (Germ.) *Wasabia japonica*
- Bergstokroos** (Dutch) *Wasabia japonica*
- Bernagie** (Dutch) *Borago officinalis*
- Bernikarion** (Copt.) *Satureja hortensis*
- Berro** (Basque) *Lepidium sativum*
- Berro di agua** (Span.) *Nasturtium officinale*
- Berroya** (Basque) *Borago officinalis*
- Bert** (Copt.) *Rosa damascena*
- Bertkuan** (Tigr.) *Citrus sinensis*
- Bertram** (Germ.) *Artemisia dracunculua*
- Bertukan** (Amhar.) *Citrus sinensis*
- Berugamoto** (Japan.) *Citrus sinensis* ssp. *bergamia*
- Berwr** (Welsh) *Lepidium sativum*
- Berwr y Dŵr** (Welsh) *Nasturtium officinale*
- Besar** (Bodo) *Brassica nigra*
- Besar** (Nepali) *Curcuma longa*
- Besbase** (Turk.) *Myristica fragrans*
- Besel** (Aram.) *Allium cepa*
- Besenbergija** (Lith.) *Boesenbergia pandurata*
- Besil** (Hindi) *Ocimum basilicum*
- Besobila** (Amhar.) *Ocimum basilicum*
- Besual** (Garo) *Brassica nigra*
- Bet** (Dz.) *Cocos nucifera*
- Beta** (Tibet.) *Cocos nucifera*
- Betai dog** (Dz.) *Cocos nucifera*
- Betendra** (Nepali) *Nasturtium officinale*
- Bevusoppu** (Tulu) *Murraya koenigii*
- Beyaz biber** (Turk.) *Piper nigrum*
- Beyaz hardal tohum** (Turk.) *Sinapis alba*
- Bezil** (Tigr.) *Ocimum basilicum*
- Bghbogh** (Armen.) *Piper nigrum*
- Bghbogh, Garmir** (Armen.) *Capsicum annuum*
- Bhainzi** (Burmes.) *Papaver somniferum*
- Bhakmilo** (Nepali) *Rhus coriaria*
- Bhanjira** (Hindi) *Perilla frutescens*
- Bhar bari azraq** (Arab.) *Vitex agnus-castus*
- Bharbhari** (Santali) *Ocimum basilicum*
- Bhar hub wa na'im** (Arab.) *Pimenta dioica*
- Bhede Khursani** (Nepali) *Capsicum annuum*
- Bhenila** (Bengali, Maith., Newari) *Vanilla planifolia*
- Bhojolok** (Assam.) *Capsicum frutescens*
- Bhojonthela** (Assam.) *Capsicum frutescens*
- Bhucampaka** (Sanskrit) *Kaempferia rotunda*
- Bhui tulsı** (Bengali) *Salvia officinalis*
- Biały pieprz** (Pol.) *Piper nigrum*
- Bian tao** (Mand.) *Prunus dulcis*
- Biber** (Croat.,Maced.,Serb.,Turk.) *Piper nigrum*
- Bibër** (Azeri) *Piper nigrum*
- Biber, acı kırmızı** (Turk.) *Capsicum frutescens*
- Biber, beyaz** (Turk.) *Piper nigrum*
- Biber, japanski** (Serb.) *Zanthoxylum piperitum*
- Biber, kara** (Turk.) *Piper nigrum*
- Biber, kebabiye** (Turk.) *Piper cubeba*
- Biber, kırmızı** (Turk.) *Capsicum annuum*
- Biber, kuyruklu** (Turk.) *Piper cubeba*
- Biber, pul** (Turk.) *Capsicum annuum*
- Biber, seçuan** (Serb.) *Zanthoxylum piperitum*
- Biber, toz** (Turk.) *Capsicum frutescens*
- Biber, uzun** (Turk.) *Piper longum*
- Biber, vodeni** (Serb.) *Persicaria hydropiper*
- Biber, yalancı kara** (Turk.) *Schinus terebinthifolius*
- Biber, yeşil** (Turk.) *Piper nigrum*
- Biber beli** (Serb.) *Piper nigrum*
- Biber crni** (Serb.) *Piper nigrum*
- Biberi, hint** (Turk.) *Piper cubeba*
- Biberi, jamaika** (Turk.) *Pimenta dioica*
- Biberi, java** (Turk.) *Piper cubeba*
- Biberi, su** (Turk.) *Persicaria hydropiper*
- Biberiye** (Turk.) *Rosmarinus officinalis*
- Biber krupan** (Serb.) *Piper cubeba*
- Biber krupni** (Serb.) *Piper cubeba*
- Biber zeleni** (Serb.) *Piper nigrum*
- Bi bo** (Mand.) *Piper longum*
- Bi cheng qie** (Mand.) *Piper cubeba*
- Biedrzeniec anyż** (Pol.) *Pimpinella anisum*
- Biele korenje** (Slovak) *Piper nigrum*
- Bienenkraut** (Germ.) *Melissa officinalis*
- Bieslook** (Dutch) *Allium schoenoprasum*
- Biezelok** (Fris.) *Allium schoenoprasum*
- Bigarad** (Russ.) *Citrus sinensis* ssp. *amara*
- Bigaradier** (French) *Citrus aurantium* ssp. *amara*
- Bigarado** (Esperanto) *Citrus sinensis* ssp. *amara*
- Bigarde** (French,Span.) *Citrus aurantium* ssp. *amara*
- Big ilaichi** (Hindi) *Amomum subulatum*
- Bigillachi** (Hindi) *Amomum subulatum*
- Bignay** (Tagalog) *Murraya koenigii*
- Bijan** (Malay) *Sesamum indicum*
- Bijapura** (Sanskrit) *Citrus limon*
- Bijaura** (Hindi) *Citrus limon*
- Bijauri** (Punjabi) *Citrus limon*
- Bijela gorušica** (Croat.) *Sinapis alba*
- Bijeli isiot** (Croat.) *Curcuma zedoaria*
- Bijeli luk** (Croat.) *Allium sativum*
- Bijeli papar** (Croat.) *Piper nigrum*
- Bijeli pelin** (Croat.) *Artemisia absinthium*
- Bijenkruid** (Dutch) *Melissa officinalis*
- Bi ji** (Mand.) *Piper cubeba*
- Biji lada** (Malay) *Piper nigrum*
- Biji sawi** (Malay) *Brassica nigra*
- Biji sesawi coklat** (Indones.) *Brassica nigra*
- Biji sesawi hitam** (Indones.) *Brassica juncea*
- Biji sesawi putih** (Indones.) *Sinapis alba*
- Bijvoet** (Dutch) *Artemisia vulgaris*
- Biksa** (Russ.) *Bixa orellana*
- Bilati badam** (Bengali) *Prunus dulcis*
- Bilati dhonia** (Bengali) *Eryngium foetidum*
- Bilati mehedi** (Bengali) *Myrtus communis*
- Bilbush** (Aram.) *Citrus medica*
- Bili menasa** (Kannada) *Piper cubeba*
- Bílý pepř** (Czech) *Piper nigrum*
- Biolair** (Gael.) *Nasturtium officinale*
- Birkes** (Dan.) *Papaver somniferum*
- Birki** (Icel.) *Papaver somniferum*
- Birtukan** (Amhar.) *Citrus sinensis*
- Bisamklee** (Germ.) *Trigonella caerulea*
- Bishkatali** (Bengali) *Persicaria hydropiper*
- Bishop's weed** (Engl.) *Trachyspermum copticum*
- Bitá-orenji** (Japan.) *Citrus sinensis* ssp. *amara*
- Biteo amondu** (Korean) *Prunus dulcis* var. *amara*
- Biteo orenji** (Korean) *Citrus aurantium*
- Bitere mandl** (Yidd.) *Prunus dulcis*
- Bitere marants** (Yidd.) *Citrus sinensis* ssp. *amara*
- Biterer polyn** (Yidd.) *Artemisia absinthium*
- Bitergroz** (Yidd.) *Artemisia absinthium*
- Bitergroz, geveynlikh** (Yidd.) *Artemisia vulgaris*
- Bithyna** (Oss.) *Mentha piperita*
- Bitter almond** (Engl.) *Prunus dulcis*
- Bitterblad** (Swed.) *Persicaria hydropiper*
- Bittere amandel** (Dutch) *Prunus dulcis*
- Bittere sinaasappel** (Dutch) *Citrus aurantium* ssp. *amara*
- Bittermandel** (Dan.,Germ.,Swed.) *Prunus dulcis*
- Bitter orange** (Engl.) *Citrus aurantium* ssp. *amara*

Bitterorange (Germ.) <i>Citrus aurantium</i> ssp. <i>amara</i>	Bockhornsklöver (Swed.) <i>Trigonella foenum-graecum</i>	Bong nga truat (Vietnam.) <i>Boesenbergia pandurata</i>	Bors, ashanti (Hung.) <i>Piper clusii</i>	Bot nghe (Vietnam.) <i>Curcuma longa</i>
Bitterpilört (Swd.) <i>Persicaria hydropiper</i>	Bockshornklee (Germ.) <i>Trigonella foenum-graecum</i>	Bønneurt (Dan.,Norw.) <i>Satureja hortensis</i>	Bors, Bali szigetí (Hung.) <i>Piper retrofractum</i>	Boucage (French) <i>Pimpinella anisum</i>
Bitxaleka (Basque) <i>Armoracia rusticana</i>	Bodalj (Serb.) <i>Carthamus tinctorius</i>	Borač (Croat.,Serb.) <i>Borago officinalis</i>	Bors, bengáli (Hung.) <i>Piper longum</i>	Boukeros (Old Greek) <i>Trigonella foenum-graecum</i>
Biyam (Turk.) <i>Glycyrrhiza glabra</i>	Bodaj (Serb.) <i>Carthamus tinctorius</i>	Borag (Hebr.) <i>Borago officinalis</i>	Bors, Cayenne (Hung.) <i>Capsicum frutescens</i>	Bourragé (Prov.) <i>Borago officinalis</i>
Biyanlıq (Azeri) <i>Glycyrrhiza glabra</i>	Bodijamoda (Gujrati) <i>Apium graveolens</i>	Boraga (Sloven.) <i>Borago officinalis</i>	Bors, hegyi (Hung.) <i>Tasmania lanceolata</i>	Bourraio (Prov.) <i>Borago officinalis</i>
Bizari (Swahili) <i>Murraya koenigii</i>	Bodiyon (Tajik,Uzbek) <i>Illicium verum</i>	Borage (Dutch,Engl.) <i>Borago officinalis</i>	Bors, jávai (Hung.) <i>Piper cubeba</i>	Bowala (Punjabi) <i>Murraya koenigii</i>
Bjoul (Hung.) <i>Bixa orellana</i>	Bodom (Tajik,Uzbek) <i>Prunus dulcis</i>	Borágó (Hung.) <i>Borago officinalis</i>	Bors, kínai (Hung.) <i>Zanthoxylum piperitum</i>	Boy tohumu (Turk.) <i>Trigonella foenum-graecum</i>
Black benny (Engl.) <i>Eryngium foetidum</i>	Bo er duo (Mand.) <i>Peumus boldus</i>	Borago (Esperanto) <i>Borago officinalis</i>	Bors, kubéba (Hung.) <i>Piper cubeba</i>	Bože drzewko, hylica (Pol.) <i>Artemisia abrotanum</i>
Black cardamom (Engl.) <i>Amomum subulatum</i>	Boereradijs (Dutch) <i>Armoracia rusticana</i>	Borák (Slovak) <i>Borago officinalis</i>	Bors, perui (Hung.) <i>Schinus molle</i>	Bozho druvche (Bulg.) <i>Artemisia abrotanum</i>
Black cumin (Engl.) <i>Bunium persicum</i>	Boesenbergia rotunda (bot.) <i>Boesenbergia pandurata</i>	Borák lekársky (Slovak) <i>Borago officinalis</i>	Bors, piros (Hung.) <i>Schinus terebinthifolius</i>	Bozilok i mermë (Alb.) <i>Ocimum basilicum</i>
Black mustard seed (Engl.) <i>Brassica nigra</i>	Bog myrtle (Engl.) <i>Myrica gale</i>	Borantsa (Greek) <i>Borago officinalis</i>	Bors, rózsaszín (Hung.) <i>Schinus terebinthifolius</i>	Božje drvce (Croat.,Serb.) <i>Artemisia abrotanum</i>
Black pepper (Engl.) <i>Piper nigrum</i>	Bogoroditskaya trava (Russ.) <i>Thymus vulgaris</i>	Boražina (Croat.,Serb.) <i>Borago officinalis</i>	Bors, szecsuáni (Hung.) <i>Zanthoxylum piperitum</i>	Brahmadarbha (Sanskrit) <i>Trachyspermum copticum</i>
Black sugar (Engl.) <i>Glycyrrhiza glabra</i>	Bo he (Mand.) <i>Mentha arvensis</i> var. <i>piperascens</i>	Bořeč (Czech) <i>Borago officinalis</i>	Bors, tasmán (Hung.) <i>Tasmania lanceolata</i>	Brasilianischer Pfeffer (Germ.) <i>Schinus terebinthifolius</i>
Bladder seed (Engl.) <i>Levisticum officinale</i>	Bohk hoh (Canton.) <i>Mentha piperita</i> var. <i>piperascens</i>	Boreča (Sloven.) <i>Borago officinalis</i>	Borsfa (Hung.) <i>Xylopiya aethiopica</i>	Brauner Cardamom (Germ.) <i>Amomum subulatum</i>
Bladselderij (Dutch) <i>Apium graveolens</i>	Bohnenkraut (Germ.) <i>Satureja hortensis</i>	Börek otu (Turk.) <i>Anethum graveolens</i>	Borsika (Hung.) <i>Lepidium sativum</i>	Brautmyrte (Germ.) <i>Myrtus communis</i>
Bladselleri (Dan.) <i>Apium graveolens</i>	Boia de ardei (Roman.) <i>Capsicum annuum</i>	Boretsch (Germ.) <i>Borago officinalis</i>	Borsika (Hung.) <i>Satureja hortensis</i>	Brazilbors (Hung.) <i>Schinus terebinthifolius</i>
Blakiné kalendra (Lith.) <i>Coriandrum sativum</i>	Boia dulce (Roman.) <i>Capsicum annuum</i>	Borievka (Slovak) <i>Juniperus communis</i>	Borslevél, mexikói (Hung.) <i>Piper auritum</i>	Brazil cress (Engl.) <i>Spilanthes acmella</i>
Blanka pipro (Esperanto) <i>Piper nigrum</i>	Bois-sent-bon (French) <i>Myrica cerifera</i>	Borievka obyčajná (Slovak) <i>Juniperus communis</i>	Borslook (Dutch) <i>Allium ursinum</i>	Braziliaanse cresson (Dutch) <i>Spilanthes acmella</i>
Blanka sinapo (Esperanto) <i>Sinapis alba</i>	Bojadisarski bodalj (Croat.) <i>Carthamus tinctorius</i>	Boriji (Japan.) <i>Borago officinalis</i>	Borsmenta (Hung.) <i>Mentha piperita</i>	Braziliaanse cresson (Dutch) <i>Spilanthes acmella</i>
Blanketa sasafra (Esperanto) <i>Sassafras albidum</i>	Boko (Tagalog) <i>Cocos nucifera</i>	Boro elach (Bengali) <i>Amomum subulatum</i>	Borsmustárr (Hung.) <i>Eruca sativa</i>	Braziliaanse cresson (Dutch) <i>Spilanthes acmella</i>
Blattpfeffer, Mexicanischer (Germ.) <i>Piper auritum</i>	Bola (Sanskrit) <i>Myrtus communis</i>	Boróka (Hung.) <i>Juniperus communis</i>	Borsos keserűfű (Hung.) <i>Persicaria hydropiper</i>	Braziliaanse cresson (Dutch) <i>Spilanthes acmella</i>
Blauer Honigklee (Germ.) <i>Trigonella caerulea</i>	Boldea fragrans (bot.) <i>Peumus boldus</i>	Borókabogyó (Hung.) <i>Juniperus communis</i>	Borsos menta (Hung.) <i>Mentha piperita</i>	Braziliaanse cresson (Dutch) <i>Spilanthes acmella</i>
Blauer Steinklee (Germ.) <i>Trigonella caerulea</i>	Boldina (Engl.) <i>Peumus boldus</i>	Borovica (Croat.) <i>Juniperus communis</i>	Bortusai (Basque) <i>Ruta graveolens</i>	Braziliaanse cresson (Dutch) <i>Spilanthes acmella</i>
Blauklee (Germ.) <i>Trigonella caerulea</i>	Boldo (Czech,Esperanto, French,Greek,Hebr., Port.,Russ.,Span.) <i>Peumus boldus</i>	Borovinka (Maced.) <i>Juniperus communis</i>	Borudo (Japan.) <i>Peumus boldus</i>	Braziliaanse cresson (Dutch) <i>Spilanthes acmella</i>
Blåvåppling (Swed.) <i>Trigonella caerulea</i>	Bol'do (Russ.) <i>Peumus boldus</i>	Borrach (Gael.) <i>Borago officinalis</i>	Borvirág (Hung.) <i>Borago officinalis</i>	Braziliaanse cresson (Dutch) <i>Spilanthes acmella</i>
Blecho (Old Greek) <i>Mentha pulegium</i>	Boldoblätter (Germ.) <i>Peumus boldus</i>	Borrache officinal (French) <i>Borago officinalis</i>	Borzaskata mag (Hung.) <i>Nigella sativa</i>	Braziliaanse cresson (Dutch) <i>Spilanthes acmella</i>
Blodród temynta (Swed.) <i>Monarda didyma</i>	Boldo-do-chile (Port.) <i>Peumus boldus</i>	Borragem (Port.) <i>Borago officinalis</i>	Borziloku (Alb.) <i>Ocimum basilicum</i>	Bresina (Croat.) <i>Satureja montana</i>
Blomkarse (Norw.) <i>Tropaeolum majus</i>	Boldo leaves (Engl.) <i>Peumus boldus</i>	Borragine (Ital.) <i>Borago officinalis</i>	Boshu-boku (Japan.) <i>Lippia citriodora</i>	Brihatupakunchika (Sanskrit) <i>Amomum subulatum</i>
Blomsterkarse (Dan.) <i>Tropaeolum majus</i>	Boldo levél (Hung.) <i>Peumus boldus</i>	Borrágófü (Hung.) <i>Borago officinalis</i>	Bosilek (Bulg.,Maced.) <i>Ocimum basilicum</i>	Brin (Sloven.) <i>Juniperus communis</i>
Blue fenugreek (Engl.) <i>Trigonella caerulea</i>	Boldovník vonný (Czech, Slovak) <i>Peumus boldus</i>	Borraigh (Gael.) <i>Borago officinalis</i>	Bosiljak (Croat.,Serb.) <i>Ocimum basilicum</i>	Brinjilla ilai (Tamil) <i>Pimenta dioica</i>
Blue melilot (Engl.) <i>Trigonella caerulea</i>	Boldu boldus (bot.) <i>Peumus boldus</i>	Borraist (Gael.) <i>Borago officinalis</i>	Bosilje (Serb.) <i>Ocimum basilicum</i>	Brinove jagode (Sloven.) <i>Juniperus communis</i>
Blue-white clover (Engl.) <i>Trigonella caerulea</i>	Bo li ju (Mand.) <i>Borago officinalis</i>	Borrajaja (Span.) <i>Borago officinalis</i>	Bosiok (Serb.) <i>Ocimum basilicum</i>	Broceuli (Georg.) <i>Punica granatum</i>
Blue-white trigonella (Engl.) <i>Trigonella caerulea</i>	Boloş askögi (Kazakh) <i>Foeniculum vulgare</i>	Borrajaja (Span.) <i>Borago officinalis</i>	Boskoitz (Basque) <i>Ruta graveolens</i>	Brønnskarse (Norw.) <i>Nasturtium officinale</i>
Blumenmelisse (Germ.) <i>Monarda didyma</i>	Bondhonia (Bengali) <i>Eryngium foetidum</i>	Borrajaja (Span.) <i>Borago officinalis</i>	Bosora golaba (Oriya) <i>Rosa damascena</i>	Brotan (Czech) <i>Artemisia abrotanum</i>
Blütenpfeffer (Germ.) <i>Zanthoxylum piperitum</i>	Bonenkruid (Dutch) <i>Satureja hortensis</i>	Borraist (Gael.) <i>Borago officinalis</i>	Bostan (Roman.) <i>Cucurbita pepo</i>	Brotklee (Germ.) <i>Trigonella caerulea</i>
Bobkový list (Czech,Slovak) <i>Laurus nobilis</i>	Bong (Vietnam.) <i>Citrus sinensis</i>	Borretsch (Germ.) <i>Borago officinalis</i>	Bostan reyhami (Azeri) <i>Ocimum basilicum</i>	Brotnák (Czech) <i>Borago officinalis</i>
Bob tonka (Russ.) <i>Dipteryx odorata</i>		Bors (Hung.) <i>Piper nigrum</i>		

Brown cardamom (Engl.) <i>Amomum subulatum</i>	Buriş (Kazakh) <i>Piper nigrum</i>	Ca dau hoi (Vietnam.) <i>Chenopodium ambrosioides</i>	Cannelle de Padang (French) <i>Cinnamomum burmannii</i>	Cardamom, green (Engl.) <i>Elettaria cardamomum</i>
Brown mustard seed (Engl.) <i>Brassica juncea</i>	Buritch (Yidd.) <i>Borago officinalis</i>	Càdec (Catalan) <i>Juniperus oxycedrus</i>	Cannelle de Saïgon (French) <i>Cinnamomum loureiroi</i>	Cardamom, grüner (Germ.) <i>Elettaria cardamomum</i>
Bruminka (Basque) <i>Lepidium sativum</i>	Buriyanimal (Sinh.) <i>Illicium verum</i>	Cærefolium (Lat.) <i>Anthriscus cerefolium</i>	Cannelle type Ceylan (French) <i>Cinnamomum zeylanicum</i>	Cardamom, Indian (Engl.) <i>Amomum subulatum</i>
Brunkress (Russ.) <i>Nasturtium officinale</i>	Burmano cinamonas (Lith.) <i>Cinnamomum burmannii</i>	Cai den (Vietnam.) <i>Brassica nigra</i>	Can nui (Vietnam.) <i>Levisticum officinale</i>	Cardamom, nepalesischer (Germ.) <i>Amomum subulatum</i>
Brunnenkresse (Germ.) <i>Nasturtium officinale</i>	Burnu, it (Turk.) <i>Rosa canina</i>	Cai hoi (Vietnam.) <i>Illicium verum</i>	Can tay (Vietnam.) <i>Apium graveolens</i>	Cardamom, Nepali (Engl.) <i>Amomum subulatum</i>
Brunsenap (Swed.) <i>Brassica nigra</i>	Burrage (Engl.) <i>Borago officinalis</i>	Cai long (Vietnam.) <i>Eruca sativa</i>	Canyella (Catalan) <i>Cinnamomum zeylanicum</i>	Cardamom, schwarzer (Germ.) <i>Amomum subulatum</i>
Btsaltsal (Hebr.) <i>Allium ascalonicum</i>	Burropfeffer (Germ.) <i>Xylopiya aromatica</i>	Caineal (Gael.) <i>Cinnamomum zeylanicum</i>	Cao guo (Mand.) <i>Amomum subulatum</i>	Cardamom, true (Engl.) <i>Elettaria cardamomum</i>
Btsong (Tibet.) <i>Allium cepa</i>	Bursunga (Hindi) <i>Murraya koenigii</i>	Cainéal (Irish) <i>Cinnamomum zeylanicum</i>	Cao jiang (Mand.) <i>Cymbopogon citratus</i>	Cardamome (French) <i>Elettaria cardamomum</i>
Btsong sgog (Tibet.) <i>Allium ascalonicum</i>	Burtuqal (Arab.) <i>Citrus sinensis</i>	Cai soong (Vietnam.) <i>Nasturtium officinale</i>	Cao khuong huong (Vietnam.) <i>Alpinia galanga</i>	Cardamome du Népal (French) <i>Amomum subulatum</i>
Btsong sngon po (Tibet.) <i>Allium cepa</i>	Busshukan (Japan.) <i>Citrus medica sarcodactylus</i>	Cai xoong (Vietnam.) <i>Nasturtium officinale</i>	Cao luong khuong (Vietnam.) <i>Alpinia galanga</i>	Cardamome noir (French) <i>Amomum subulatum</i>
Buah pala (Malay) <i>Myristica fragrans</i>	Bussora rose (Engl.) <i>Rosa damascena</i>	Çaj mali (Alb.) <i>Origanum vulgare</i>	Cap (Vietnam.) <i>Capparis spinosa</i>	Cardamome vert (French) <i>Elettaria cardamomum</i>
Buah pelaga (Malay) <i>Amomum kepulaga</i>	Busuioc (Roman.) <i>Ocimum basilicum</i>	Çalgıcı otu (Turk.) <i>Sisymbrium officinale</i>	Caparra (Span.) <i>Capparis spinosa</i>	Cardamomi fructus (pharm.) <i>Elettaria cardamomum</i>
Buarchhimitir (Mizo) <i>Chenopodium ambrosioides</i>	Buti (Aram.) <i>Capparis spinosa</i>	California pepper tree (Engl.) <i>Schinus terebinthifolius</i>	Caper (Engl.) <i>Capparis spinosa</i>	Cardamomo (Galic., Ital., Port., Span.) <i>Elettaria cardamomum</i>
Buča, oljna (Sloven.) <i>Cucurbita pepo</i>	Buyotu (Turk.) <i>Trigonella foenum-graecum</i>	Callari (Tamil) <i>Apium graveolens</i>	Capere (Roman.) <i>Capparis spinosa</i>	Cardamomo negro (Span.) <i>Amomum subulatum</i>
Budam (Khasi) <i>Prunus dulcis</i>	Büyük yerli teresi (Turk.) <i>Lepidium sativum</i>	Càl-nan-each (Gael.) <i>Armoria rusticana</i>	Capers (Engl.) <i>Capparis spinosa</i>	Cardamomo nero (Ital.) <i>Amomum subulatum</i>
Bugloss (Engl.) <i>Borago officinalis</i>	Buźbieź (Malt.) <i>Foeniculum vulgare</i>	Calouplé (French) <i>Murraya koenigii</i>	Capim-cidrao (Port.) <i>Cymbopogon citratus</i>	Cardamomo verde (Ital.) <i>Elettaria cardamomum</i>
Builis, daržinis (Lith.) <i>Anthriscus cerefolium</i>	Byal sinap (Bulg.) <i>Sinapis alba</i>	Çältunaşı (Roman.) <i>Tropaeolum majus</i>	Capparis (Lat.) <i>Capparis spinosa</i>	Cardamomum (Lat.) <i>Lepidium sativum</i>
Büjls (Mong.) <i>Prunus dulcis</i>	Bylica (Belar.) <i>Artemisia vulgaris</i>	Cam (Vietnam.) <i>Citrus sinensis</i>	Cappero (Ital.) <i>Capparis spinosa</i>	Careum (Lat.) <i>Carum carvi</i>
Bukkehornkløver (Norw.) <i>Trigonella foenum-graecum</i>	Bylica boże drzewko (Pol.) <i>Artemisia abrotanum</i>	Cam dia la (Vietnam.) <i>Kaempferia rotunda</i>	Cappuccina (Ital.) <i>Tropaeolum majus</i>	Cari (Vietnam.) <i>Murraya koenigii</i>
Bukkehornskløver (Dan.) <i>Trigonella foenum-graecum</i>	Bylica estragon (Pol.) <i>Artemisia dracunculus</i>	Cam thao (Vietnam.) <i>Glycyrrhiza glabra</i>	Câpres (French) <i>Capparis spinosa</i>	Cari, feuilles de (French) <i>Murraya koenigii</i>
Bülbülotu (Turk.) <i>Sisymbrium officinale</i>	Bylica piotun (Pol.) <i>Artemisia absinthium</i>	Caña de Limón (Span.) <i>Cymbopogon citratus</i>	Capuchina (Span.) <i>Tropaeolum majus</i>	Cariofilum (Lat.) <i>Syzygium aromaticum</i>
Bulbus (Lat.) <i>Allium cepa</i>	Bylica pospolita (Pol.) <i>Artemisia vulgaris</i>	Candle berry (Engl.) <i>Myrica gale</i>	Capucienkers (Dutch) <i>Tropaeolum majus</i>	Čarnobyl (Belar.) <i>Artemisia vulgaris</i>
Bulbus Allii cepae (pharm.) <i>Allium cepa</i>	Bynke (Dan.) <i>Artemisia vulgaris</i>	Canéfica (French) <i>Cinnamomum cassia</i>	Capucine (French) <i>Tropaeolum majus</i>	Čarnobył (Belar.) <i>Artemisia vulgaris</i>
Bulbus Allii sativi (pharm.) <i>Allium sativum</i>	Byrts (Oss.) <i>Piper nigrum</i>	Canela (Galic., Port., Span.) <i>Cinnamomum zeylanicum</i>	Capuțină (Roman.) <i>Tropaeolum majus</i>	Caro (Ital.) <i>Carum carvi</i>
Bulgarska róza (Pol.) <i>Rosa damascena</i>	Bźar (Malt.) <i>Piper nigrum</i>	Canela-da-china (Port.) <i>Cinnamomum cassia</i>	Caputxina (Catalan) <i>Tropaeolum majus</i>	Carom (Engl.) <i>Trachyspermum copticum</i>
Bulgaruli (Georg.) <i>Capsicum annuum</i>	Bźar aħmar (Malt.) <i>Capsicum frutescens</i>	Canela de Java (Span.) <i>Cinnamomum burmannii</i>	Carabia (Pashto) <i>Carum carvi</i>	Caromenta (Lat.) <i>Mentha piperita</i>
Bunga cengkeh (Malay) <i>Syzygium aromaticum</i>	Bźar ħelu (Malt.) <i>Capsicum annuum</i>	Canela de la China (Span.) <i>Cinnamomum cassia</i>	Čaramša (Belar.) <i>Allium ursinum</i>	Carra-meille (Gael.) <i>Glycyrrhiza glabra</i>
Bunga lawang (Indones., Malay) <i>Illicium verum</i>	Bźar ikkullurit (Malt.) <i>Capsicum annuum</i>	Canela de Xava (Galic.) <i>Cinnamomum burmannii</i>	Caraway (Engl.) <i>Carum carvi</i>	Carrchan (Gael.) <i>Glycyrrhiza glabra</i>
Buntblatt (Germ.) <i>Houttuynia cordata</i>	Bźar tal-Patrijiet (Malt.) <i>Vitex agnus-castus</i>	Canella (Lat.) <i>Cinnamomum zeylanicum</i>	Carbaidh (Gael.) <i>Carum carvi</i>	Carripoulé (French) <i>Murraya koenigii</i>
Burakku-kumin (Japan.) <i>Bunium persicum</i>	Cabai (Indones., Malay) <i>Capsicum frutescens</i>	Canel (Vietnam.) <i>Zingiber officinale</i>	Cardamom (Catalan, Engl., Germ., Roman.) <i>Elettaria cardamomum</i>	Carroway (Engl.) <i>Carum carvi</i>
Burakku-masutado (Japan.) <i>Brassica nigra</i>	Cabé (Indones.) <i>Capsicum frutescens</i>	Cannella (Ital.) <i>Cinnamomum zeylanicum</i>	Cardamom, black (Engl.) <i>Amomum subulatum</i>	Cartamo (Ital.) <i>Carthamus tinctorius</i>
Burakku-peppa (Japan.) <i>Piper nigrum</i>	Cabé bali (Indones.) <i>Piper retrofractum</i>	Cannella della Cina (Ital.) <i>Cinnamomum cassia</i>	Cardamom, brauner (Germ.) <i>Amomum subulatum</i>	Cártamo (Port., Span.) <i>Carthamus tinctorius</i>
Buramaide (Gael.) <i>Artemisia absinthium</i>	Cabé Jawa (Indones.) <i>Piper cubeba</i>	Cannelle (French) <i>Cinnamomum zeylanicum</i>	Cardamom, brown (Engl.) <i>Amomum subulatum</i>	Carthame (French) <i>Carthamus tinctorius</i>
Bürberfa (Hung.) <i>Laurus nobilis</i>	Cabe Jawa (Indones.) <i>Piper retrofractum</i>	Cannelle de Chine (French) <i>Cinnamomum cassia</i>	Cardamom, Gewürz- (Germ.) <i>Elettaria cardamomum</i>	Ca rum (Vietnam.) <i>Carum carvi</i>
Burç (Turkmen) <i>Piper nigrum</i>	Čabor (Belar.) <i>Thymus vulgaris</i>	Cannelle de Cochinchine (French) <i>Cinnamomum loureiroi</i>	Cardamom, greater Indian (Engl.) <i>Amomum subulatum</i>	Carum ajowan (bot.) <i>Trachyspermum copticum</i>
Buriş (Kazakh) <i>Capsicum annuum</i>	Čabor ljacy (Belar.) <i>Thymus serpyllum</i>			

Carum copticum (bot.) <i>Trachyspermum copticum</i>	Cayenský, pepř (Czech) <i>Capsicum frutescens</i>	Čechřice (Czech) <i>Myrrhis odorata</i>	Cerafolio (Span.) <i>Anthriscus cerefolium</i>	Česnakas, askaloninis (Lith.) <i>Allium ascalonicum</i>
Carve (Welsh) <i>Carum carvi</i>	Cay hoang moc hoi (Vietnam.) <i>Zanthoxylum rhetsa</i>	Céder (Slovak) <i>Citrus medica</i>	Cerasus mahaleb (bot.) <i>Prunus mahaleb</i>	Česnakas, laiškis (Lith.) <i>Allium schoenoprasum</i>
Carvi (French, Ital., Span.) <i>Carum carvi</i>	Cay hoi (Vietnam.) <i>Pimpinella anisum</i>	Cédrat (French) <i>Citrus medica</i>	Cercer (Turk.) <i>Eruca sativa</i>	Česnakas, meškis (Lith.) <i>Allium ursinum</i>
Carvie (Gael.) <i>Carum carvi</i>	Cay hung que (Vietnam.) <i>Ocimum basilicum</i>	Cedráť (Slovak) <i>Citrus medica</i>	Cerefolho (Port.) <i>Anthriscus cerefolium</i>	Cesnak kuchynský (Slovak) <i>Allium sativum</i>
Carvies (Engl.) <i>Carum carvi</i>	Cay luu (Vietnam.) <i>Punica granatum</i>	Cedráťcitrom (Hung.) <i>Citrus medica</i>	Cerefolii herba (pharm.) <i>Anthriscus cerefolium</i>	Cesnak medvedí (Slovak) <i>Allium ursinum</i>
Carvi fructus (pharm.) <i>Carum carvi</i>	Cay me (Vietnam.) <i>Tamarindus indica</i>	Cedro (Ital.) <i>Citrus medica</i>	Cerefolio (Esperanto) <i>Anthriscus cerefolium</i>	Cesnak pažitkový (Slovak) <i>Allium schoenoprasum</i>
Čarvjatoč (Belar.) <i>Sisymbrium officinale</i>	Cay o liu (Vietnam.) <i>Olea europaea</i>	Cedro (Span.) <i>Juniperus communis</i>	Cerefólio (Port.) <i>Anthriscus cerefolium</i>	Česnek (Czech) <i>Allium sativum</i>
Carvum (Lat.) <i>Carum carvi</i>	Cay que (Vietnam.) <i>Cinnamomum zeylanicum</i>	Cedron (Hung., Span.) <i>Lippia citriodora</i>	Čerešňa višňová mahalebková (Slovak) <i>Prunus mahaleb</i>	Česnek, medvedí (Czech) <i>Allium ursinum</i>
Caryophylli flores (pharm.) <i>Syzygium aromaticum</i>	Cay rau e (Vietnam.) <i>Ocimum basilicum</i>	Cedronella (Ital.) <i>Melissa officinalis</i>	Ćerevis (Maced.) <i>Apium graveolens</i>	Česnek medvedí (Czech) <i>Allium ursinum</i>
Caryophyllus aromaticus (bot.) <i>Syzygium aromaticum</i>	Cay rau ho (Vietnam.) <i>Armoracia rusticana</i>	Cedvar (Turk.) <i>Curcuma zedoaria</i>	Cerezo de Santa Lucía (Span.) <i>Prunus mahaleb</i>	Češnjak (Croat., Serb.) <i>Allium sativum</i>
Casacasa (Tamil) <i>Papaver somniferum</i>	Cay rau mui (Vietnam.) <i>Coriandrum sativum</i>	Cěfəri (Azeri) <i>Petroselinum crispum</i>	Cerfeuil (French) <i>Anthriscus cerefolium</i>	Četrun (Croat.) <i>Citrus medica</i>
Cascall (Catalan) <i>Papaver somniferum</i>	Cay rum (Vietnam.) <i>Carthamus tinctorius</i>	Cěfəri göyerti (Azeri) <i>Petroselinum crispum</i>	Cerfeuil d'Espagne (French) <i>Myrrhis odorata</i>	Cevz buva (Turk.) <i>Myristica fragrans</i>
Casia (Span.) <i>Cinnamomum cassia</i>	Cay sim (Vietnam.) <i>Myrtus communis</i>	Čehulja (Croat.) <i>Myrrhis odorata</i>	Cerfeuil musqué (French) <i>Myrrhis odorata</i>	Ceylon cinnamon (Engl.) <i>Cinnamomum zeylanicum</i>
Časnok (Belar.) <i>Allium sativum</i>	Cay thi la (Vietnam.) <i>Foeniculum vulgare</i>	Čehulja mirisava (Serb.) <i>Myrrhis odorata</i>	Cerfeuil odorant (French) <i>Myrrhis odorata</i>	Ceyloni fahėj (Hung.) <i>Cinnamomum zeylanicum</i>
Casse (French) <i>Cinnamomum cassia</i>	Cay thuoc phien (Vietnam.) <i>Papaver somniferum</i>	Ceinture de Saint-Jean (French) <i>Artemisia vulgaris</i>	Cerfoglio (Ital.) <i>Anthriscus cerefolium</i>	Ceyloninkaneli (Finn.) <i>Cinnamomum zeylanicum</i>
Cassia (Engl., Ital.) <i>Cinnamomum cassia</i>	Cay tieu (Vietnam.) <i>Piper nigrum</i>	Cekur (Malay) <i>Kaempferia galanga</i>	Cerfoglio di spagna (Ital.) <i>Myrrhis odorata</i>	Ceylonski cimet (Croat.) <i>Cinnamomum zeylanicum</i>
Cassia, Chinese (Engl.) <i>Cinnamomum cassia</i>	Cay toi (Vietnam.) <i>Allium sativum</i>	Celer (Croat., Czech, Maced., Serb.) <i>Apium graveolens</i>	Cerfuei (Prov.) <i>Anthriscus cerefolium</i>	Ceylon-Zimt (Germ.) <i>Cinnamomum zeylanicum</i>
Cassia, fagot (Engl.) <i>Cinnamomum burmannii</i>	Cay vani (Vietnam.) <i>Vanilla planifolia</i>	Celer bulvový (Czech) <i>Ane-thum graveolens</i>	Cerfull (Catalan) <i>Anthriscus cerefolium</i>	Chaang (Canton.) <i>Citrus sinensis</i>
Cassia, Indonesian (Engl.) <i>Cinnamomum burmannii</i>	Cay vung (Vietnam.) <i>Sesamum indicum</i>	Celer hlíznatý (Czech) <i>Ane-thum graveolens</i>	Cerfolium (Lat.) <i>Anthriscus cerefolium</i>	Chaba huchu (Korean) <i>Piper cubeba</i>
Cassia, Jawa (Engl.) <i>Cinnamomum burmannii</i>	Ceapă (Roman.) <i>Allium cepa</i>	Céleri (French) <i>Apium graveolens</i>	Cerisier de Sainte-Lucie (French) <i>Prunus mahaleb</i>	Chabai ekur (Malay) <i>Piper cubeba</i>
Cassia, Padang (Engl.) <i>Cinnamomum burmannii</i>	Ceapă cu foi subțiri (Roman.) <i>Allium schoenoprasum</i>	Celeri (Prov.) <i>Apium graveolens</i>	Cerisier Mahaleb (French) <i>Prunus mahaleb</i>	Chabai Jawa (Malay) <i>Piper retrofractum</i>
Cassia, Saigon (Engl.) <i>Cinnamomum loureiroi</i>	Ceapă franțuzească (Roman.) <i>Allium ascalonicum</i>	Celeriac (Engl.) <i>Apium graveolens</i>	Čermendell (Alb.) <i>Rhus coriaria</i>	Chaber (Ukr.) <i>Satureja hortensis</i>
Cassia, Vietnamese (Engl.) <i>Cinnamomum loureiroi</i>	Ceapă mărunță (Roman.) <i>Allium schoenoprasum</i>	Celerio (Esperanto) <i>Apium graveolens</i>	Černobýl (Czech) <i>Artemisia vulgaris</i>	Chaber sadovyj (Ukr.) <i>Satureja hortensis</i>
Cássia-aromática (Port.) <i>Cinnamomum cassia</i>	Ceapă mică perenă (Roman.) <i>Allium schoenoprasum</i>	Céleri perpétuel (French) <i>Levisticum officinale</i>	Černucha (Czech) <i>Nigella sativa</i>	Chabil (Korean) <i>Anthriscus cerefolium</i>
Cassia vera (bot.) <i>Cinnamomum burmannii</i>	Cearbhas (Irish) <i>Carum carvi</i>	Celer na'ový (Czech) <i>Ane-thum graveolens</i>	Cernușcă (Roman.) <i>Nigella sativa</i>	Chabiru (Japan.) <i>Anthriscus cerefolium</i>
Cay bach xu (Vietnam.) <i>Juniperus communis</i>	Ceba (Catalan) <i>Allium cepa</i>	Celer řapíkatý (Czech) <i>Ane-thum graveolens</i>	Černuška (Slovak) <i>Nigella sativa</i>	Chabrets (Russ.) <i>Thymus vulgaris</i>
Cay cai ngua (Vietnam.) <i>Armoracia rusticana</i>	Cebo (Prov.) <i>Allium cepa</i>	Celery (Engl.) <i>Apium graveolens</i>	Černuška damascénska (Slovak) <i>Nigella sativa</i>	Chabyor (Russ.) <i>Satureja hortensis</i>
Cay can nui (Vietnam.) <i>Levisticum officinale</i>	Cebola (Galic., Port.) <i>Allium cepa</i>	Celiandria (Catalan) <i>Coriandrum sativum</i>	Černuška siata (Slovak) <i>Nigella sativa</i>	Chá-da-Europa (Port.) <i>Salvia officinalis</i>
Cay com nep (Vietnam.) <i>Pandanus amaryllifolius</i>	Cebola miúda (Port.) <i>Allium cepa</i>	Čemaž (Sloven.) <i>Allium ursinum</i>	Černý kmín (Czech) <i>Nigella sativa</i>	Chadron benee (Span.) <i>Eryngium foetidum</i>
Cay de vang (Vietnam.) <i>Sassafras albidum</i>	Cebola roxa (Port.) <i>Allium ascalonicum</i>	Çemen (Turk.) <i>Trigonella foenum-graecum</i>	Černý pepř (Czech) <i>Piper nigrum</i>	Cha-em thet (Thai) <i>Glycyrrhiza glabra</i>
Cayena inglesa (Span.) <i>Capsicum frutescens</i>	Cebolete (Galic.) <i>Allium schoenoprasum</i>	Cencil (Indones.) <i>Nasturtium officinale</i>	Čertovo lejno (Czech) <i>Ferula assa-foetida</i>	Chafari (Tajik) <i>Petroselinum crispum</i>
Cayenne bors (Hung.) <i>Capsicum frutescens</i>	Cebolinha (Port.) <i>Allium schoenoprasum</i>	Cengké (Indones.) <i>Syzygium aromaticum</i>	Češanj (Serb.) <i>Allium sativum</i>	Chaga seca (Port.) <i>Tropaeolum majus</i>
Cayenne'i pipar (Eston.) <i>Capsicum frutescens</i>	Cebolinha branca (Port.) <i>Allium cepa</i>	Cengkih (Indones.) <i>Syzygium aromaticum</i>	Češan luk (Serb.) <i>Allium sativum</i>	Cha-gop (Dz.) <i>Allium sativum</i>
Cayennepeper (Dutch) <i>Capsicum frutescens</i>	Cebolla (Span.) <i>Allium cepa</i>	Cepa (Lat.) <i>Allium cepa</i>	Česen (Sloven.) <i>Allium sativum</i>	Chahi jira (Hindi) <i>Bunium persicum</i>
Cayenne pepper (Engl.) <i>Capsicum frutescens</i>	Cebolleta (Span.) <i>Allium schoenoprasum</i>	Cepa Ascalonia (Lat.) <i>Allium ascalonicum</i>	Česen, divji (Sloven.) <i>Allium ursinum</i>	Chaibu (Japan., Korean) <i>Allium schoenoprasum</i>
Cayenne-Pfeffer (Germ.) <i>Capsicum frutescens</i>	Cebollino (Span.) <i>Allium schoenoprasum</i>	Cepa pallachana (Lat.) <i>Allium schoenoprasum</i>	Česen, medvedji (Sloven.) <i>Allium ursinum</i>	Chai gui (Chines.) <i>Cinnamomum tamala</i>
Cayennepipar (Icel.) <i>Capsicum frutescens</i>	Cebula (Pol.) <i>Allium cepa</i>	Cepo (Esperanto) <i>Allium cepa</i>	Česnakas (Lith.) <i>Allium sativum</i>	Chaijen (Bodo) <i>Zingiber officinale</i>
Cayenni bors (Hung.) <i>Capsicum frutescens</i>	Čebula (Sloven.) <i>Allium cepa</i>	Cepula (Lat.) <i>Allium cepa</i>		
	Čechřice voňavá (Slovak) <i>Myrrhis odorata</i>			

Chaiman (Armen.) <i>Trigonella foenum-graecum</i>	Chan heung laahn (Canton.) <i>Pandanus amaryllifolius</i>	Chemerie (Chakhesang-Chokri Naga) <i>Allium sativum</i>	Chichmati (Georg.) <i>Lepidium sativum</i>	Chinese cassia (Engl.) <i>Cinnamomum cassia</i>
Chairephyllon (Old Greek) <i>Anthriscus cerefolium</i>	Chanh sac (Vietnam.) <i>Citrus hystrix</i>	Cheng (Garó) <i>Tamarindus indica</i>	Chicho (Thai) <i>Perilla frutescens</i>	Chinese cinnamom (Engl.) <i>Cinnamomum cassia</i>
Chaiv (Hindi) <i>Allium schoenoprasum</i>	Chanh ta (Vietnam.) <i>Citrus aurantifolia</i>	Chengazhinirkizhangu (Malayalam) <i>Kaempferia rotunda</i>	Chicória-de-caboclo (Port.) <i>Eryngium foetidum</i>	Chinese ginger (Engl.) <i>Boesenbergia pandurata</i>
Chaj gradinski (Bulg.) <i>Salvia officinalis</i>	Chanh tay (Vietnam.) <i>Citrus limon</i>	Cheng nihng (Canton.) <i>Citrus aurantifolia</i>	Chidun (Mong.) <i>Olea europaea</i>	Chinese key (Engl.) <i>Boesenbergia pandurata</i>
Chakhong macha (Manipuri) <i>Persicaria hydropiper</i>	Chan paetklip (Thai) <i>Illicium verum</i>	Chenturaku (Malayalam) <i>Carthamus tinctorius</i>	Chi faa jiu (Canton.) <i>Zanthoxylum simulans</i>	Chinese lizard tail (Engl.) <i>Houttuynia cordata</i>
Chakhrai (Thai) <i>Cymbopogon citratus</i>	Chanthet (Thai) <i>Myristica fragrans</i>	Chen xiang lan (Mand.) <i>Pandanus amaryllifolius</i>	Chihher övs (Mong.) <i>Glycyrrhiza glabra</i>	Chinese parsley (Engl.) <i>Coriandrum sativum</i>
Chakra phul (Hindi) <i>Illicium verum</i>	Chan thet (Lao,Thai) <i>Myristica fragrans</i>	Chepta sof (Newari) <i>Anethum graveolens</i>	Chi-it (Tagalog) <i>Zanthoxylum alatum</i>	Chinese pepper (Engl.) <i>Zanthoxylum piperitum</i>
Chalcas koenigii (bot.) <i>Murraya koenigii</i>	Chanthet paetklip (Thai) <i>Illicium verum</i>	Cherednyk (Ukr.) <i>Persicaria hydropiper</i>	Chi korhom (Khmer) <i>Ocimum basilicum</i>	Chinesische Melisse (Germ.) <i>Perilla frutescens</i>
Chalota (Span.) <i>Allium ascalonicum</i>	Chantruk (Manipuri) <i>Lepidium sativum</i>	Cheremsha (Russ.) <i>Allium ursinum</i>	Chi krassang tomhom (Khmer) <i>Persicaria odoratum</i>	Chinesische Petersilie (Germ.) <i>Coriandrum sativum</i>
Chalota das cosinhas (Port.) <i>Allium cepa</i>	Chap (Vietnam.) <i>Citrus aurantifolia</i>	Cheremsha (Russ.) <i>Allium ursinum</i>	Chilao (Thai) <i>Trachyspermum copticum</i>	Chinesischer Eidechsen-schwanz (Germ.) <i>Houttuynia cordata</i>
Chalotez (Bret.) <i>Allium ascalonicum</i>	Chap choi (Canton.) <i>Houttuynia cordata</i>	Cherisha, diva (Bulg.) <i>Prunus mahaleb</i>	Chile (Engl.,Span.) <i>Capsicum frutescens</i>	Chinesischer Ingwer (Germ.) <i>Boesenbergia pandurata</i>
Chalotezenn (Bret.) <i>Allium ascalonicum</i>	Chaplu (Thai) <i>Piper sarmentosum</i>	Cherfuei (Prov.) <i>Anthriscus cerefolium</i>	Chili (Basque,Bulg.,Dan.,Engl.,Germ.,Russ.) <i>Capsicum frutescens</i>	Chinesischer Pfeffer (Germ.) <i>Zanthoxylum piperitum</i>
Chaloto (Prov.) <i>Allium cepa</i>	Chardon étoile fétide (French) <i>Eryngium foetidum</i>	Cherifolium cerefolium (bot.) <i>Anthriscus cerefolium</i>	Chilipaprika (Hung.) <i>Capsicum frutescens</i>	Chinesischer Zimt (Germ.) <i>Cinnamomum cassia</i>
Chaltit (Hebr.) <i>Ferula assa-foetida</i>	Charka (Tibet.) <i>Illicium verum</i>	Chernobyl'nik (Russ.) <i>Artemisia vulgaris</i>	Chilipeppar (Swed.) <i>Capsicum frutescens</i>	Ching ning (Mand.) <i>Citrus aurantifolia</i>
Chamaeplium officinale (bot.) <i>Sisymbrium officinale</i>	Charnushka (Engl.) <i>Nigella sativa</i>	Chernushka (Russ.) <i>Nigella sativa</i>	Chili-Pfeffer (Germ.) <i>Capsicum frutescens</i>	Chinjo (Korean) <i>Zingiber officinale</i>
Chamäleonpflanze (Germ.) <i>Houttuynia cordata</i>	Chase-the-Devil (Engl.) <i>Nigella damascena</i>	Cherry, mahaleb (Engl.) <i>Prunus mahaleb</i>	Chilipipar (Icel.) <i>Capsicum frutescens</i>	Chinta chettu (Telugu) <i>Tamarindus indica</i>
Chaman (Armen.,Georg.) <i>Carum carvi</i>	Chasnyk (Ukr.) <i>Allium sativum</i>	Cherry, perfumed (Engl.) <i>Prunus mahaleb</i>	Chilippipuri (Finn.) <i>Capsicum frutescens</i>	Chintapandu (Telugu) <i>Tamarindus indica</i>
Chambram (Bodo) <i>Allium cepa</i>	Chasnyk horodnij (Ukr.) <i>Allium sativum</i>	Cheru-naragam (Malayalam) <i>Citrus aurantifolia</i>	Chilli (Engl.) <i>Capsicum frutescens</i>	Chinzhiüü (Mong.) <i>Capsicum frutescens</i>
Chambram Gufur (Bodo) <i>Allium sativum</i>	Chaste tree (Engl.) <i>Vitex agnus-castus</i>	Cheru-naranga (Malayalam) <i>Citrus aurantifolia</i>	Chilly (Engl.) <i>Capsicum frutescens</i>	Chinzhiüü (Mong.) <i>Piper nigrum</i>
Chameleon (Czech,Slovak) <i>Houttuynia cordata</i>	Chathakuppa (Malayalam) <i>Anethum graveolens</i>	Cherven piper (Bulg.) <i>Capsicum annuum</i>	Chiluri (Bengali) <i>Apium graveolens</i>	Chinzhiüünij gaa (Mong.) <i>Mentha piperita</i>
Chameleon plant (Engl.) <i>Houttuynia cordata</i>	Chat yihp laahn (Canton.) <i>Pandanus amaryllifolius</i>	Chervil (Engl.,Hebr.) <i>Anthriscus cerefolium</i>	Chimen (Roman.) <i>Carum carvi</i>	Chiodo di garofano (Ital.) <i>Syzygium aromaticum</i>
Chamggae (Korean) <i>Sesamum indicum</i>	Chau choi (Canton.) <i>Houttuynia cordata</i>	Chervil, Spanish (Engl.) <i>Myrrhis odorata</i>	Chimion (Roman.) <i>Carum carvi</i>	Chi pa-la (Khmer) <i>Eryngium foetidum</i>
Cham-kkae (Korean) <i>Sesamum indicum</i>	Chau chou (Canton.) <i>Ruta graveolens</i>	Chervil, sweet (Engl.) <i>Myrrhis odorata</i>	Chimion amar (Roman.) <i>Cuminum cyminum</i>	Chi parang (Khmer) <i>Eryngium foetidum</i>
Champra (Manipuri) <i>Citrus aurantifolia</i>	Chau hahng (Canton.) <i>Chenopodium ambrosioides</i>	Chesnok (Russ.) <i>Allium sativum</i>	Chimion dulce (Roman.) <i>Foeniculum vulgare</i>	Chipfweketo (Chakhesang-Chokri Naga) <i>Cinnamomum zeylanicum</i>
Champrā (Tangkhal) <i>Citrus aurantifolia</i>	Chau ngaai (Canton.) <i>Ruta graveolens</i>	Chesnok, dikij (Russ.) <i>Allium ursinum</i>	Chimion Indian (Roman.) <i>Trachyspermum copticum</i>	Chiri (Japan.) <i>Capsicum frutescens</i>
Cham-puu (Khmer) <i>Bixa orellana</i>	Chaviru (Japan.) <i>Anthriscus cerefolium</i>	Chesnok medvezhij (Russ.) <i>Allium ursinum</i>	Chimion negru (Roman.) <i>Bunium persicum</i>	Chirphal (Marathi) <i>Zanthoxylum piperitum</i>
Chamsur (Nepali) <i>Lepidium sativum</i>	Chavret's (Ukr.) <i>Thymus vulgaris</i>	Chesnov luk (Bulg.) <i>Allium sativum</i>	Chimion negru (Roman.) <i>Nigella sativa</i>	Chi saan gam (Canton.) <i>Caparis spinosa</i>
Chanam (Manipuri) <i>Allium sativum</i>	Chavret's borovyj (Ukr.) <i>Thymus serpyllum</i>	Chesun (Bulg.) <i>Allium sativum</i>	Chimion turcesc (Roman.) <i>Cuminum cyminum</i>	Chi sangkaech (Khmer) <i>Eryngium foetidum</i>
Chan ban (Thai) <i>Myristica fragrans</i>	Chavret's plazkyj (Ukr.) <i>Thymus serpyllum</i>	Chesun, div (Bulg.) <i>Allium schoenoprasum</i>	Chi mo hoi (Vietnam.) <i>Borago officinalis</i>	Chiso (Thai) <i>Perilla frutescens</i>
Chanchala (Sanskrit) <i>Piper longum</i>	Chavret's zwichajnyj (Ukr.) <i>Thymus vulgaris</i>	Cheung jiu (Canton.) <i>Piper longum</i>	Chinamilagu (Tamil) <i>Piper cubeba</i>	Chi ssu (Mand.) <i>Perilla frutescens</i>
Chan chom (Thai) <i>Persicaria odoratum</i>	Chekke (Tulu) <i>Cinnamomum zeylanicum</i>	Cheveux de Vénus (French) <i>Nigella sativa</i>	China-Zimt (Germ.) <i>Cinnamomum cassia</i>	Chitelu (Malayalam) <i>Sesamum indicum</i>
Chandrika (Sanskrit) <i>Lepidium sativum</i>	Chek tum phka loeng (Khmer) <i>Cinnamomum zeylanicum</i>	Chiang (Chines.) <i>Zingiber officinale</i>	Chinch (Marathi) <i>Tamarindus indica</i>	Chittar (Hausa) <i>Zingiber officinale</i>
Changbetsung (Ao Naga) <i>Z. alatum</i>	Chelebitka (Bulg.) <i>Nigella sativa</i>	Chi ankam-derm (Khmer) <i>Mentha piperita</i>	Chi neang vong (Khmer) <i>Ocimum basilicum</i>	Chitti rai (Punjabi) <i>Sinapis alba</i>
Chang jiao (Mand.) <i>Piper longum</i>	Chellu-kolli (Malayalam) <i>Chenopodium ambrosioides</i>	Chi banla (Khmer) <i>Eryngium foetidum</i>	Chinese anise (Engl.) <i>Illicium verum</i>	Chittupuli (Tulu) <i>Citrus aurantifolia</i>
Changmi (Korean) <i>Rosa damascena</i>		Chi baraing (Khmer) <i>Eryngium foetidum</i>	Chinese basil (Engl.) <i>Perilla frutescens</i>	Chi van-suy (Khmer) <i>Coriandrum sativum</i>

Chives (Engl.) <i>Allium schoenoprasum</i>	Chrzan pospolity (Pol.) <i>Armoracia rusticana</i>	Cibule kuchyňská (Czech) <i>Allium cepa</i>	Cinamomo, aromo (Esperanto) <i>Cinnamomum cassia</i>	Cirë (Azeri) <i>Cuminum cyminum</i>
Chi yuhn seui (Canton.) <i>Eryngium foetidum</i>	Chuang dong (Lao) <i>Cinnamomum cassia</i>	Cicaka (Georg.) <i>Capsicum frutescens</i>	Cinamomo, čina (Esperanto) <i>Cinnamomum cassia</i>	Cire (Farsi) <i>Allium sativum</i>
Chnay (Khmer) <i>Zingiber officinale</i>	Chuang hom (Lao) <i>Cinnamomum cassia</i>	Cicely (Engl.) <i>Myrrhis odorata</i>	Cinamomo, hinda (Esperanto) <i>Cinnamomum tamala</i>	Cirerer de guineu (Catalan) <i>Prunus mahaleb</i>
Chogwa (Korean) <i>Amomum tsao-ko</i>	Chubritsa (Bulg.) <i>Satureja hortensis</i>	Cicmati (Georg.) <i>Lepidium sativum</i>	Cinamomo, indonezia (Esperanto) <i>Cinnamomum burmannii</i>	Cirerer de santa Llućia (Catalan) <i>Prunus mahaleb</i>
Choji (Japan.) <i>Syzygium aromaticum</i>	Chuku (Malayalam) <i>Zingiber officinale</i>	Cidra (Port.,Span.) <i>Citrus medica</i>	Cinamomo, vjetnama (Esperanto) <i>Cinnamomum loureiroi</i>	Ci shan gan (Mand.) <i>Capparis spinosa</i>
Chompra (Mao) <i>Citrus limon</i>	Chulakhwen (Rengma Naga) <i>Ocimum tenuiflorum</i>	Cidreira (Port.) <i>Melissa officinalis</i>	Cinamonas (Lith.) <i>Cinnamomum zeylanicum</i>	Citirnedis, laukinis (Lith.) <i>Citrus hystrix</i>
Chonghyang (Korean) <i>Syzygium aromaticum</i>	Chümerie (Angami Naga) <i>Allium sativum</i>	Čierne korenje (Slovak) <i>Piper nigrum</i>	Cinamonas, burmano (Lith.) <i>Cinnamomum burmannii</i>	Citrangulum (Lat.) <i>Citrus sinensis</i>
Chonghyang-namu (Korean) <i>Syzygium aromaticum</i>	Chum hoi trang (Vietnam.) <i>Murraya koenigii</i>	Cigánypetrezselyem (Hung.) <i>Coriandrum sativum</i>	Cinamonas, indinis (Lith.) <i>Cinnamomum tamala</i>	Citrininë aloyzija (Lith.) <i>Lippia citriodora</i>
Choothaphalam (Malayalam) <i>Mangifera indica</i>	Chung tauh (Canton.) <i>Allium cepa</i>	Ci hua jiao (Mand.) <i>Zanthoxylum simulans</i>	Cinamonas, kininis (Lith.) <i>Cinnamomum cassia</i>	Citrininë melisa (Lith.) <i>Melissa officinalis</i>
Chopi (Korean) <i>Zanthoxylum piperitum</i>	Chungwa (Swahili) <i>Citrus sinensis</i>	Cilantro (Engl.,Span.) <i>Coriandrum sativum</i>	Cinamonas, saigoninis (Lith.) <i>Cinnamomum loureiroi</i>	Citrinmedis, apelsininis (Lith.) <i>Citrus sinensis</i>
Chor Boghbojh (Armen.) <i>Syzygium aromaticum</i>	Chung-yao (Chines.) <i>Houttuynia cordata</i>	Cilantro, Puerto Rican (Engl.) <i>Eryngium foetidum</i>	Çin anasonu (Turk.) <i>Illicium verum</i>	Citrinmedis, bergaminis (Lith.) <i>Citr. sinensis</i> var. <i>bergamia</i>
Chornobyl (Ukr.) <i>Artemisia vulgaris</i>	Chunipo (Korean) <i>Juniperus communis</i>	Cilantro, Vietnamese (Engl.) <i>Persicaria odoratum</i>	Čňan zázvor (Czech) <i>Boesenbergia pandurata</i>	Citrinmedis, karčivaisis (Lith.) <i>Citrus sinensis</i> var. <i>amara</i>
Chornushka posivna (Ukr.) <i>Nigella sativa</i>	Churnnam (Malayalam) <i>Citrus aurantifolia</i>	Çil bař (Turk.) <i>Artemisia vulgaris</i>	Čina pipro (Esperanto) <i>Zanthoxylum piperitum</i>	Citrinmedis, rūgščivaisis (Lith.) <i>Citrus aurantifolia</i>
Chor Poghpoch (Armen.) <i>Syzygium aromaticum</i>	Chushchash (Hebr.) <i>Citrus sinensis</i> ssp. <i>amara</i>	Cili (Malay) <i>Capsicum frutescens</i>	Cinamomum (Lat.) <i>Cinnamomum zeylanicum</i>	Citrinmedis, tikrasis (Lith.) <i>Citrus limon</i>
Choti aleh (Kashm.) <i>Elettaria cardamomum</i>	Chüsi (Angami Naga) <i>Capsicum frutescens</i>	Čili (Croat.,Lith.,Serb.,Sloven.) <i>Capsicum frutescens</i>	Cinamomum loureirii (bot.) <i>Cinnamomum loureiroi</i>	Citrinmirtë, kvapioji (Lith.) <i>Backhousia citriodora</i>
Choti elaichi (Urdu) <i>Elettaria cardamomum</i>	Chuvanna-mulagu (Malayalam) <i>Capsicum frutescens</i>	Cilí (Irish) <i>Capsicum frutescens</i>	Cinamomum tejpata (bot.) <i>Cinnamomum tamala</i>	Citrosnis (Lith.) <i>Citrus limon</i>
Choti ilaichi (Dogri,Hindi, Maith.) <i>Elettaria cardamomum</i>	Chuvan-ulli (Malayalam) <i>Allium cepa</i>	Ciliegio canino (Ital.) <i>Prunus mahaleb</i>	Cinamomum verum (bot.) <i>Cinnamomum zeylanicum</i>	Citrinžolë, tikroji (Lith.) <i>Cymbopogon citratus</i>
Choto elach (Bengali) <i>Elettaria cardamomum</i>	Chyaba gypei (Korean) <i>Cinnamomum burmannii</i>	Ciligio di Santa Lucia (Ital.) <i>Prunus mahaleb</i>	Cinnamon (Engl.) <i>Cinnamomum zeylanicum</i>	Citrium (Lat.) <i>Citrus medica</i>
Chou (Angami Naga) <i>Ocimum basilicum</i>	Chyabil (Korean) <i>Anthriscus cerefolium</i>	Čili paprička (Slovak) <i>Capsicum frutescens</i>	Cinnamon, bastard (Engl.) <i>Cinnamomum cassia</i>	Citroen (Dutch) <i>Citrus limon</i>
Chou ai (Mand.) <i>Ruta graveolens</i>	Chyaibusu (Korean) <i>Allium schoenoprasum</i>	Čili paprika (Slovak) <i>Capsicum frutescens</i>	Cinnamon, Chinese (Engl.) <i>Cinnamomum cassia</i>	Citroenalsem (Dutch) <i>Artemisia abrotanum</i>
Chou cai (Mand.) <i>Houttuynia cordata</i>	Chyapi (Nepali) <i>Allium ascalonicum</i>	Čili pipari (Latv.) <i>Capsicum frutescens</i>	Cinnamon, Indonesian (Engl.) <i>Cinnamomum burmannii</i>	Citroengras (Dutch) <i>Cymbopogon citratus</i>
Chou cao (Mand.) <i>Ruta graveolens</i>	Chyeobil (Korean) <i>Anthriscus cerefolium</i>	Čilmedis, kvapusis (Lith.) <i>Peumus boldus</i>	Cinnamon, Padang (Engl.) <i>Cinnamomum burmannii</i>	Citroenkruid (Dutch) <i>Artemisia abrotanum</i>
Chou geung (Canton.) <i>Cymbopogon citratus</i>	Chyet-thon-phew (Burmes.) <i>Allium sativum</i>	Cimartë (Alb.) <i>Myrtus communis</i>	Cinnamon, Saigon (Engl.) <i>Cinnamomum loureiroi</i>	Citroenkruid (Dutch) <i>Melissa officinalis</i>
Chou gwo (Canton.) <i>Amomum tsao-ko</i>	Chynuipo (Korean) <i>Juniperus communis</i>	Cimbopogone (Ital.) <i>Cymbopogon citratus</i>	Cinnamon, Sri Lankan (Engl.) <i>Cinnamomum zeylanicum</i>	Citroenmelisse (Dutch) <i>Melissa officinalis</i>
Chou xing (Mand.) <i>Chenopodium am-brosioides</i>	Chyobil (Korean) <i>Anthriscus cerefolium</i>	Cimbrisor de câmp (Roman.) <i>Thymus serpyllum</i>	Cinnamon, Vietnamese (Engl.) <i>Cinnamomum loureiroi</i>	Citroenverbena (Dutch) <i>Lippia citriodora</i>
Chow-cho (Mand.) <i>Ruta graveolens</i>	Chyornyj perets (Russ.) <i>Piper nigrum</i>	Cimbru de cultură (Roman.) <i>Thymus vulgaris</i>	Čínský anýz (Czech) <i>Illicium verum</i>	Citrom (Hung.) <i>Citrus limon</i>
Chraluek (Khmer) <i>Bixa orellana</i>	Chyrvony perec (Belar.) <i>Capsicum frutescens</i>	Cimbru de grădină (Roman.) <i>Satureja hortensis</i>	Čínský pepř (Czech) <i>Zanthoxylum piperitum</i>	Citromfajta, zöld (Hung.) <i>Citrus aurantifolia</i>
Chren (Slovak) <i>Armoracia rusticana</i>	Ciapă (Roman.) <i>Allium cepa</i>	Cimbru sălbatic (Roman.) <i>Thymus serpyllum</i>	Çin tarçmı (Turk.) <i>Cinnamomum cassia</i>	Citromfű (Hung.) <i>Cymbopogon citratus</i>
Chren, japonský (Slovak) <i>Wasabia japonica</i>	Ciberžolë (Lith.) <i>Curcuma longa</i>	Çimen (Turk.) <i>Trigonella foenum-graecum</i>	Čiobrelis (Lith.) <i>Thymus vulgaris</i>	Citromfű (Hung.) <i>Melissa officinalis</i>
Chren dedinský (Slovak) <i>Armoracia rusticana</i>	Ciberžolë, dažinė (Lith.) <i>Curcuma longa</i>	Cimet (Croat.,Maced.,Serb.,Sloven.) <i>Cinnamomum zeylanicum</i>	Čiobrelis, keturbriauinis (Lith.) <i>Thymus pulegioides</i>	Citrom illatú vafza (Hung.) <i>Backhousia citriodora</i>
Chreno (Greek) <i>Armoracia rusticana</i>	Ciboulette (French) <i>Allium ascalonicum</i>	Cimet, kineski (Croat.) <i>Cinnamomum cassia</i>	Čiobrelis, paprastasis (Lith.) <i>Thymus serpyllum</i>	Citrom verbéna (Hung.) <i>Lippia citriodora</i>
Chri Godem (Armen.) <i>Lepidium sativum</i>	Ciboulette (French) <i>Allium schoenoprasum</i>	Cimet-kasija (Serb.) <i>Cinnamomum cassia</i>	Čiobrelis, vaistinis (Lith.) <i>Thymus vulgaris</i>	Citron (Dan.,French,Swed.) <i>Citrus limon</i>
Chrinnitsya posivna (Ukr.) <i>Lepidium sativum</i>	Ciboyo (Sranan) <i>Allium cepa</i>	Čina cinamomo (Esperanto) <i>Cinnamomum cassia</i>	Čipolla (Ital.) <i>Allium cepa</i>	Citron (Engl.) <i>Citrus medica</i>
Chrisomilia (Greek) <i>Citrus sinensis</i>	Cibriska (Turk.) <i>Satureja hortensis</i>	Činamo (Esperanto) <i>Cinnamomum zeylanicum</i>	Circir (Turk.) <i>Eruca sativa</i>	Citrón (Czech,Slovak) <i>Citrus limon</i>
Chróch (Irish) <i>Crocus sativus</i>	Cibuľa zimná (Slovak) <i>Allium cepa</i>			Citron (French) <i>Melissa officinalis</i>
Chróch bréige (Irish) <i>Carthamus tinctorius</i>	Cibule (Czech) <i>Allium cepa</i>			Citrona meliso (Esperanto) <i>Melissa officinalis</i>

Citronella (Engl., Hung., Roman., Span.) <i>Cymbopogon citratus</i>	Clavo de Olor (Span.) <i>Syzygium aromaticum</i>	Comí (Catalan) <i>Pimpinella anisum</i>	Cortex Aurantii fructus dulcis (pharm.) <i>Citrus sinensis</i>	Cress, garden (Engl.) <i>Lepidium sativum</i>
Citronella (Ital.) <i>Melissa officinalis</i>	Clawlys (Welsh) <i>Syzygium aromaticum</i>	Comí castellà (Catalan) <i>Cuminum cyminum</i>	Cortex Cinnamomi (pharm.) <i>Cinnamomum zeylanicum</i>	Cress, Indian (Engl.) <i>Tropaeolum majus</i>
Citronellae herba (pharm.) <i>Cymbopogon citratus</i>	Clóbh (Irish) <i>Syzygium aromaticum</i>	Comí de prat (Catalan) <i>Carum carvi</i>	Costag (Gael.) <i>Anthriscus cerefolium</i>	Cress, Para- (Engl.) <i>Spilanthus acmella</i>
Citronelle (French) <i>Melissa officinalis</i>	Clòbha (Gael.) <i>Syzygium aromaticum</i>	Cominho (Port.) <i>Cuminum cyminum</i>	Cos uisce (Gael.) <i>Myrrhis odorata</i>	Cress, water (Engl.) <i>Nasturtium officinale</i>
Citronelle (French) <i>Artemisia abrotanum</i>	Clof (Welsh) <i>Syzygium aromaticum</i>	Cominho-preto (Port.) <i>Nigella sativa</i>	Cot dua (Vietnam.) <i>Cocos nucifera</i>	Cresson, brazilianse (Dutch) <i>Spilanthus acmella</i>
Citronelo (Esperanto) <i>Cymbopogon citratus</i>	Clo-mheas (Gael.) <i>Syzygium aromaticum</i>	Comino (Galic..., Span.) <i>Cuminum cyminum</i>	Cotor (Armen.) <i>Thymus vulgaris</i>	Cresson alénois (French) <i>Lepidium sativum</i>
Citronenkraut (Germ.) <i>Melissa officinalis</i>	Clou de girofle (French) <i>Syzygium aromaticum</i>	Comino blanco (Span.) <i>Cuminum cyminum</i>	Coulante (French) <i>Eryngium foetidum</i>	Cresson de fontaine (French) <i>Nasturtium officinale</i>
Citrongræs (Dan.) <i>Cymbopogon citratus</i>	Clovas de comer (Tagalog) <i>Syzygium aromaticum</i>	Comino negro (Span.) <i>Bunium persicum</i>	Coumarouna odorata (bot.) <i>Dipteryx odorata</i>	Cresson de Para (French) <i>Spilanthus acmella</i>
Citrongräs (Swed.) <i>Cymbopogon citratus</i>	Clove (Engl.) <i>Syzygium aromaticum</i>	Common nasturtium (Engl.) <i>Tropaeolum majus</i>	Courge nue (French) <i>Cucurbita pepo</i>	Cresson d'Inde (French) <i>Tropaeolum majus</i>
Citronka (Sloven.) <i>Lippia citriodora</i>	Clover, blue-white (Engl.) <i>Trigonella caerulea</i>	Com ngoui (Vietnam.) <i>Murraya koenigii</i>	Cövüz (Azeri) <i>Myristica fragrans</i>	Crijemuž (Croat.) <i>Allium ursinum</i>
Citronmålla (Swed.) <i>Chenopodium ambrosioides</i>	Clusius pepper (Engl.) <i>Piper clusii</i>	Conduraşi (Roman.) <i>Tropaeolum majus</i>	Cövüz qoz (Azeri) <i>Myristica fragrans</i>	Črna gorčica (Sloven.) <i>Brassica nigra</i>
Citronmelisa (Latv.) <i>Melissa officinalis</i>	Clusiuspfeffer (Germ.) <i>Piper clusii</i>	Cong tou (Mand.) <i>Allium cepa</i>	Cowtong (Thai) <i>Houttuynia cordata</i>	Črna gorušica (Croat.) <i>Brassica nigra</i>
Citronmeliss (Swed.) <i>Melissa officinalis</i>	Cnecos (Lat.) <i>Carthamus tinctorius</i>	Co nguu tat (Vietnam.) <i>Hyssopus officinalis</i>	Co xa huong (Vietnam.) <i>Thymus vulgaris</i>	Črna ogrščica (Sloven.) <i>Brassica nigra</i>
Citronmelisse (Dan.) <i>Melissa officinalis</i>	Cnò-còco (Gael.) <i>Cocos nucifera</i>	Continental wild thyme (Engl.) <i>Thymus serpyllum</i>	Craf (Welsh) <i>Allium sativum</i>	Črna slačica (Serb.) <i>Brassica nigra</i>
Citronmètra (Latv.) <i>Melissa officinalis</i>	Cnó cócò (Irish) <i>Cocos nucifera</i>	Coqueiro (Port.) <i>Cocos nucifera</i>	Cran (French) <i>Armoracia rusticana</i>	Črni kumin (Croat.) <i>Nigella sativa</i>
Citronmyrten (Swed.) <i>Backhousia citriodora</i>	Cno ghreugach (Gael.) <i>Prunus dulcis</i>	Çördük otu (Turk.) <i>Hyssopus officinalis</i>	Cran laobhreibh (Gael.) <i>Laurus nobilis</i>	Črni luk (Serb.) <i>Allium cepa</i>
Citronnade (French) <i>Melissa officinalis</i>	Cnò-mheannt (Gael.) <i>Myristica fragrans</i>	Çörék otu (Azeri) <i>Nigella sativa</i>	Cranson de Bretagne (French) <i>Armoracia rusticana</i>	Črni papar (Croat.) <i>Piper nigrum</i>
Citronnier (French) <i>Citrus aurantifolia</i>	Cnò-mhionnt (Gael.) <i>Myristica fragrans</i>	Çörek otu, kara (Turk.) <i>Nigella sativa</i>	Craobh gharbh (Gael.) <i>Allium schoenoprasum</i>	Črni pelen (Serb.) <i>Artemisia vulgaris</i>
Citrono (Esperanto) <i>Citrus limon</i>	Co cari (Vietnam.) <i>Trigonella foenum-graecum</i>	Çörekotu tohumu (Turk.) <i>Nigella sativa</i>	Craveiro-da-índia (Port.) <i>Syzygium aromaticum</i>	Črni pelin (Croat.) <i>Artemisia vulgaris</i>
Citrónová tráva (Czech, Slovak) <i>Cymbopogon citratus</i>	Cocco (Ital.) <i>Cocos nucifera</i>	Çöreotu, hakiki (Turk.) <i>Nigella sativa</i>	Cravinho (Port.) <i>Syzygium aromaticum</i>	Črni poper (Sloven.) <i>Piper nigrum</i>
Citronovka (Sloven.) <i>Citrus aurantifolia</i>	Coccola di ginepro (Ital.) <i>Juniperus communis</i>	Coriander (Dan., Engl.) <i>Coriandrum sativum</i>	Cravo (Galic.) <i>Syzygium aromaticum</i>	Črnjika hrapava (Serb.) <i>Nigella sativa</i>
Citrónovník (Slovak) <i>Citrus limon</i>	Cochlearia armoracia (bot.) <i>Armoracia rusticana</i>	Coriander, long (Engl.) <i>Eryngium foetidum</i>	Cravo-da-índia (Port.) <i>Syzygium aromaticum</i>	Črnog kima (Croat.) <i>Nigella sativa</i>
Citrons (Latv.) <i>Citrus limon</i>	Cochlearia wasabi (bot.) <i>Wasabia japonica</i>	Coriander, Mexican (Engl.) <i>Eryngium foetidum</i>	Cravo de Olor (Galic.) <i>Syzygium aromaticum</i>	Črno seme (Serb.) <i>Nigella sativa</i>
Citróny (Slovak) <i>Citrus limon</i>	Coco (Catalan, French) <i>Cocos nucifera</i>	Coriander, Puerto Rican (Engl.) <i>Eryngium foetidum</i>	Creamh (Gael.) <i>Allium ursinum</i>	Črn piper (Maced.) <i>Piper nigrum</i>
Citrounelo (Prov.) <i>Melissa officinalis</i>	Coconut (Engl.) <i>Cocos nucifera</i>	Coriander, sawtooth (Engl.) <i>Eryngium foetidum</i>	Creeping thyme (Engl.) <i>Thymus serpyllum</i>	Črn sinap (Maced.) <i>Brassica nigra</i>
Citrus (Lat.) <i>Citrus medica</i>	Cocotier (Roman.) <i>Cocos nucifera</i>	Coriander, spiny (Engl.) <i>Eryngium foetidum</i>	Créixecs (Catalan) <i>Nasturtium officinale</i>	Crò (Gael.) <i>Crocus sativus</i>
Citrus aurantium ssp. sinensis (bot.) <i>Citrus sinensis</i>	Codalion (Gael.) <i>Papaver somniferum</i>	Coriander, Vietnamese (Engl.) <i>Persicaria odoratum</i>	Créixens (Catalan) <i>Nasturtium officinale</i>	Cròch (Gael.) <i>Crocus sativus</i>
Citrus medica ssp. limonum (bot.) <i>Citrus limon</i>	Coendro (Galic.) <i>Coriandrum sativum</i>	Coriandolo (Ital.) <i>Coriandrum sativum</i>	Cremaš (Serb.) <i>Allium ursinum</i>	Crocus (Lat.) <i>Crocus sativus</i>
Citta (Hausa) <i>Aframomum melegueta</i>	Coentro (Port.) <i>Coriandrum sativum</i>	Coriandre (Catalan, French) <i>Coriandrum sativum</i>	Cren (Ital.) <i>Armoracia rusticana</i>	Cròdh (Gael.) <i>Crocus sativus</i>
Citvor (Hung.) <i>Curcuma zedoaria</i>	Coentro-bravo (Port.) <i>Eryngium foetidum</i>	Coriandre Mexicain (French) <i>Eryngium foetidum</i>	Crenchas (Span.) <i>Nasturtium officinale</i>	Crvena paprika (Serb.) <i>Capsicum annum</i>
Civetä (Roman.) <i>Allium schoenoprasum</i>	Coentro-de-Caboclo (Port.) <i>Eryngium foetidum</i>	Coriandro (Span.) <i>Coriandrum sativum</i>	Crescione (Ital.) <i>Lepidium sativum</i>	Crveni luk (Croat.) <i>Allium cepa</i>
Civette (French) <i>Allium schoenoprasum</i>	Coireiman (Gael.) <i>Coriandrum sativum</i>	Coriandru (Roman.) <i>Coriandrum sativum</i>	Crescione d'acqua (Ital.) <i>Nasturtium officinale</i>	Csavarpálma levél (Hung.) <i>Pandanus amaryllifolius</i>
Ci yuan sui (Mand.) <i>Eryngium foetidum</i>	Çölnanë (Azeri) <i>Satureja hortensis</i>	Coriandrum (Lat.) <i>Coriandrum sativum</i>	Creson (Roman.) <i>Lepidium sativum</i>	Cserszömörce (Hung.) <i>Rhus coriaria</i>
Cjelolista loboda (Croat.) <i>Chenopodium ambrosioides</i>	Colorau (Port.) <i>Capsicum annum</i>	Čornaja harčyca (Belar.) <i>Brassica nigra</i>	Cress (Engl.) <i>Lepidium sativum</i>	Cszerző szömörce (Hung.) <i>Rhus coriaria</i>
Clau (Catalan) <i>Syzygium aromaticum</i>	Combava (French) <i>Citrus hystrix</i>	Čorny perac (Belar.) <i>Piper nigrum</i>	Cress, Brazil (Engl.) <i>Spilanthus acmella</i>	Csilipaprika (Hung.) <i>Capsicum frutescens</i>

Ćubar vrtni (Croat.) <i>Satureja hortensis</i>	Curd herb (Engl.) <i>Trigonella caerulea</i>	Daai wuih heong (Canton.) <i>Pimpinella anisum</i>	Dalchinni (Kannada) <i>Cinnamomum zeylanicum</i>	Daphna (Georg.) <i>Laurus nobilis</i>
Cubéba (Czech) <i>Piper cubeba</i>	Čurekot (Serb.) <i>Nigella sativa</i>	Dab (Bengali) <i>Cocos nucifera</i>	Dalçyn (Turkmen) <i>Cinnamomum zeylanicum</i>	Daphne (Old Greek) <i>Laurus nobilis</i>
Cubeba (Galic.) <i>Piper cubeba</i>	Curry, feuilles de (French) <i>Murraya koenigii</i>	Dabni-i Terew (Armen.) <i>Laurus nobilis</i>	Dalim (Assam.,Bengali,Bodo, Garo,Khasi,Santali) <i>Punica granatum</i>	Daphnis khe (Georg.) <i>Laurus nobilis</i>
Cubebae fructus (pharm.) <i>Piper cubeba</i>	Curryblätter (Germ.) <i>Murraya koenigii</i>	Dadam (Gujrati) <i>Punica granatum</i>	Dalimb (Marathi) <i>Punica granatum</i>	Dapna (Georg.) <i>Laurus nobilis</i>
Cubèbe (French) <i>Piper cubeba</i>	Curry leaves (Engl.) <i>Murraya koenigii</i>	Dadamna bee (Gujrati) <i>Punica granatum</i>	Dalimba (Oriya) <i>Punica granatum</i>	Dapne (Aram.) <i>Laurus nobilis</i>
Cubebe (Dutch,Lat.) <i>Piper cubeba</i>	Ćurukota (Serb.) <i>Nigella sativa</i>	Daddoya (Hausa) <i>Ocimum basilicum</i>	Dalimbache dane (Marathi) <i>Punica granatum</i>	Dapnidin (Aram.) <i>Laurus nobilis</i>
Cubebepeper (Dutch) <i>Piper cubeba</i>	Cuu ly huong (Vietnam.) <i>Ruta graveolens</i>	Daddoya ta gida (Hausa) <i>O. gratissimum</i>	Dalimbe (Kannada,Tulu) <i>Punica granatum</i>	Dapnis xe (Georg.) <i>Laurus nobilis</i>
Cubeb pepper (Engl.) <i>Piper cubeba</i>	Cybulia, miadzedžaja (Belar.) <i>Allium ursinum</i>	Dadima pandu (Telugu) <i>Punica granatum</i>	Daliu (Mong.) <i>Pimpinella anisum</i>	Dapran (Aram.) <i>Juniperus communis</i>
Cubeb pepper, false (Engl.) <i>Piper clusii</i>	Cybulia repčataja (Belar.) <i>Allium cepa</i>	Daeng klua (Thai) <i>Eugenia polyantha</i>	Dalle Khorsani (Nepali) <i>Capsicum chinense</i>	Darapghpegh (Armen.) <i>Pimenta dioica</i>
Čubrica (Maced.) <i>Satureja hortensis</i>	Cybulia-rezanec (Belar.) <i>Allium schoenoprasum</i>	Dafin (Roman.) <i>Laurus nobilis</i>	Dalseni (Assam.) <i>Cinnamomum zeylanicum</i>	Darchin (Armen.,Farsi) <i>Cinnamomum zeylanicum</i>
Cuc ao (Vietnam.) <i>Spilanthes acmella</i>	Cybulia-shnit (Belar.) <i>Allium schoenoprasum</i>	Dafina (Alb.) <i>Laurus nobilis</i>	Dalsini (Bodo) <i>Cinnamomum zeylanicum</i>	Dar chini (Urdu) <i>Cinnamomum zeylanicum</i>
Cuc nut ao (Vietnam.) <i>Spilanthes acmella</i>	Cybulja (Belar.) <i>Allium cepa</i>	Dafinē (Alb.) <i>Laurus nobilis</i>	Damaščanska vrtnica (Sloven.) <i>Rosa damascena</i>	Darçın (Azeri,Turk.) <i>Cinnamomum zeylanicum</i>
Cuişoare (Roman.) <i>Syzygium aromaticum</i>	Cybulja mjadzvjěžaja (Belar.) <i>Allium ursinum</i>	Dafinov list (Bulg.) <i>Laurus nobilis</i>	Da ma lin (Mand.) <i>Tamarindus indica</i>	Darčın (Serb.) <i>Cinnamomum zeylanicum</i>
Culantro (Span.) <i>Eryngium foetidum</i>	Cybulja skarada (Belar.) <i>Allium schoenoprasum</i>	Dafinovo drvo (Maced.) <i>Laurus nobilis</i>	Dare Marich (Santali) <i>Piper longum</i>	Dar felfel (Farsi) <i>Capsicum frutescens</i>
Cumaru (Port.) <i>Dipteryx odorata</i>	Cynamon (Belar.) <i>Cinnamomum zeylanicum</i>	Dafna (Hebr.) <i>Laurus nobilis</i>	Dar felfel (Farsi) <i>Piper longum</i>	Darfilfil (Punjabi) <i>Piper longum</i>
Cumaruna (Span.) <i>Dipteryx odorata</i>	Cynamon cejloński (Pol.) <i>Cinnamomum zeylanicum</i>	Dafne (Aram.) <i>Laurus nobilis</i>	Damasceńska róža (Pol.) <i>Rosa damascena</i>	Dar fulful (Turk.) <i>Piper longum</i>
Cumin (Engl.,French) <i>Cuminum cyminum</i>	Cynamonowiec burmański (Pol.) <i>Cinnamomum burmannii</i>	Dafni (Greek) <i>Laurus nobilis</i>	Damaseukeu rojeu (Korean) <i>Rosa damascena</i>	Darichenik (Armen.) <i>Cinnamomum zeylanicum</i>
Cumin, black (Engl.) <i>Bunium persicum</i>	Cynamonowiec cejloński (Pol.) <i>Cinnamomum zeylanicum</i>	Dafni karaivikis (Greek) <i>Pimenta racemosa</i>	Damaskine rožé (Lith.) <i>Rosa damascena</i>	Darichini (Georg.) <i>Cinnamomum zeylanicum</i>
Cumin, sweet (Engl.) <i>Foeniculum vulgare</i>	Cynamonowiec chiński (Pol.) <i>Cinnamomum cassia</i>	Dafni (Greek) <i>Laurus nobilis</i>	Damaskuse roos (Eston.) <i>Rosa damascena</i>	Dari fulfil (Turk.) <i>Piper longum</i>
Cumin, wild (Engl.) <i>Carum carvi</i>	Cynamonowiec chiński (Pol.) <i>Cinnamomum cassia</i>	Dafni (Greek) <i>Laurus nobilis</i>	Damasuku-rozu (Japan.) <i>Rosa damascena</i>	Darseen (Arab.) <i>Cinnamomum cassia</i>
Cumin des prés (French) <i>Carum carvi</i>	Cynamonowiec chiński (Pol.) <i>Cinnamomum cassia</i>	Dafni (Greek) <i>Laurus nobilis</i>	Damaszkuszi rózsza (Hung.) <i>Rosa damascena</i>	Darsini (Aram.) <i>Cinnamomum zeylanicum</i>
Cumin du Maroc (French) <i>Cuminum cyminum</i>	Cynamonowiec chiński (Pol.) <i>Cinnamomum cassia</i>	Dafni (Greek) <i>Laurus nobilis</i>	Damui, hithi (Dhivehi) <i>Trachyspermum copticum</i>	Darşıyn (Kazakh) <i>Cinnamomum zeylanicum</i>
Cumin noir (French) <i>Bunium persicum</i>	Cynamonowiec chiński (Pol.) <i>Cinnamomum cassia</i>	Dafni (Greek) <i>Laurus nobilis</i>	Damura (Nepali) <i>Artemisia absinthium</i>	Dārza majorāni (Latv.) <i>Majorana hortensis</i>
Cumino (Ital.) <i>Cuminum cyminum</i>	Cynamonowiec chiński (Pol.) <i>Cinnamomum cassia</i>	Dafni (Greek) <i>Laurus nobilis</i>	Dan (Kashm.) <i>Punica granatum</i>	Dārza pētersīļi (Latv.) <i>Petroselinum crispum</i>
Cumino bianco (Ital.) <i>Cuminum cyminum</i>	Cynamonowiec chiński (Pol.) <i>Cinnamomum cassia</i>	Dafni (Greek) <i>Laurus nobilis</i>	Dang cay (Vietnam.) <i>Zanthoxylum armatum</i>	Dārza šīpoli (Latv.) <i>Allium cepa</i>
Cumino nero (Ital.) <i>Bunium persicum</i>	Cynamonowiec chiński (Pol.) <i>Cinnamomum cassia</i>	Dafni (Greek) <i>Laurus nobilis</i>	Dang luhng jiu (Canton.) <i>Capsicum annuum</i>	Dārzenepipari (Latv.) <i>Capsicum annuum</i>
Cumino tedesco (Ital.) <i>Carum carvi</i>	Cynamonowiec chiński (Pol.) <i>Cinnamomum cassia</i>	Dafni (Greek) <i>Laurus nobilis</i>	Dania (Mizo) <i>Coriandrum sativum</i>	Daržinē aguona (Lith.) <i>Papaver somniferum</i>
Cuminum (Lat.) <i>Cuminum cyminum</i>	Cynamonowiec chiński (Pol.) <i>Cinnamomum cassia</i>	Dafni (Greek) <i>Laurus nobilis</i>	Danival (Kashm.) <i>Coriandrum sativum</i>	Daržinis buillis (Lith.) <i>Anthriscus cerefolium</i>
Cuminum nigrum (bot.) <i>Bunium persicum</i>	Cynamonowiec chiński (Pol.) <i>Cinnamomum cassia</i>	Dafni (Greek) <i>Laurus nobilis</i>	Dansk körvel (Swed.) <i>Anthriscus cerefolium</i>	Dasemi (Tulu) <i>Brassica nigra</i>
Cummin (Engl.) <i>Cuminum cyminum</i>	Cynamonowiec chiński (Pol.) <i>Cinnamomum cassia</i>	Dafni (Greek) <i>Laurus nobilis</i>	Danyia (Angami Naga) <i>Coriandrum sativum</i>	Dašis (Lith.) <i>Satureja hortensis</i>
Cu ngai (Vietnam.) <i>Boesenbergia pandurata</i>	Cynamonowiec chiński (Pol.) <i>Cinnamomum cassia</i>	Dafni (Greek) <i>Laurus nobilis</i>	Danyia (Angami Naga) <i>Eryngium foetidum</i>	Dašis, kalninis (Lith.) <i>Satureja montana</i>
Cu nghe (Vietnam.) <i>Curcuma longa</i>	Cynamonowiec chiński (Pol.) <i>Cinnamomum cassia</i>	Dafni (Greek) <i>Laurus nobilis</i>	Daoen djeroek poeroet (Dutch) <i>Citrus hystrix</i>	Daslook (Dutch) <i>Allium ursinum</i>
Curcuma (French,Germ.,Ital.,Port.) <i>Curcuma longa</i>	Cynamonowiec chiński (Pol.) <i>Cinnamomum cassia</i>	Dafni (Greek) <i>Laurus nobilis</i>	Daon salam (Dutch) <i>Eugenia polyantha</i>	Da suan (Mand.) <i>Allium sativum</i>
Ćurcuma (Catalan,Galic.,Span.) <i>Curcuma longa</i>	Cynamonowiec chiński (Pol.) <i>Cinnamomum cassia</i>	Dafni (Greek) <i>Laurus nobilis</i>	Daon salam (Dutch) <i>Eugenia polyantha</i>	Date, Indian (Engl.) <i>Tamarindus indica</i>
Curcumã (Roman.) <i>Curcuma longa</i>	Cynamonowiec chiński (Pol.) <i>Cinnamomum cassia</i>	Dafni (Greek) <i>Laurus nobilis</i>	Dap ca (Vietnam.) <i>Houttuynia cordata</i>	Datolya, indiai (Hung.) <i>Tamarindus indica</i>
Curcuma domestica (bot.) <i>Curcuma longa</i>	Cynamonowiec chiński (Pol.) <i>Cinnamomum cassia</i>	Dafni (Greek) <i>Laurus nobilis</i>		Datskij mirt (Russ.) <i>Myrica gale</i>
Curcuma rotunda (bot.) <i>Curcuma longa</i>	Cynamonowiec chiński (Pol.) <i>Cinnamomum cassia</i>	Dafni (Greek) <i>Laurus nobilis</i>		
Curcuma xanthorrhiza (bot.) <i>Curcuma xanthorrhiza</i>	Cynamonowiec chiński (Pol.) <i>Cinnamomum cassia</i>	Dafni (Greek) <i>Laurus nobilis</i>		

Dattel, indische (Germ.) <i>Tamarindus indica</i>	Defne yaprağı (Turk.) <i>Laurus nobilis</i>	Dhaniyaka (Sanskrit) <i>Coriandrum sativum</i>	Dimbu baha (Santali) <i>Ocimum thrysiflorum</i>	Dlhé korenje (Slovak) <i>Piper longum</i>
Datula, indijska (Croat.) <i>Tamarindus indica</i>	Děfně yarpağı (Azeri) <i>Laurus nobilis</i>	Dhaniyalu (Telugu) <i>Coriandrum sativum</i>	Dindi Marich (Santali) <i>Piper longum</i>	Dlinnyj perets (Russ.) <i>Piper longum</i>
Daudang (Vietnam.) <i>Citrus aurantium ssp. amara</i>	Dehi (Sinh.) <i>Citrus aurantifolia</i>	Dhaniyam varmeli (Nepali) <i>Eryngium foetidum</i>	Ding heung (Canton.) <i>Syzygium aromaticum</i>	Dobrá myseľ (Slovak) <i>Majorana hortensis</i>
Dau giun (Vietnam.) <i>Chenopodium ambrosioides</i>	Delima (Indones., Malay) <i>Punica granatum</i>	Dhaniyan (Nepali) <i>Coriandrum sativum</i>	Ding xiang (Mand.) <i>Syzygium aromaticum</i>	Dobromysl (Czech) <i>Origanum vulgare</i>
Dauh kau syuh (Canton.) <i>Myristica fragrans</i>	Dëllinja (Alb.) <i>Juniperus communis</i>	Dhaniyanko sag (Nepali) <i>Coriandrum sativum</i>	Dinh huong (Vietnam.) <i>Syzygium aromaticum</i>	Doda (Hindi) <i>Elettaria cardamomum</i>
Dau khau (Vietnam.) <i>Myristica fragrans</i>	Dëllinjë e rëndomtë (Alb.) <i>Juniperus communis</i>	Dhanvantari (Oriya) <i>Cymbopogon citratus</i>	Dinnsear (Gael.) <i>Zingiber officinale</i>	Dodam (Sinh.) <i>Citrus sinensis</i>
Daun aroda (Malay) <i>Ruta graveolens</i>	Delum (Sinh.) <i>Punica granatum</i>	Dhaviggandhu (Dhivehi) <i>Foeniculum vulgare</i>	Dintele dracului (Roman.) <i>Persicaria hydropiper</i>	Dodda ailakki (Kannada) <i>Amomum subulatum</i>
Daun bawang (Indones., Malay) <i>Allium cepa</i>	Demirhindi (Turk.) <i>Tamarindus indica</i>	Dhiozmë (Alb.) <i>Mentha piperita</i>	Diosmos (Greek) <i>Mentha spicata</i>	Doddapatre (Kannada) <i>Borago officinalis</i>
Daun jeruk purut (Indones.) <i>Citrus hystrix</i>	Demirindi (Serb.) <i>Tamarindus indica</i>	Dhiri (Dhivehi) <i>Cuminum cyminum</i>	Dipla (Thai) <i>Piper longum</i>	Do heung gwo (Canton.) <i>Pimenta dioica</i>
Daun kari (Indones.) <i>Murraya koenigii</i>	Démutka (Hung.) <i>Thymus vulgaris</i>	Dhoalhanbu (Dhivehi) <i>Citrus limon</i>	Dipli-chueak (Thai) <i>Piper retrofractum</i>	Dok chan (Thai) <i>Myristica fragrans</i>
Daun kari pla (Malay) <i>Murraya koenigii</i>	Deniz maydanozu (Turk.) <i>Levisticum officinale</i>	Dhone (Bengali) <i>Coriandrum sativum</i>	Dipteeriks, lõhnav (Eston.) <i>Dipteryx odorata</i>	Dok chanthet (Thai) <i>Myristica fragrans</i>
Daun kemangi (Malay) <i>Ocimum basilicum</i>	Dentrolivano (Greek) <i>Rosmarinus officinalis</i>	Dhonia (Khasi) <i>Coriandrum sativum</i>	Diru (Japan.) <i>Anethum graveolens</i>	Dok chan thet (Lao) <i>Myristica fragrans</i>
Daun kesom (Malay) <i>Persicaria odoratum</i>	Dere otu (Turk.) <i>Anethum graveolens</i>	Dhoniya (Assam.) <i>Coriandrum sativum</i>	Dišča metlika (Sloven.) <i>Chenopodium ambrosioides</i>	Dok dipli (Thai) <i>Piper longum</i>
Daun kesum (Malay) <i>Persicaria odoratum</i>	Deri şöp (Kazakh) <i>Salvia officinalis</i>	Dhupi (Nepali) <i>Juniperus communis</i>	Dišči klinčevce (Sloven.) <i>Syzygium aromaticum</i>	Dok kamfoi (Thai) <i>Carthamus tinctorius</i>
Daun ketumbar (Indones., Malay) <i>Coriandrum sativum</i>	Deshi mirch (Hindi) <i>Capsicum annuum</i>	Dhupisin (Newari) <i>Juniperus communis</i>	Dišči kromač (Sloven.) <i>Myrrhis odorata</i>	Dok kha (Thai) <i>Alpinia galanga</i>
Daun laksa (Malay) <i>Persicaria odoratum</i>	Deulggae (Korean) <i>Perilla frutescens</i>	Dia lien (Vietnam.) <i>Kaempferia galanga</i>	Dišetü (Turk.) <i>Salvia officinalis</i>	Dok kham-foi (Lao) <i>Carthamus tinctorius</i>
Daun limau purut (Malay) <i>Citrus hystrix</i>	Deutscher Estragon (Germ.) <i>Artemisia dracuncululus</i>	Diao liao jiu li xiang (Mand.) <i>Murraya koenigii</i>	Diva cheresha (Bulg.) <i>Prunus mahaleb</i>	Dok kibi (Lao) <i>Murraya koenigii</i>
Daun pandan (Indones.) <i>Pandanus amaryllifolius</i>	Devesil (Bulg.) <i>Levisticum officinale</i>	Diavoleto (Ital.) <i>Capsicum frutescens</i>	Div chesun (Bulg.) <i>Allium schoenoprasum</i>	Dok kulap (Thai) <i>Rosa damascena</i>
Daun pudina (Indones., Malay) <i>Mentha piperita</i>	Deve tüyü hardal tohumları (Turk.) <i>Sinapis alba</i>	Didžioji nasturtė (Lith.) <i>Tropaeolum majus</i>	Divji česen (Sloven.) <i>Allium ursinum</i>	Dokmaeo (Thai) <i>Eugenia polyantha</i>
Daun salam (Indones., Malay) <i>Eugenia polyantha</i>	Devil-in-the-bush (Engl.) <i>Nigella damascena</i>	Diemedis (Lith.) <i>Artemisia abrotanum</i>	Div kereviz (Bulg.) <i>Anthriscus cerefolium</i>	Dokudami (Japan.) <i>Houttuynia cordata</i>
Daun selaseh (Malay) <i>Ocimum basilicum</i>	Devil's dung (Engl.) <i>Ferula assa-foetida</i>	Diep ca (Vietnam.) <i>Houttuynia cordata</i>	Divlja mirođija (Serb.) <i>Foeniculum vulgare</i>	Dokudazoko (Japan.) <i>Houttuynia cordata</i>
Daun senahun (Malay) <i>Persicaria hydropiper</i>	Dezhulumuthera (Lotha Naga) <i>Houttuynia cordata</i>	Dieu nhuom (Vietnam.) <i>Bixa orellana</i>	Divlja ruža (Croat.) <i>Rosa canina</i>	Dolča migdalo (Esperanto) <i>Prunus dulcis var. dulcis</i>
Daun shiso (Indones.) <i>Perilla frutescens</i>	Dhafne (Alb.) <i>Laurus nobilis</i>	Dievkociņš (Latv.) <i>Artemisia abrotanum</i>	Divlja višnja (Serb.) <i>Prunus mahaleb</i>	Dolchin (Uzbek) <i>Cinnamomum cassia</i>
Daun sop (Malay) <i>Apium graveolens</i>	Dhalamarich (Oriya) <i>Piper nigrum</i>	Dihnik, navadni (Sloven.) <i>Sisymbrium officinale</i>	Divlji kumin (Serb.) <i>Carum carvi</i>	Dolchin (Uzbek) <i>Cinnamomum zeylanicum</i>
Dayana (Oriya) <i>Artemisia vulgaris</i>	Dhala sorissa (Oriya) <i>Sinapis alba</i>	Dikij chesnok (Russ.) <i>Allium ursinum</i>	Divlji mažuran (Serb.) <i>Origanum vulgare</i>	Dolchini (Pashto) <i>Cinnamomum zeylanicum</i>
Dayap (Tagalog) <i>Citrus aurantifolia</i>	Dhala Tulasi (Oriya) <i>Ocimum canum</i>	Dikij perets (Russ.) <i>Piper cubeba</i>	Divlji pelen (Serb.) <i>Artemisia vulgaris</i>	Domunli (Nzema) <i>Citrus aurantifolia</i>
Dayap (Tagalog) <i>Citrus microcarpa</i>	Dhale (Newari) <i>Punica granatum</i>	Diktamos (Greek) <i>Origanum dictamnus</i>	Divlji šafran (Serb.) <i>Carthamus tinctorius</i>	Donuti (Ewe) <i>Citrus aurantifolia</i>
Dažinė ciberžolė (Lith.) <i>Curcuma longa</i>	Dhamui (Dhivehi) <i>Anethum graveolens</i>	Dikyj anis (Ukr.) <i>Carum carvi</i>	Divoký salát (Czech) <i>Eruca sativa</i>	Donzell (Catalan) <i>Artemisia absinthium</i>
Dažinė urlija (Lith.) <i>Bixa orellana</i>	Dhamui, farihi (Dhivehi) <i>Carum carvi</i>	Dil (Bengali, Serb., Thai) <i>Anethum graveolens</i>	Divý majorán (Slovak) <i>Majorana hortensis</i>	Dora (Hindi) <i>Elettaria cardamomum</i>
Dažinis dygminas (Lith.) <i>Carthamus tinctorius</i>	Dhana (Gujrati) <i>Coriandrum sativum</i>	Dilaw (Tagalog) <i>Curcuma longa</i>	Djahe (Dutch) <i>Zingiber officinale</i>	Dorixona ukrop (Uzbek) <i>Foeniculum vulgare</i>
Dearc-aíttinn (Gael.) <i>Juniperus communis</i>	Dhane (Gujrati, Marathi) <i>Coriandrum sativum</i>	Dild (Dan.) <i>Anethum graveolens</i>	Djegëz (Alb.) <i>Brassica nigra</i>	Dormideira (Port.) <i>Papaver somniferum</i>
Dederón (Slovak) <i>Capsicum frutescens</i>	Dhane-pata (Bengali) <i>Coriandrum sativum</i>	Dille (Dutch) <i>Anethum graveolens</i>	Djeroek poeroet (Dutch) <i>Citrus hystrix</i>	Dost (Germ.) <i>Origanum vulgare</i>
Dee plee (Thai) <i>Piper longum</i>	Dhania (Dogri, Hindi, Hmar, Punjabi, Santali, Urdu) <i>Coriandrum sativum</i>	Dill (Engl., Germ., Icel., Norw., Swed.) <i>Anethum graveolens</i>	Djinten (Dutch) <i>Cuminum cyminum</i>	Doste (French) <i>Origanum vulgare</i>
Deepyaka (Sanskrit) <i>Trachyspermum copticum</i>	Dhania potro (Oriya) <i>Coriandrum sativum</i>	Dille (Dutch) <i>Anethum graveolens</i>	Djodjen (Bulg.) <i>Mentha spicata</i>	Dou ban cai (Mand.) <i>Nasturtium officinale</i>
Defne ağacı (Turk.) <i>Laurus nobilis</i>	Dhaniya (Kannada, Maith., Oriya) <i>Coriandrum sativum</i>	Dilles (Latv.) <i>Anethum graveolens</i>	Djöflatað (Icel.) <i>Ferula assa-foetida</i>	Dou kou (Mand.) <i>Amomum krervanh</i>
Defne meyvası (Turk.) <i>Laurus nobilis</i>		Dimbilal (Amhar.) <i>Coriandrum sativum</i>	Djus hendi (Farsi) <i>Myristica fragrans</i>	Dou kou shu (Mand.) <i>Myristica fragrans</i>
			Djus rishe (Farsi) <i>Alpinia galanga</i>	Dovleac (Roman.) <i>Cucurbita pepo</i>

Dracunculi herba (pharm.) <i>Artemisia dracunculus</i>	Dunia (Ao Naga,Chakhesang-Chokri Naga,Lotha Naga) <i>Coriandrum sativum</i>	Džira (Slovak) <i>Cuminum cyminum</i>	Elachi (Urdu) <i>Elettaria cardamomum</i>	Enebro (Galic...,Span.) <i>Juniperus communis</i>
Dragan (Irish) <i>Artemisia dracunculus</i>	Dunia (Chakhesang-Chokri Naga,Lotha Naga) <i>Eryngium foetidum</i>	Dzotor (Armen.) <i>Thymus vulgaris</i>	Elaia (Old Greek) <i>Olea europaea</i>	Eneldo (Galic...,Span.) <i>Anethum graveolens</i>
Dragoljub (Croat.,Serb.) <i>Tropaeolum majus</i>	Duo hua bo ying tao (Mand.) <i>Eugenia polyantha</i>	Eberraute (Germ.) <i>Artemisia abrotanum</i>	Elaichi (Garo,Manipuri,Urdu) <i>Elettaria cardamomum</i>	Enes (Yidd.) <i>Pimpinella anisum</i>
Dragon (Dutch,Swed.) <i>Artemisia dracunculus</i>	Duonligneca kapsiko (Esperanto) <i>Capsicum frutescens</i>	Eberries (Germ.) <i>Artemisia abrotanum</i>	Elaichi (Ao Naga) <i>Amomum subulatum</i>	Eng (Copt.) <i>Origanum vulgare</i>
Dragoncella (Ital.) <i>Artemisia dracunculus</i>	Duo xiang guo (Mand.) <i>Pimenta dioica</i>	Ebruta (Hung.) <i>Artemisia abrotanum</i>	Elaichi, choti (Urdu) <i>Elettaria cardamomum</i>	Engifer (Icel.) <i>Zingiber officinale</i>
Draguša, vrtna (Sloven.) <i>Lepidium sativum</i>	Dupanis (Aram.) <i>Laurus nobilis</i>	Ecensier (French) <i>Rosmarinus officinalis</i>	Elais (Old Greek) <i>Olea europaea</i>	Englische Minze (Germ.) <i>Mentha piperita</i>
Dragušac (Croat.) <i>Nasturtium officinale</i>	Durlabha (Oriya) <i>Ocimum basilicum</i>	Échalote (French) <i>Allium ascalonicum</i>	Elakkai (Tamil) <i>Elettaria cardamomum</i>	Englisches Gewürz (Germ.) <i>Pimenta dioica</i>
Drakebloed (Dutch) <i>Artemisia dracunculus</i>	Durmideira (Galic...) <i>Papaver somniferum</i>	Eching (Garo) <i>Zingiber officinale</i>	Elakki (Kannada,Tulu) <i>Elettaria cardamomum</i>	English cherry (Engl.) <i>Prunus mahaleb</i>
Drakontio (Greek) <i>Artemisia dracunculus</i>	Duru (Sinh.) <i>Cuminum cyminum</i>	Echter Zimt (Germ.) <i>Cinnamomum zeylanicum</i>	Elam (Newari) <i>Amomum subulatum</i>	Englishe mints (Yidd.) <i>Mentha piperita</i>
Drakunkulo (Esperanto) <i>Artemisia dracunculus</i>	Durusita (Sanskrit) <i>Cinnamomum zeylanicum</i>	Echte waterkers (Dutch) <i>Nasturtium officinale</i>	Elasi (Assam.) <i>Elettaria cardamomum</i>	Englischer fefer (Yidd.) <i>Pimenta dioica</i>
Dramaq (Aram.) <i>Origanum vulgare</i>	Dushistye vasil'ki (Russ.) <i>Ocimum basilicum</i>	Echueta (Tagalog) <i>Bixa orellana</i>	Elathari (Malayalam) <i>Elettaria cardamomum</i>	English gevirts (Yidd.) <i>Pimenta dioica</i>
Drashirigan (Aram.) <i>Origanum vulgare</i>	Dushitsa (Russ.) <i>Origanum vulgare</i>	Edde munchi (Tulu) <i>Piper nigrum</i>	Elavangam (Malayalam) <i>Cinnamomum zeylanicum</i>	Enisen (Turk.) <i>Pimpinella anisum</i>
Dřevo, sladký (Czech) <i>Glycyrrhiza glabra</i>	Dushki (Russ.) <i>Ocimum basilicum</i>	Edelmünze (Germ.) <i>Mentha piperita</i>	Elaychi (Gujrati) <i>Elettaria cardamomum</i>	Enisidu (Korean) <i>Pimpinella anisum</i>
Drimys lanceolata (bot.) <i>Tasmannia lanceolata</i>	Dušička (Serb.) <i>Thymus serpyllum</i>	Édesfa (Hung.) <i>Glycyrrhiza glabra</i>	Elchi (Gujrati) <i>Amomum subulatum</i>	Enison (Turk.) <i>Pimpinella anisum</i>
Drmek obecný (Czech) <i>Vitex agnus-castus</i>	Dúška tymianová (Slovak) <i>Thymus vulgaris</i>	Édesgyökér, igazi (Hung.) <i>Glycyrrhiza glabra</i>	Elderli (Malay) <i>Apium graveolens</i>	Eni-suta (Korean) <i>Illicium verum</i>
Drobnjak (Sloven.) <i>Allium schoenoprasum</i>	Dusol (Tagalog) <i>Kaempferia galanga</i>	Édeskömény (Hung.) <i>Foeniculum vulgare</i>	Elelisphakos (Old Greek) <i>Salvia officinalis</i>	Enme (Tulu) <i>Sesamum indicum</i>
Drvce, slatko (Serb.) <i>Glycyrrhiza glabra</i>	Du song (Mand.) <i>Juniperus communis</i>	Édes paprika (Hung.) <i>Capsicum annuum</i>	Elharr (Basque) <i>Thymus vulgaris</i>	Ensal (Sinh.) <i>Elettaria cardamomum</i>
Drzewo muszkatołowe (Pol.) <i>Myristica fragrans</i>	Du xing cai (Mand.) <i>Lepidium sativum</i>	E do (Vietnam.) <i>Ocimum tenuiflorum</i>	Eli (Sanskrit) <i>Elettaria cardamomum</i>	Eonieon (Korean) <i>Allium cepa</i>
Dua (Vietnam.) <i>Cocos nucifera</i>	Dxedxdyn (Oss.) <i>Satureja hortensis</i>	Eerit batsal (Hebr.) <i>Allium schoenoprasum</i>	Elia (Greek) <i>Olea europaea</i>	Eoseongcho (Korean) <i>Houttuynia cordata</i>
Dua dai (Vietnam.) <i>Pandanus odoratissimus</i>	Dygminas, dažinis (Lith.) <i>Carthamus tinctorius</i>	Egel gon'd (Mong.) <i>Carum carvi</i>	Ellu (Kannada,Malayalam,Tamil) <i>Sesamum indicum</i>	Epajote (Korean) <i>Chenopodium ambrosioides</i>
Dua go (Vietnam.) <i>Pandanus odoratissimus</i>	Dyindya (Sranan) <i>Zingiber officinale</i>	Eghespak (Armen.) <i>Salvia officinalis</i>	Elumicham (Tamil) <i>Citrus limon</i>	Epasote (Japan.) <i>Chenopodium ambrosioides</i>
Dua thom (Vietnam.) <i>Pandanus amaryllifolius</i>	Dynia oleista (Pol.) <i>Cucurbita pepo</i>	Egoma (Japan.) <i>Perilla frutescens</i>	Ema (Dz.) <i>Capsicum frutescens</i>	Epazot (Russ.) <i>Chenopodium ambrosioides</i>
Dudgat (Oss.) <i>Lepidium sativum</i>	Dyosmos (Greek) <i>Mentha spicata</i>	Egoz muskat (Hebr.) <i>Myristica fragrans</i>	Emise (Copt.) <i>Anethum graveolens</i>	Épazote (French) <i>Chenopodium ambrosioides</i>
Duftender Schraubenbaum (Germ.) <i>Pandanus amaryllifolius</i>	Dyvelsdræk (Dan.) <i>Ferula assa-foetida</i>	Egoz musqat (Hebr.) <i>Myristica fragrans</i>	Emjol (Copt.) <i>Allium cepa</i>	Epazote (Engl.) <i>Chenopodium ambrosioides</i>
Duilleog labhrais (Irish) <i>Laurus nobilis</i>	Dyvels drekk (Norw.) <i>Ferula assa-foetida</i>	Egyptomi kömény (Hung.) <i>Cuminum cyminum</i>	Emke (Copt.) <i>Anethum graveolens</i>	Ephel (Turk.) <i>Juniperus communis</i>
Duiveldrek (Dutch) <i>Ferula assa-foetida</i>	Dyvelsträck (Swed.) <i>Ferula assa-foetida</i>	Egyptská čierna rasca (Slovak) <i>Nigella sativa</i>	Emli tenga (Ao Naga) <i>Tamarindus indica</i>	Epithymus (Lat.) <i>Thymus serpyllum</i>
Dul (Maced.) <i>Rosa damascena</i>	Dza ti (Tibet.) <i>Myristica fragrans</i>	Eidechschwanz, chinesischer (Germ.) <i>Houttuynia cordata</i>	Emma (Tibet.) <i>Zanthoxylum piperitum</i>	Epitimus (Lat.) <i>Thymus serpyllum</i>
Dulgiyat piper (Bulg.) <i>Piper longum</i>	Dzekuli (Ewe) <i>Aframomum melegueta</i>	Einer (Norw.) <i>Juniperus communis</i>	Emmus (Turk.) <i>Trachyspermum copticum</i>	Epoung (Copt.) <i>Origanum vulgare</i>
Dullinjë (Alb.) <i>Juniperus communis</i>	Dzeloainais kapers (Latv.) <i>Capparis spinosa</i>	Einiber (Icel.) <i>Juniperus communis</i>	Emntoff (Copt.) <i>Ruta graveolens</i>	Eppe (Dutch) <i>Apium graveolens</i>
Ďumbier (Slovak) <i>Zingiber officinale</i>	Dzhindzhifil (Bulg.) <i>Zingiber officinale</i>	Einir (Icel.) <i>Juniperus communis</i>	Enasal (Sinh.) <i>Elettaria cardamomum</i>	Eppich (Germ.) <i>Apium graveolens</i>
Ďumbier lekársky (Slovak) <i>Zingiber officinale</i>	Dzhodzhen (Bulg.) <i>Mentha spicata</i>	Eisop (Germ.) <i>Hyssopus officinalis</i>	Enbär (Swed.) <i>Juniperus communis</i>	Eqama (Arab.) <i>Mentha piperita</i>
Ďumbir (Croat.,Maced.,Serb.) <i>Zingiber officinale</i>	Dzięcielina (Pol.) <i>Satureja hortensis</i>	Ekangi (Bengali) <i>Kaempferia galanga</i>	Enchi (Malayalam) <i>Zingiber officinale</i>	Eqar dapara (Aram.) <i>Capparis spinosa</i>
Dumbír (Czech) <i>Zingiber officinale</i>	Dziki majeranek (Pol.) <i>Origanum vulgare</i>	Ekilen (Turk.) <i>Nigella sativa</i>	Enchipullu (Malayalam) <i>Cymbopogon citratus</i>	Eqar kurkma (Aram.) <i>Curcuma longa</i>
Duna (Urdu) <i>Artemisia absinthium</i>	Dzindzer (Greek) <i>Zingiber officinale</i>	Eklil kuhi (Farsi) <i>Rosmarinus officinalis</i>	Ender (Indones.,Malay) <i>Anethum graveolens</i>	Erba acciuga (Ital.) <i>Origanum vulgare</i>
Dundia (Bodo) <i>Coriandrum sativum</i>	Dzira (Georg.) <i>Cuminum cyminum</i>	Ekrasoy (Copt.) <i>Artemisia abrotanum</i>	Endro (Port.) <i>Anethum graveolens</i>	Erba cipollina (Ital.) <i>Allium schoenoprasum</i>
Dungari (Gujrati) <i>Allium cepa</i>		Ela aba (Sinh.) <i>Sinapis alba</i>	Enduru (Sinh.) <i>Anethum graveolens</i>	Erba limona (Ital.) <i>Melissa officinalis</i>
		Elach (Bengali,Chakma) <i>Elettaria cardamomum</i>	Enebær (Dan.) <i>Juniperus communis</i>	

Erba orsina (Ital.) <i>Allium ursinum</i>	Esdragon, mexikansk (Dan.) <i>Tagetes lucida</i>	Etamba (Sinh.) <i>Mangifera indica</i>	Fagara (Engl.,Slovak) <i>Zanthoxylum piperitum</i>	Farigola (Catalan) <i>Thymus vulgaris</i>
Erba reale (Ital.) <i>Ocimum basilicum</i>	Esevdike kemoy-shalahn (Yidd.) <i>Eruca sativa</i>	Etasjeblostm (Norw.) <i>Monarda didyma</i>	Fagot cassia (Engl.) <i>Cinnamomum burmannii</i>	Farihi dhamui (Dhivehi) <i>Carum carvi</i>
Ereinetz (Basque) <i>Laurus nobilis</i>	Esfur (Turk.) <i>Carthamus tinctorius</i>	Ethrog (Span.) <i>Citrus medica</i>	Fahéj (Hung.) <i>Cinnamomum zeylanicum</i>	Farinello aromatico (Ital.) <i>Chenopodium ambrosioides</i>
Ereinuntza (Basque) <i>Laurus nobilis</i>	Esgana-cao (Port.) <i>Prunus mahaleb</i>	E tia (Vietnam.) <i>Ocimum basilicum</i>	Fahéj, kínai (Hung.) <i>Cinnamomum cassia</i>	Farioulo (Prov.) <i>Thymus vulgaris</i>
Ereñotz (Basque) <i>Laurus nobilis</i>	Esharotto (Japan.) <i>Allium ascalonicum</i>	Etiopia ksüloopia (Eston.) <i>Xylopiya aethiopica</i>	Fahéjkasszia (Hung.) <i>Cinnamomum cassia</i>	Farvetidsel (Dan.) <i>Carthamus tinctorius</i>
Erëx (Alb.) <i>Melissa officinalis</i>	Esmerinë (Alb.) <i>Rosmarinus officinalis</i>	Ėtirli sëdom (Azeri) <i>Ruta graveolens</i>	Fajl haar (Arab.) <i>Armoracia rusticana</i>	Fasa kwari (Hausa) <i>Zanthoxylum xanthoxyloides</i>
Eringio (Esperanto) <i>Eryngium foetidum</i>	Esopus (Aram.) <i>Hyssopus officinalis</i>	E trang (Vietnam.) <i>Ocimum basilicum</i>	Falsa-canforeira (Port.) <i>Cinnamomum burmannii</i>	Faskomilo (Greek) <i>Salvia officinalis</i>
Erissim (Catalan) <i>Sisymbrium officinale</i>	Esov (Hebr.) <i>Hyssopus officinalis</i>	Etrog (Hebr.) <i>Citrus medica</i>	Falscher Kubebenpfeffer (Germ.) <i>Piper clusii</i>	Faskori (Hausa) <i>Z. xanthoxyloides</i>
Erman (Copt.) <i>Punica granatum</i>	Esov (Hebr.) <i>Maiorana syriaca</i>	Etrog hetsbaot (Hebr.) <i>Citrus medica var. sarcodactylus</i>	False cubeb pepper (Engl.) <i>Piper clusii</i>	Faux anis (French) <i>Cuminum cyminum</i>
Ermen Jwsan (Kazakh) <i>Artemisia vulgaris</i>	Espígol (Catalan) <i>Lavandula angustifolia</i>	Etroh (Aram.) <i>Citrus medica</i>	Falso-açafrão (Port.) <i>Carthamus tinctorius</i>	Faux galanga (French) <i>Kaempferia galanga</i>
Erramu (Basque) <i>Laurus nobilis</i>	Esplikamin (Basque) <i>Lavandula stoechas</i>	Ets ha-lipstik (Hebr.) <i>Bixa orellana</i>	Falso pepe Peruviano (Ital.) <i>Schinus molle</i>	Fayjan (Arab.) <i>Ruta graveolens</i>
Erramua (Basque) <i>Laurus nobilis</i>	Espuela de Galán (Span.) <i>Tropaeolum majus</i>	Etthimadhiram (Malayalam) <i>Glycyrrhiza glabra</i>	Falso zafferano (Ital.) <i>Carthamus tinctorius</i>	Feerulavaik (Eston.) <i>Ferula assa-foetida</i>
Erregaliz (Basque) <i>Glycyrrhiza glabra</i>	Esrik (Yidd.) <i>Citrus medica</i>	Eugenia caryophyllata (bot.) <i>Syzygium aromaticum</i>	Fam wisa (Twi) <i>Aframomum melegueta</i>	Fefer (Yidd.) <i>Piper nigrum</i>
Erromero (Basque) <i>Rosmarinus officinalis</i>	Essef limon (Hebr.) <i>Cymbopogon citratus</i>	Eügenio, indonezia (Esperanto) <i>Eugenia polyantha</i>	Fanaile (Irish) <i>Vanilla planifolia</i>	Fefer, englisher (Yidd.) <i>Pimenta dioica</i>
Erruda (Basque) <i>Ruta graveolens</i>	Essigbaum (Germ.) <i>Rhus coriaria</i>	Euroopa õlipuu (Eston.) <i>Olea europaea</i>	Fan hong hua (Mand.) <i>Crocus sativus</i>	Fefer, griner (Yidd.) <i>Piper nigrum</i>
Erškëtis, paprastasis (Lith.) <i>Rosa canina</i>	Esterco-do-diabo (Port.) <i>Ferula assa-foetida</i>	Europinis alyvmedis (Lith.) <i>Olea europaea</i>	Fanila (Welsh) <i>Vanilla planifolia</i>	Fefer, langer (Yidd.) <i>Piper longum</i>
Eruca (Lat.,Port.) <i>Eruca sativa</i>	Estragão (Port.) <i>Artemisia dracuncululus</i>	Eutrema wasabi (bot.) <i>Wasabia japonica</i>	Fanille (Fris.) <i>Vanilla planifolia</i>	Fefer, shvartser (Yidd.) <i>Piper nigrum</i>
Erucae semen (pharm.) <i>Sinapis alba</i>	Estragão-francês (Port.) <i>Artemisia dracuncululus</i>	Euzomon (Old Greek) <i>Eruca sativa</i>	Fanilya (Arab.) <i>Vanilla planifolia</i>	Fefer, vayser (Yidd.) <i>Piper nigrum</i>
Eruka (Bulg.,Swed.) <i>Eruca sativa</i>	Estragon (Belar.,Bulg.,Croat.,Czech,French,Germ.,Maced.,Norw.,Pol.,Roman.,Russ.,Serb.,Span.,Uzbek,Yidd.) <i>Artemisia dracuncululus</i>	Eylbert (Yidd.) <i>Olea europaea</i>	Fanilu (Bodo) <i>Capsicum frutescens</i>	Feferboym (Yidd.) <i>Schinus terebinthifolius</i>
Eruko (Esperanto) <i>Eruca sativa</i>	Estragon, deutscher (Germ.) <i>Artemisia dracuncululus</i>	Eza (Nzema) <i>Aframomum melegueta</i>	Fan ni lan (Mand.) <i>Vanilla planifolia</i>	Fefergros (Yidd.) <i>Lepidium sativum</i>
Erumman (Aram.) <i>Punica granatum</i>	Estragon, französischer (Germ.) <i>Artemisia dracuncululus</i>	Ezakpa (Nzema) <i>Aframomum melegueta</i>	Fanouilh (Bret.) <i>Foeniculum vulgare</i>	Feferl, shorf (Yidd.) <i>Capsicum frutescens</i>
Erva-cidreira (Port.) <i>Cymbopogon citratus</i>	Estragón (Galic.,Slovak,Span.) <i>Artemisia dracuncululus</i>	Ezertere (Turk.) <i>Pimpinella anisum</i>	Fanouilh-gad (Bret.) <i>Anethum graveolens</i>	Feferl, terkish (Yidd.) <i>Capsicum frutescens</i>
Erva-cidreira (Port.) <i>Melissa officinalis</i>	Estragon, deutscher (Germ.) <i>Artemisia dracuncululus</i>	Ezev (Yidd.) <i>Hyssopus officinalis</i>	Fanouilh-gad (Bret.) <i>Anethum graveolens</i>	Feferl, zis (Yidd.) <i>Capsicum annum</i>
Erva-de-bicho (Port.) <i>Persicaria hydropiper</i>	Estragon, mexikanskij (Russ.) <i>Tagetes lucida</i>	Ezev-groz (Yidd.) <i>Maiorana syriaca</i>	Fan yan sui (Chines.) <i>Coriandrum sativum</i>	Fefermints (Yidd.) <i>Mentha piperita</i>
Erva-de-santa-maria (Port.) <i>Chenopodium ambrosioides</i>	Estragon, mexicanischer (Germ.) <i>Tagetes lucida</i>	E zhu (Mand.) <i>Curcuma zedoaria</i>	Fan yi chou (Canton.) <i>Lavandula angustifolia</i>	Feferon (Croat.,Serb.) <i>Capsicum frutescens</i>
Erva-doce (Port.) <i>Pimpinella anisum</i>	Estragon, Winter- (Germ.) <i>Tagetes lucida</i>	Ezkai (Basque) <i>Thymus vulgaris</i>	Fanylje (Fris.) <i>Vanilla planifolia</i>	Feferoni (Sloven.) <i>Capsicum frutescens</i>
Erva-formigueira (Port.) <i>Chenopodium ambrosioides</i>	Estragonas (Lith.) <i>Artemisia dracuncululus</i>	Ezonegi (Japan.) <i>Allium schoenoprasum</i>	Fan yuan sui (Mand.) <i>Coriandrum sativum</i>	Feferónka (Slovak) <i>Capsicum frutescens</i>
Erva-pessegueira (Port.) <i>Persicaria hydropiper</i>	Estragon du Mexique (French) <i>Tagetes lucida</i>	Ezov (Hebr.) <i>Maiorana syriaca</i>	Faoineag (Gael.) <i>Vanilla planifolia</i>	Fefurment (Dhivehi) <i>Mentha piperita</i>
Erva-príncipe (Port.) <i>Cymbopogon citratus</i>	Estragone (Ital.) <i>Artemisia dracuncululus</i>	Ezov matsui (Hebr.) <i>Maiorana syriaca</i>	Fara e zezë (Alb.) <i>Nigella sativa</i>	Fehérbors (Hung.) <i>Piper nigrum</i>
Erysimum officinale (bot.) <i>Sisymbrium officinale</i>	Estragonpuju (Eston.) <i>Artemisia dracuncululus</i>	Ezüst szirtór (Hung.) <i>Houttuynia cordata</i>	Farandj moschk (Farsi) <i>Melissa officinalis</i>	Fehér kurkuma (Hung.) <i>Curcuma zedoaria</i>
Esamillo (Basque) <i>Anethum graveolens</i>	Estragons (Latv.) <i>Artemisia dracuncululus</i>	Faa jiu (Canton.) <i>Zanthoxylum piperitum</i>	Färberbaum (Germ.) <i>Rhus coriaria</i>	Fehér mustár (Hung.) <i>Eruca sativa</i>
Esas kekik (Turk.) <i>Thymus vulgaris</i>	Estragoun (Prov.) <i>Artemisia dracuncululus</i>	Faa jiu (Canton.) <i>Zanthoxylum bungeanum</i>	Färberdistel (Germ.) <i>Carthamus tinctorius</i>	Fehér üröm (Hung.) <i>Artemisia absinthium</i>
Escalma (Span.) <i>Allium ascalonicum</i>	Estragõ (Catalan) <i>Tagetes lucida</i>	Faan huhng faa (Canton.) <i>Crocus sativus</i>	Färbersafflor (Germ.) <i>Carthamus tinctorius</i>	Fejgël (Malt.) <i>Ruta chalepensis</i>
Eschallot (Engl.) <i>Allium ascalonicum</i>	Estrankon (Greek) <i>Artemisia dracuncululus</i>	Faan yuhn sai (Canton.) <i>Coriandrum sativum</i>	Farfesu (Hausa) <i>Mentha piperita</i>	Feketebors (Hung.) <i>Piper nigrum</i>
Eschlauch (Germ.) <i>Allium ascalonicum</i>	Esutoragon (Japan.) <i>Artemisia dracuncululus</i>	Fabae Tonco (pharm.) <i>Dipteryx odorata</i>	Färgtistel (Swed.) <i>Carthamus tinctorius</i>	Fekete csalán (Hung.) <i>Perilla frutescens</i>
Esdragon (Dan.,Icel.) <i>Artemisia dracuncululus</i>		Fadigom (Manipuri) <i>Coriandrum sativum</i>		Fekete gyopár (Hung.) <i>Origanum vulgare</i>

Fekete kardamom (Hung.) <i>Amomum subulatum</i>	Fennel (Engl.,Thai) <i>Foeniculum vulgare</i>	Filè (Engl.) <i>Sassafras albidum</i>	Folhas de Caril (Port.) <i>Murraya koenigii</i>	Fructus Ajowani (pharm.) <i>Trachyspermum copiticum</i>
Feketekömény (Hung.) <i>Nigella sativa</i>	Fennel flower (Engl.) <i>Nigella sativa</i>	Filfil daraz (Urdu) <i>Piper longum</i>	Folia Boldo (pharm.) <i>Peumus boldus</i>	Fructus Amomi (pharm.) <i>Pimenta dioica</i>
Fekete mustármag (Hung.) <i>Brassica nigra</i>	Fenneru (Japan.) <i>Foeniculum vulgare</i>	Filfil siah (Urdu) <i>Piper nigrum</i>	Folia Lauri (pharm.) <i>Laurus nobilis</i>	Fructus Anethi (pharm.) <i>Anethum graveolens</i>
Fekete üröm (Hung.) <i>Artemisia vulgaris</i>	Fennikel (Dan.,Norw.) <i>Foeniculum vulgare</i>	Fin (Lao,Thai) <i>Papaver somniferum</i>	Folia Levistici (pharm.) <i>Levisticum officinale</i>	Fructus Anisi (pharm.) <i>Pimpinella anisum</i>
Felce muschiata (Ital.) <i>Myrrhis odorata</i>	Fennikufrae (Icel.) <i>Foeniculum vulgare</i>	Fineál (Irish) <i>Foeniculum vulgare</i>	Folia Melissa (pharm.) <i>Melissa officinalis</i>	Fructus Anisi stellati (pharm.) <i>Illicium verum</i>
Feld-Gliander (Yidd.) <i>Coriandrum sativum</i>	Fenogreco (Galic.,Span.) <i>Trigonella foenum-graecum</i>	Finger grass (Engl.) <i>Linnophila aromatica</i>	Folia Menthae piperitae (pharm.) <i>Mentha piperita</i>	Fructus Apii graveolentis (pharm.) <i>Apium graveolens</i>
Feldkiml (Yidd.) <i>Thymus serpyllum</i>	Feno-grego (Port.) <i>Trigonella foenum-graecum</i>	Fingerroot (Engl.) <i>Boesenbergia pandurata</i>	Folia Myrti (pharm.) <i>Myrtus communis</i>	Fructus Capsici (pharm.) <i>Capsicum annuum</i>
Feldkümmel (Germ.) <i>Thymus serpyllum</i>	Fenouil (French) <i>Foeniculum vulgare</i>	Fingerwurz (Germ.) <i>Boesenbergia pandurata</i>	Folia Rosmarini (pharm.) <i>Rosmarinus officinalis</i>	Fructus Capsici acer (pharm.) <i>Capsicum frutescens</i>
Feldthymian (Germ.) <i>Thymus serpyllum</i>	Fenouil bâtard (French) <i>Anethum graveolens</i>	Finiculum (Lat.) <i>Foeniculum vulgare</i>	Folia Salviae (pharm.) <i>Salvia officinalis</i>	Fructus Cardamomi (pharm.) <i>Elettaria cardamomum</i>
Felfel (Farsi,Malt.) <i>Capsicum frutescens</i>	Fenoun (Prov.) <i>Foeniculum vulgare</i>	Finifenma (Dhivehi) <i>Rosa damascena</i>	Folia Salviae officinalis	Fructus Carvi (pharm.) <i>Carum carvi</i>
Felfel sefid (Farsi) <i>Piper nigrum</i>	Fenugrec (French) <i>Trigonella foenum-graecum</i>	Finik, indyjski (Belar.) <i>Tamarindus indica</i>	Folium (Lat.) <i>Laurus nobilis</i>	Fructus Coriandri (pharm.) <i>Coriandrum sativum</i>
Felfel Siah (Farsi) <i>Piper nigrum</i>	Fenugreek (Engl.) <i>Trigonella foenum-graecum</i>	Finik indiskiy (Russ.) <i>Tamarindus indica</i>	Follas de Curry (Galic..) <i>Murraya koenigii</i>	Fructus Cubebae (pharm.) <i>Piper cubeba</i>
Felsenkirsche (Germ.) <i>Prunus mahaleb</i>	Fenugreek, blue (Engl.) <i>Trigonella caerulea</i>	Finocchiella (Ital.) <i>Myrrhis odorata</i>	Follas de Lima Cafre (Galic..) <i>Citrus limon</i>	Fructus Cumini (pharm.) <i>Cuminum cyminum</i>
Fenacho (Port.) <i>Trigonella foenum-graecum</i>	Fenugreko (Esperanto) <i>Trigonella foenum-graecum</i>	Finocchio (Ital.) <i>Foeniculum vulgare</i>	Fonilibo (Dhivehi) <i>Citrus sinensis</i>	Fructus Foeniculi (pharm.) <i>Foeniculum vulgare</i>
Fena kokulu rezene (Turk.) <i>Anethum graveolens</i>	Fenugreek, blue (Engl.) <i>Trigonella caerulea</i>	Finokio (Greek) <i>Foeniculum vulgare</i>	Fonima (Dhivehi) <i>Artemisia vulgaris</i>	Fructus Juniperi (pharm.) <i>Juniperus communis</i>
Fenchel (Germ.) <i>Foeniculum vulgare</i>	Fenugreko (Esperanto) <i>Trigonella foenum-graecum</i>	Fionnas-gàrraidh (Gael.) <i>Petroselinum crispum</i>	Fonithoshi (Dhivehi) <i>Cinnamomum zeylanicum</i>	Fructus Lauri (pharm.) <i>Laurus nobilis</i>
Fenchelholzbaum (Germ.) <i>Sassafras albidum</i>	Fenu-guriku (Japan.) <i>Trigonella foenum-graecum</i>	Fishwort (Engl.) <i>Houttuynia cordata</i>	Fonoll (Catalan) <i>Foeniculum vulgare</i>	Fructus Petroselinii (pharm.) <i>Petroselinum crispum</i>
Fenegriek (Dutch) <i>Trigonella foenum-graecum</i>	Fenxel (Uzbek) <i>Foeniculum vulgare</i>	Fitweed (Engl.) <i>Eryngium foetidum</i>	Fonollera (Catalan) <i>Foeniculum vulgare</i>	Fructus Pimentae (pharm.) <i>Pimenta dioica</i>
Fenel (Tigr.) <i>Foeniculum vulgare</i>	Fenyémirtusz (Hung.) <i>Myrica gale</i>	Fiuncho (Galic..) <i>Foeniculum vulgare</i>	Formigueira (Port.) <i>Chenopodium ambrosioides</i>	Fructus Piperis albi (pharm.) <i>Piper nigrum</i>
Feng lun cai (Mand.) <i>Satureja hortensis</i>	Fenykl (Czech) <i>Foeniculum vulgare</i>	Fiyaa (Dhivehi) <i>Allium cepa</i>	Fo shou gan (Mand.) <i>Citrus medica</i> var. <i>sarcodactylus</i>	Fructus Piperis nigri (pharm.) <i>Piper nigrum</i>
Feng mao (Mand.) <i>Cymbopogon citratus</i>	Fenyíkl obecný (Czech) <i>Foeniculum vulgare</i>	Fleur de Muscade (French) <i>Myristica fragrans</i>	Fothihuvandhu (Dhivehi) <i>Alpinia galanga</i>	Fructus Vanillae (pharm.) <i>Vanilla planifolia</i>
Fenheji parastie (Latv.) <i>Foeniculum vulgare</i>	Ferigoulo (Prov.) <i>Thymus vulgaris</i>	Flor da castidade (Port.) <i>Vitex agnus-castus</i>	Fowarilbu (Tibet.) <i>Piper nigrum</i>	Fructus Xylopiæ (pharm.) <i>Xylopiæ aethiopicæ</i>
Fenikel (Slovak) <i>Foeniculum vulgare</i>	Ferula (Slovak) <i>Ferula assa-foetida</i>	Flores Capparis spinosae (pharm.) <i>Capparis spinosa</i>	Fragrant ginger (Engl.) <i>Boesenbergia pandurata</i>	Frunze de dafin (Roman.) <i>Laurus nobilis</i>
Fenicul (Roman.) <i>Foeniculum vulgare</i>	Ferula, kvapioji (Lith.) <i>Ferula assa-foetida</i>	Flores Carthami (pharm.) <i>Carthamus tinctorius</i>	Fragrant screwpine (Engl.) <i>Pandanus amaryllifolius</i>	Furmint (Ukr.) <i>Mentha piperita</i>
Fenigrec (Catalan) <i>Trigonella foenum-graecum</i>	Ferula asafoetida (bot.) <i>Ferula assa-foetida</i>	Flores Caryophylli (pharm.) <i>Syzygium aromaticum</i>	Frankomaintanos (Greek) <i>Anthriscus cerefolium</i>	Fuji (Chakma) <i>Anethum graveolens</i>
Fenigrekum (Yidd.) <i>Trigonella foenum-graecum</i>	Ferula čertová (Slovak) <i>Ferula assa-foetida</i>	Flores Lavandulae (pharm.) <i>Lavandula angustifolia</i>	Franse thee (Dutch) <i>Salvia officinalis</i>	Fulaifilal halwa (Arab.) <i>Capsicum annuum</i>
Fenikel (Slovak) <i>Foeniculum vulgare</i>	Férule persique (French) <i>Ferula assa-foetida</i>	Flores Rosae (pharm.) <i>Rosa damascena</i>	Französischer Estragon (Germ.) <i>Artemisia dracunculoides</i>	Fulaifilal har (Arab.) <i>Capsicum frutescens</i>
Fenikel obyčajný (Slovak) <i>Foeniculum vulgare</i>	Fesleşen (Turk.) <i>Ocimum basilicum</i>	Flors de càrtam (Catalan) <i>Carthamus tinctorius</i>	French parsley (Engl.) <i>Anthriscus cerefolium</i>	Fulful (Arab.) <i>Piper nigrum</i>
Fenja (Serb.) <i>Juniperus communis</i>	Feslişen (Turk.) <i>Ocimum basilicum</i>	Foaie de dafin (Roman.) <i>Laurus nobilis</i>	French tarragon (Engl.) <i>Artemisia dracunculoides</i>	Fulful, dar (Turk.) <i>Piper longum</i>
Fenkhel' (Russ.) <i>Foeniculum vulgare</i>	Feuilles de Cari (French) <i>Murraya koenigii</i>	Fodamenta (Hung.) <i>Mentha piperita</i>	Frenk kimyonu (Turk.) <i>Carum carvi</i>	Füfül, dari (Turk.) <i>Piper longum</i>
Fenkhel' (Belar.) <i>Foeniculum vulgare</i>	Feuilles de Curry (French) <i>Murraya koenigii</i>	Foeniculum (Lat.) <i>Foeniculum vulgare</i>	Frenk maydanoz (Turk.) <i>Anthriscus cerefolium</i>	Fulful abyad (Arab.) <i>Piper nigrum</i>
Fenkhel' zvyčajniy (Ukr.) <i>Foeniculum vulgare</i>	Feuran (Gael.) <i>Allium schoenoprasum</i>	Foenugraeci semen (pharm.) <i>Trigonella foenum-graecum</i>	Frenk maydanozu (Turk.) <i>Anthriscus cerefolium</i>	Fulful akhdar (Arab.) <i>Piper nigrum</i>
Fenkhl (Yidd.) <i>Foeniculum vulgare</i>	Fèves de tonka (French) <i>Dipteryx odorata</i>	Foenum Graecum (Lat.) <i>Trigonella foenum-graecum</i>	Frenk soğanı (Turk.) <i>Allium schoenoprasum</i>	Fulful alahmar (Arab.) <i>Capsicum frutescens</i>
Fenkoli (Finn.) <i>Foeniculum vulgare</i>	Ffenigl (Welsh) <i>Foeniculum vulgare</i>	Fogli di Cari (Ital.) <i>Murraya koenigii</i>	Frígola (Catalan) <i>Thymus vulgaris</i>	Fulful as-Sudan (Arab.) <i>Xylopiæ aethiopicæ</i>
Fenkolo (Esperanto) <i>Foeniculum vulgare</i>	Fidloqqom (Malt.) <i>Borago officinalis</i>	Fokhagyma (Hung.) <i>Allium sativum</i>	Fructus Agni-casti (pharm.) <i>Vitex agnus-castus</i>	Fulful aswad (Arab.) <i>Piper nigrum</i>
Fenkuł (Pol.) <i>Foeniculum vulgare</i>	Fieno greco (Ital.) <i>Trigonella foenum-graecum</i>			
	Fieno-greco ceruleo (Ital.) <i>Trigonella caerulea</i>			

Fulful haar (Arab.) <i>Capsicum frutescens</i>	Galanga, faux (French) <i>Kaempferia galanga</i>	Ganang (Rongmei) <i>Brassica nigra</i>	Garden thyme (Engl.) <i>Thymus vulgaris</i>	Gawz as-Sudan (Arab.) <i>Aframomum melegueta</i>
Fulful halou (Arab.) <i>Capsicum annuum</i>	Galanga, lille (Dan.) <i>Kaempferia galanga</i>	Ganapati-naragam (Malayalam) <i>Citrus medica</i>	Garde-robe (French) <i>Artemisia abrotanum</i>	Gaya à tige simple (French) <i>Levisticum officinale</i>
Fulful tabil (Arab.) <i>Pimenta dioica</i>	Galanga camphré (French) <i>Kaempferia galanga</i>	Gan cao (Mand.) <i>Glycyrrhiza uralensis</i>	Garger ha-nazir (Hebr.) <i>Nasturtium officinale</i>	Ga yuhk gwai (Canton.) <i>Cinnamomum burmannii</i>
Fuli (Indones.) <i>Myristica fragrans</i>	Galangagyökér (Hung.) <i>Alpinia galanga</i>	Ganda (Dogri) <i>Allium cepa</i>	Garger hannechalim (Hebr.) <i>Nasturtium officinale</i>	Gbekono (Ga-Dangme) <i>Ocimum gratissimum</i>
Fuljan (Arab.) <i>Myristica fragrans</i>	Galangal (Arab.,Czech,Hebr.) <i>Alpinia galanga</i>	Gande (Nepali) <i>Houttuynia cordata</i>	Gargeri gan ha-edén (Hebr.) <i>Aframomum melegueta</i>	Gbowie (Ga-Dangme,Twi) <i>Piper clusii</i>
Fum (Arab.) <i>Allium sativum</i>	Galangale (Engl.) <i>Alpinia galanga</i>	Gandha (Dhivehi) <i>Ocimum basilicum</i>	Garifalo (Greek) <i>Syzygium aromaticum</i>	Gbowisi (Ga-Dangme) <i>Piper clusii</i>
Funcho (Port.) <i>Foeniculum vulgare</i>	Galangale, greater (Engl.) <i>Alpinia galanga</i>	Gandha (Kannada) <i>Pimenta dioica</i>	Garikku (Japan.) <i>Allium sativum</i>	Gdzoo Bghbegh (Armen.) <i>Capsicum frutescens</i>
Fu ngaai (Canton.) <i>Artemisia absinthium</i>	Galangale, lesser (Engl.) <i>Kaempferia galanga</i>	Gandhabena (Bengali) <i>Cymbopogon citratus</i>	Gariofilum (Lat.) <i>Syzygium aromaticum</i>	Gebre (Turk.) <i>Capparis spinosa</i>
Fu ngaai (Canton.) <i>Artemisia abrotanum</i>	Galanga maggiore (Ital.) <i>Alpinia galanga</i>	Gandhakoalhi (Dhivehi) <i>Ocimum basilicum</i>	Garleag (Gael.) <i>Allium ursinum</i>	Geelwortel (Dutch) <i>Curcuma longa</i>
Fung leuhn choi (Canton.) <i>Satureja hortensis</i>	Galangarot (Swed.) <i>Alpinia galanga</i>	Gandha maric (Nepali) <i>Piper cubeba</i>	Garlic (Engl.) <i>Allium sativum</i>	Geinsear (Gael.) <i>Zingiber officinale</i>
Fung maauh (Canton.) <i>Cymbopogon citratus</i>	Galango (Esperanto) <i>Alpinia galanga</i>	Gandhatrina (Hindi) <i>Cymbopogon citratus</i>	Garlieg (Welsh) <i>Allium sativum</i>	Gekkeiju (Japan.) <i>Laurus nobilis</i>
Füszerpaprika (Hung.) <i>Capsicum annuum</i>	Galanki (Greek) <i>Alpinia galanga</i>	Gandhmul (Hindi) <i>Curcuma zedoaria</i>	Garlleg (Welsh) <i>Allium sativum</i>	Gelbholzbaum (Germ.) <i>Zanthoxylum piperitum</i>
Füszersáfrány (Hung.) <i>Crocus sativus</i>	Gale (Engl.) <i>Myrica gale</i>	Gane (Nepali) <i>Houttuynia cordata</i>	Garmdor (Uzbek) <i>Capsicum frutescens</i>	Gelbwurz (Germ.) <i>Curcuma longa</i>
Gaa (Mong.) <i>Mentha piperita</i>	Ga lei yihp (Canton.) <i>Murraya koenigii</i>	Ganga (Mong.) <i>Thymus vulgaris</i>	Garmir Bghbegh (Armen.) <i>Capsicum annuum</i>	Gelsvè, vaistinè (Lith.) <i>Levisticum officinale</i>
Gaai choi (Canton.) <i>Brassica nigra</i>	Galè odorant (French) <i>Myrica gale</i>	Gan jiao (Mand.) <i>Pimenta dioica</i>	Garofano, chiodo di (Ital.) <i>Syzygium aromaticum</i>	Ge lü zi (Mand.) <i>Carum carvi</i>
Gaam laam syuh (Canton.) <i>Olea europaea</i>	Gale palustris (bot.) <i>Myrica gale</i>	Gan jinang (Chines.) <i>Zingiber officinale</i>	Garraiska (Basque) <i>Melissa officinalis</i>	Gember (Dutch) <i>Zingiber officinale</i>
Gabartsakh (Armen.) <i>Capparis spinosa</i>	Galgal (Punjabi) <i>Citrus limon</i>	Gan lan shu (Mand.) <i>Olea europaea</i>	Garstycia, baltoji (Lith.) <i>Sinapis alba</i>	Gendzn-lopke, shmukhtike (Yidd.) <i>Chenopodium ambrosioides</i>
Gabulhi (Dhivehi) <i>Cocos nucifera</i>	Galgán (Czech,Slovak) <i>Alpinia galanga</i>	Gänsefuß, wohlriechender (Germ.) <i>Chenopodium ambrosioides</i>	Gartenkerbel (Germ.) <i>Anthriscus cerefolium</i>	Genèbre (Prov.) <i>Juniperus communis</i>
Gabz (Amhar.) <i>Myristica fragrans</i>	Galgan (Yidd.) <i>Alpinia galanga</i>	Gänsekraut (Germ.) <i>Artemisia vulgaris</i>	Gartenkresse (Germ.) <i>Lepidium sativum</i>	Genépi (French) <i>Artemisia absinthium</i>
Gad (Hebr.) <i>Coriandrum sativum</i>	Galgán lekársky (Slovak) <i>Alpinia galanga</i>	Ganya (Angami Naga) <i>Z. alatum</i>	Gartenmohn (Germ.) <i>Papaver somniferum</i>	Genévrier (French) <i>Juniperus communis</i>
Gaengaely (Oss.) <i>Anthriscus cerefolium</i>	Galgan obecny (Czech) <i>Alpinia galanga</i>	Ganyasei (Angami Naga) <i>Z. acanthopodium</i>	Gartenraute (Germ.) <i>Ruta graveolens</i>	Gengibre (Catalan,Port.,Prov.) <i>Zingiber officinale</i>
Gaeyeogwi (Korean) <i>Persicaria hydropiper</i>	Galgant (Dutch,Germ.,Russ.) <i>Alpinia galanga</i>	Ganyo (Chakhesang-Chokri Naga) <i>Z. alatum</i>	Garupillai (Malay) <i>Murraya koenigii</i>	Gengibre do Laos (Port.) <i>Alpinia galanga</i>
Gagel (Dutch,Germ.) <i>Myrica gale</i>	Galgant, großer (Germ.) <i>Alpinia galanga</i>	Ganzenvoet, welriekende (Dutch) <i>Chenopodium ambrosioides</i>	Garyfallo (Greek) <i>Syzygium aromaticum</i>	Gengibre thailandés (Port.) <i>Alpinia galanga</i>
Gagelstrauch (Germ.) <i>Myrica gale</i>	Galgant, kleiner (Germ.) <i>Kaempferia galanga</i>	Gao liang jiang (Mand.) <i>Alpinia galanga</i>	Garyfano (Greek) <i>Syzygium aromaticum</i>	Genièvre (French) <i>Juniperus communis</i>
Gaikehenbulhi (Dhivehi) <i>Ocimum basilicum</i>	Galgán veliký (Czech) <i>Alpinia galanga</i>	Gara gorçitsa (Turkmen) <i>Brassica nigra</i>	Gas (Korean) <i>Brassica juncea</i>	Geon-gang (Korean) <i>Zingiber officinale</i>
Gairgean (Gael.) <i>Allium sativum</i>	Galgán větší (Czech) <i>Alpinia galanga</i>	Garanga (Japan.) <i>Alpinia galanga</i>	Gasagasaalu (Telugu) <i>Papaver somniferum</i>	Geot-sitroñs (Bret.) <i>Cymbopogon citratus</i>
Gairleog (Irish) <i>Allium sativum</i>	Galigaan (Dutch) <i>Alpinia galanga</i>	Garbhag ghàraidh (Gael.) <i>Satureja hortensis</i>	Gasagase (Kannada) <i>Papaver somniferum</i>	Gerbersumach (Germ.) <i>Rhus coriaria</i>
Gajahippali (Kannada) <i>Piper retrofractum</i>	Galka muszkatołowa (Pol.) <i>Myristica fragrans</i>	Garðablóðberg (Icel.) <i>Thymus vulgaris</i>	Gaser (Tibet.) <i>Curcuma longa</i>	Gerçek nane (Turk.) <i>Mentha piperita</i>
Gajalimbe (Kannada) <i>Citrus limon</i>	Gambura (Tibet.) <i>Citrus limon</i>	Ĝardena kreso (Esperanto) <i>Lepidium sativum</i>	Gashneez (Pashto) <i>Coriandrum sativum</i>	Gergelim (Port.) <i>Sesamum indicum</i>
Gajattipilli (Sinh.) <i>Piper retrofractum</i>	Gam chou (Canton.) <i>Glycyrrhiza uralensis</i>	Garden chervil (Engl.) <i>Anthriscus cerefolium</i>	Gashnich (Tajik) <i>Coriandrum sativum</i>	German tarragon (Engl.) <i>Artemisia dracunculus</i>
Gajutsu (Japan.) <i>Curcuma zedoaria</i>	Gam jiu (Canton.) <i>Pimenta dioica</i>	Garden cress (Engl.) <i>Lepidium sativum</i>	Gasugase (Tulu) <i>Papaver somniferum</i>	Geshniz (Aram.,Farsi) <i>Coriandrum sativum</i>
Gajutu (Japan.) <i>Boesenbergia pandurata</i>	Gam jiu (Canton.) <i>Zanthoxylum nitidum</i>	Garden lovage (Engl.) <i>Levisticum officinale</i>	Gatha (Angami Naga,Chakhesang-Chokri Naga) <i>Houttuynia cordata</i>	Getion (Old Greek) <i>Allium cepa</i>
Gakrie (Angami Naga) <i>Brassica nigra</i>	Gammiris (Sinh.) <i>Piper nigrum</i>	Garden myrrh (Engl.) <i>Myrrhis odorata</i>	Gattilier (French) <i>Vitex agnus-castus</i>	Geung (Canton.) <i>Zingiber officinale</i>
Gakya (Tibet.) <i>Zingiber officinale</i>	Gam ngauh gung (Canton.) <i>Zanthoxylum nitidum</i>	Garden nasturtium (Engl.) <i>Tropaeolum majus</i>	Gau chahng taap (Canton.) <i>Ocimum basilicum</i>	Geung wohng (Canton.) <i>Curcuma longa</i>
Galang (Span.) <i>Alpinia galanga</i>	Gamug (Tibet.) <i>Zingiber officinale</i>	Garden poppy (Engl.) <i>Papaver somniferum</i>	Gau choi (Canton.) <i>Allium schoenoprasum</i>	Geveynlikh bitergroz (Yidd.) <i>Artemisia vulgaris</i>
Galanga (Dan.,French,Germ.,Hung.,Ital.,Lat.,Pol.,Port.,Russ.,Turk.) <i>Alpinia galanga</i>	Gamzuz (Aram.) <i>Juniperus communis</i>	Garden rue (Engl.) <i>Ruta graveolens</i>	Gau tip yih (Canton.) <i>Houttuynia cordata</i>	Gevirts, english (Yidd.) <i>Pimenta dioica</i>

Gewirtsling, smukhtiger (Yidd.) <i>Ferula assa-foetida</i>	Ginger, sand (Engl.) <i>Kaempferia galanga</i>	Golesorkh (Farsi) <i>Rosa damascena</i>	Görögszéna (Hung.) <i>Trigonella foenum-graecum</i>	Granada (Span.,Tagalog) <i>Punica granatum</i>
Gewone raket (Dutch) <i>Sisymbrium officinale</i>	Ginger, Siamese (Engl.) <i>Alpinia galanga</i>	Golica (Croat.) <i>Cucurbita pepo</i>	Gorski pelin (Croat.) <i>Artemisia absinthium</i>	Grana paradisi (pharm.) <i>Aframomum melegueta</i>
Gewürz, englisches (Germ.) <i>Pimenta dioica</i>	Ging gaai chat (Canton.) <i>Ruta graveolens</i>	Golmarich (Oriya) <i>Piper nigrum</i>	Gortnkres (Yidd.) <i>Lepidium sativum</i>	Granat (Belar.,Pol.,Russ.,Ukr.) <i>Punica granatum</i>
Gewürzcardamom (Germ.) <i>Elettaria cardamomum</i>	Gingiber (Lat.) <i>Zingiber officinale</i>	Gol mirch (Dogri,Hindi,Urdu) <i>Piper nigrum</i>	Gortn-tsibele (Yidd.) <i>Allium cepa</i>	Granatæble (Dan.) <i>Punica granatum</i>
Gewürzkardamom (Germ.) <i>Elettaria cardamomum</i>	Gingli (Hindi) <i>Sesamum indicum</i>	Gol Mohammadi (Farsi) <i>Rosa damascena</i>	Gortshitse, shvartse (Yidd.) <i>Brassica nigra</i>	Gránátalma (Hung.) <i>Punica granatum</i>
Gewürzillie (Germ.) <i>Kaempferia galanga</i>	Ginj (Armen.) <i>Coriandrum sativum</i>	Golmorich (Assam.,Bengali) <i>Piper nigrum</i>	Gortshitse, vayse (Yidd.) <i>Sinapis alba</i>	Granatapfel (Germ.) <i>Punica granatum</i>
Gewürznelke (Germ.) <i>Syzygium aromaticum</i>	Ginza (Thai) <i>Alpinia galanga</i>	Gol Morich (Chakma) <i>Piper nigrum</i>	Gorukha posevna (Bulg.) <i>Lepidium sativum</i>	Granatäpple (Swed.) <i>Punica granatum</i>
Gewürzsumach (Germ.) <i>Rhus coriaria</i>	Giozum (Bulg.) <i>Mentha spicata</i>	Golmoris (Bodo,Garo) <i>Piper nigrum</i>	Goruška, bijela (Croat.) <i>Sinapis alba</i>	Granatepli (Icel.) <i>Punica granatum</i>
Gewz (Amhar.) <i>Myristica fragrans</i>	Girinimba (Sanskrit) <i>Murraya koenigii</i>	Golmorok (Manipuri) <i>Piper nigrum</i>	Goruška, crna (Croat.) <i>Brassica nigra</i>	Granatmedis, paprastasis (Lith.) <i>Punica granatum</i>
Ġewża ta' l-Indja (Malt.) <i>Cocos nucifera</i>	Girofle (French) <i>Syzygium aromaticum</i>	Gol Ward (Farsi) <i>Rosa damascena</i>	Go-snyod (Tibet.) <i>Carum carvi</i>	Granatnik (Russ.) <i>Punica granatum</i>
Geyik otu, dağ (Turk.) <i>Satureja montana</i>	Gishniiz (Pahlavi) <i>Coriandrum sativum</i>	Goma (Japan.) <i>Sesamum indicum</i>	Gosom ilaisi (Bodo) <i>Aframomum subulatum</i>	Granatno jabolko (Sloven.) <i>Punica granatum</i>
Ggae (Korean) <i>Sesamum indicum</i>	Gisol na bilog (Tagalog) <i>Kaempferia rotunda</i>	Gomets aromatny (Russ.) <i>Persicaria odoratum</i>	Gotxerro (Basque) <i>Glycyrrhiza glabra</i>	Granato (Esperanto) <i>Punica granatum</i>
Ggaessi (Korean) <i>Sesamum indicum</i>	Git (Lat.) <i>Nigella sativa</i>	Gon'd (Mong.) <i>Cuminum cyminum</i>	Gou leuhng geung (Canton.) <i>Alpinia galanga</i>	Granátové jablko (Czech, Slovak) <i>Punica granatum</i>
Ghanda (Kashm.) <i>Allium cepa</i>	Gliciriza e shogët (Alb.) <i>Glycyrrhiza glabra</i>	Gon'd (Mong.) <i>Carum carvi</i>	Gouravron (Bret.) <i>Artemisia abrotanum</i>	Granátové semená (Slovak) <i>Punica granatum</i>
Ghimbir (Roman.) <i>Zingiber officinale</i>	Glicirizë (Alb.) <i>Glycyrrhiza glabra</i>	Gonyod (Tibet.) <i>Carum carvi</i>	Gou tie er (Mand.) <i>Houttuynia cordata</i>	Granátovník (Czech) <i>Punica granatum</i>
Ghvia (Georg.) <i>Juniperus communis</i>	Glicirizo (Esperanto) <i>Glycyrrhiza glabra</i>	Gonyosho (Chakhesang-Chokri Naga) <i>Z. acanthopodium</i>	Gou yuan (Mand.) <i>Citrus medica</i>	Granátovník obecný (Czech) <i>Punica granatum</i>
Giap ca (Vietnam.) <i>Houttuynia cordata</i>	Glika amigdala (Greek) <i>Prunus dulcis</i> var. <i>dulcis</i>	Goosefoot, West Indian (Engl.) <i>Chenopodium ambrosioides</i>	Goździk (Pol.) <i>Syzygium aromaticum</i>	Granátovník púnsky (Slovak) <i>Punica granatum</i>
Gid (Aram.) <i>Coriandrum sativum</i>	Glikaniso (Greek) <i>Pimpinella anisum</i>	Gop (Dz.) <i>Allium cepa</i>	Goździki (Pol.) <i>Syzygium aromaticum</i>	Granatowiec właściwy (Pol.) <i>Punica granatum</i>
Gidron (Armen.) <i>Citrus limon</i>	Glikaniso asterocides (Greek) <i>Illicium verum</i>	Gorberboym (Yidd.) <i>Rhus coriaria</i>	Goździków korzenny (Pol.) <i>Syzygium aromaticum</i>	Granda tropeolo (Esperanto) <i>Tropaeolum majus</i>
Gidronakhod (Armen.) <i>Citrus limon</i>	Glikaniso (Alb.) <i>Pimpinella anisum</i>	Gorchitsa belaya (Russ.) <i>Sinapis alba</i>	Graambu (Tamil) <i>Syzygium aromaticum</i>	Granen van Selim (Dutch) <i>Xylopiya aethiopica</i>
Gilam (Malayalam) <i>Citrus limon</i>	Glikoriza (Greek) <i>Glycyrrhiza glabra</i>	Gorchitsa chyornaya (Russ.) <i>Brassica nigra</i>	Gråbo (Swed.) <i>Artemisia vulgaris</i>	Grani del paradiso (Ital.) <i>Aframomum melegueta</i>
Giligilani (Swahili) <i>Coriandrum sativum</i>	Glóaldin (Icel.) <i>Citrus sinensis</i>	Gorchitsa sarepska (Bulg.) <i>Brassica juncea</i>	Gråbynke (Dan.) <i>Artemisia vulgaris</i>	Grani de Melegueta (Ital.) <i>Aframomum melegueta</i>
Gin (Burmese.) <i>Zingiber officinale</i>	Glyka amygdala (Greek) <i>Prunus dulcis</i> var. <i>dulcis</i>	Gorchitsa sarepskaya (Russ.) <i>Brassica juncea</i>	Gradinski mak (Bulg.) <i>Papaver somniferum</i>	Grani paradisi (Ital.) <i>Aframomum melegueta</i>
Ginamon (Armen.) <i>Cinnamomum zeylanicum</i>	Glykaniso (Greek) <i>Pimpinella anisum</i>	Gorčica, bela (Sloven.) <i>Sinapis alba</i>	Grænn pipar (Icel.) <i>Piper nigrum</i>	Grano nero (Ital.) <i>Nigella sativa</i>
Ginbaika (Japan.) <i>Myrtus communis</i>	Glykeia rhiza (Old Greek) <i>Glycyrrhiza glabra</i>	Gorčica, črna (Sloven.) <i>Brassica nigra</i>	Græskar (Dan.) <i>Cucurbita pepo</i>	Granpu (Malayalam) <i>Syzygium aromaticum</i>
Ginbira (Aram.) <i>Zingiber officinale</i>	Glykoriza (Greek) <i>Glycyrrhiza glabra</i>	Gorčica, siva (Sloven.) <i>Brassica juncea</i>	Graines de paradis (French) <i>Aframomum melegueta</i>	Grän ubhal (Gael.) <i>Punica granatum</i>
Ginebró (Catalan) <i>Juniperus communis</i>	Glykyrrhiza (Old Greek) <i>Glycyrrhiza glabra</i>	Gorčica, bela (Serb.) <i>Sinapis alba</i>	Graines de Selim (French) <i>Xylopiya aethiopica</i>	Grãos-do-paráiso (Port.) <i>Aframomum melegueta</i>
Ginepro (Ital.) <i>Juniperus communis</i>	Gochu (Korean) <i>Capsicum frutescens</i>	Gorčica crna (Serb.) <i>Brassica nigra</i>	Grains de carvi (French) <i>Carum carvi</i>	Grasker (Icel.) <i>Cucurbita pepo</i>
Gingebre (Catalan) <i>Zingiber officinale</i>	Goco (Welsh) <i>Cocos nucifera</i>	Gorčica biała (Pol.) <i>Sinapis alba</i>	Grains of paradise (Engl.) <i>Aframomum melegueta</i>	Graslaukur (Icel.) <i>Allium schoenoprasum</i>
Gingelly (Engl.) <i>Sesamum indicum</i>	Godem (Armen.) <i>Lepidium sativum</i>	Gorczyca czarna (Pol.) <i>Brassica nigra</i>	Grains of Selim (Engl.) <i>Xylopiya aethiopica</i>	Graslök (Norw.) <i>Allium schoenoprasum</i>
Gingembre (French) <i>Zingiber officinale</i>	Godenvoetsel (Dutch) <i>Ferula assa-foetida</i>	Gorczyca biała (Pol.) <i>Sinapis alba</i>	Grammocarpus caeruleus (bot.) <i>Trigonella caerulea</i>	Gräslök (Swed.) <i>Allium schoenoprasum</i>
Ginger (Engl.) <i>Zingiber officinale</i>	Gogpa (Tibet.) <i>Allium sativum</i>	Gorczyca czarna (Pol.) <i>Brassica nigra</i>	Grampu (Malayalam) <i>Syzygium aromaticum</i>	Grass, finger (Engl.) <i>Limnophila aromatica</i>
Ġiġġer (Malt.) <i>Zingiber officinale</i>	Goht leuih ji (Canton.) <i>Carum carvi</i>	Gorczyca jasna (Pol.) <i>Sinapis alba</i>	Granaadipuu, harilik (Eston.) <i>Punica granatum</i>	Gratiem (Thai) <i>Allium sativum</i>
Ginger, Chinese (Engl.) <i>Boesenbergia pandurata</i>	Gojabghbegh (Armen.) <i>Zingiber officinale</i>	Gorczyca sarepska (Pol.) <i>Brassica juncea</i>	Granaatappel (Dutch) <i>Punica granatum</i>	Gräunțele paradisului (Roman.) <i>Aframomum melegueta</i>
Ginger, fragrant (Engl.) <i>Boesenbergia pandurata</i>	Gojjangi (Telugu) <i>Pandanus odoratissimus</i>	Gorka naranča (Croat.) <i>Citrus sinensis</i> ssp. <i>amara</i>	Granaatōunaseemned (Eston.) <i>Punica granatum</i>	Gražgarsté (Lith.) <i>Eruca sativa</i>
Ginger, lesser (Engl.) <i>Boesenbergia pandurata</i>	Golaba (Oriya) <i>Rosa damascena</i>	Gorki badem (Croat.,Serb.) <i>Prunus dulcis</i> var. <i>amara</i>	Granaattiomena (Finn.) <i>Punica granatum</i>	Grbaštica (Serb.) <i>Lepidium sativum</i>
	Golap (Assam.,Bengali,Garo) <i>Rosa damascena</i>	Gor'kij mindal' (Russ.) <i>Prunus dulcis</i> ssp. <i>amara</i>		
	Goldmelisse (Germ.) <i>Monarda didyma</i>			

Grbat (Croat.) <i>Elettaria cardamomum</i>	Guang gan (Mand.) <i>Citrus sinensis</i>	Gurķenes, ārstniecības (Latv.) <i>Borago officinalis</i>	Haba tonka (Span.) <i>Dipteryx odorata</i>	Hakka (Japan.) <i>Mentha piperita</i>
Grbica usjevna (Serb.) <i>Lepidium sativum</i>	Guan gui (Mand.) <i>Cinnamomum cassia</i>	Gurkenkraut (Germ.) <i>Borago officinalis</i>	Hab az-Zelim (Arab.) <i>Xylopiya aethiopica</i>	Hakkaku (Japan.) <i>Illicium verum</i>
Grčka djetlina (Croat.) <i>Trigonella foenum-graecum</i>	Gue (Tigr.) <i>Capsicum annum</i>	Gurkenkraut (Germ.) <i>Anethum graveolens</i>	Habbah al-baraka (Arab.) <i>Nigella sativa</i>	Haku male (Newari) <i>Piper nigrum</i>
Grčko seme (Serb.) <i>Trigonella foenum-graecum</i>	Gue (Rongmei) <i>Zingiber officinale</i>	Gurkmeja (Swed.) <i>Curcuma longa</i>	Habbahan (Arab.) <i>Elettaria cardamomum</i>	Hak wuh jiu (Canton.) <i>Piper nigrum</i>
Grčko sijeno (Croat.) <i>Trigonella foenum-graecum</i>	Gui (Mand.) <i>Cinnamomum cassia</i>	Gurkört (Swed.) <i>Borago officinalis</i>	Habbah sauda (Arab.) <i>Nigella sativa</i>	Hal (Arab.) <i>Elettaria cardamomum</i>
Greater galangale (Engl.) <i>Alpinia galanga</i>	Guindilla (Gael.,Galic.,Span.) <i>Capsicum frutescens</i>	Gur-kum (Tibet.) <i>Crocus sativus</i>	Habbatussauda (Indones.) <i>Nigella sativa</i>	Hala (Hawaiianisch) <i>Pandanus tectorius</i>
Greater Indian cardamom (Engl.) <i>Amomum subulatum</i>	Guinea grains (Engl.) <i>Aframomum melegueta</i>	Gurķumētras (Latv.) <i>Borago officinalis</i>	Habbeh as-sudah (Arab.) <i>Nigella sativa</i>	Halad (Gujrati,Marathi) <i>Curcuma longa</i>
Greek hayseed (Engl.) <i>Trigonella foenum-graecum</i>	Guinea pepper (Engl.) <i>Aframomum melegueta</i>	Guvamauri (Assam.) <i>Foeniculum vulgare</i>	Habbet as-suda (Arab.) <i>Nigella sativa</i>	Halad, amb (Hindi) <i>Curcuma zedoaria</i>
Green cardamom (Engl.) <i>Elettaria cardamomum</i>	Guinea pepper (Engl.) <i>Piper clusii</i>	Güveyik otu (Turk.) <i>Origanum vulgare</i>	Habbet hilwa (Arab.) <i>Pimpinella anisum</i>	Haladi (Oriya) <i>Curcuma longa</i>
Green pepper (Engl.) <i>Piper nigrum</i>	Guineapfeffer (Germ.) <i>Aframomum melegueta</i>	Güveyotu (Turk.) <i>Origanum vulgare</i>	Habbu al-hal (Arab.) <i>Elettaria cardamomum</i>	Hal aswad (Arab.) <i>Amomum subulatum</i>
Grek Chireg (Mong.) <i>Trigonella foenum-graecum</i>	Guineapfeffer (Germ.) <i>Piper clusii</i>	Gvazdikėliai (Lith.) <i>Syzygium aromaticum</i>	Habbu al-han (Arab.) <i>Elettaria cardamomum</i>	Halba (Malay) <i>Trigonella foenum-graecum</i>
Grenade (French) <i>Punica granatum</i>	Guinejská zrna (Czech) <i>Aframomum melegueta</i>	Gvazdikmedis, kvapusis (Lith.) <i>Syzygium aromaticum</i>	Habbu al-hulwah (Arab.) <i>Pimpinella anisum</i>	Halba d'gdan (Aram.) <i>Ferula assa-foetida</i>
Grenka pomaranča (Sloven.) <i>Citrus sinensis ssp. amara</i>	Guinejský kardamon (Slovak) <i>Aframomum melegueta</i>	Gvazdziki (Belar.) <i>Syzygium aromaticum</i>	Habb ul-gar (Turk.) <i>Laurus nobilis</i>	Haldar (Gujrati) <i>Curcuma longa</i>
Grenki mandelj (Sloven.) <i>Prunus dulcis</i>	Gui pi (Mand.) <i>Cinnamomum cassia</i>	Gvozdika (Russ.) <i>Syzygium aromaticum</i>	Habbul malan (Farsi) <i>Prunus mahaleb</i>	Halde (Bodo) <i>Curcuma longa</i>
Gresskar (Norw.) <i>Cucurbita pepo</i>	Gui xin (Mand.) <i>Cinnamomum cassia</i>	Gvozdychnyj perets (Ukr.) <i>Pimenta dioica</i>	Habrotonon (Old Greek) <i>Artemisia abrotanum</i>	Haldi (Dogri,Hindi,Nepali,Punjabi,Urdu) <i>Curcuma longa</i>
Gretchen-im-Busch (Germ.) <i>Nigella damascena</i>	Gujurati (Oriya) <i>Elettaria cardamomum</i>	Gwai sam (Canton.) <i>Cinnamomum cassia</i>	Habuji (Chakma) <i>Citrus aurantifolia</i>	Hale (Pashto) <i>Elettaria cardamomum</i>
Greunadez (Bret.) <i>Punica granatum</i>	Gül (Turkmen) <i>Rosa damascena</i>	Gwie (Tigr.) <i>Capsicum annum</i>	Habulas (Urdu) <i>Myrtus communis</i>	Halia (Malay) <i>Zingiber officinale</i>
Greun jenevera (Bret.) <i>Juniperus communis</i>	Gulab (Hindi,Kashm.,Marathi,Punjabi,Urdu) <i>Rosa damascena</i>	Gwong dung gwai (Canton.) <i>Cinnamomum burmannii</i>	Hac chi ma (Vietnam.) <i>Sesamum indicum</i>	Halim (Hindi,Urdu) <i>Lepidium sativum</i>
Griechisch Heu (Germ.) <i>Trigonella foenum-graecum</i>	Gulabi (Kannada,Telugu,Tulu) <i>Rosa damascena</i>	Gwozdika (Turkmen) <i>Syzygium aromaticum</i>	Hac gioi (Vietnam.) <i>Brassica nigra</i>	Halim-sak (Bengali) <i>Lepidium sativum</i>
Grine limene (Yidd.) <i>Citrus aurantifolia</i>	Gulabu (Tamil) <i>Rosa damascena</i>	Gye (Korean) <i>Cinnamomum zeylanicum</i>	Hadas (Aram.,Hebr.) <i>Myrtus communis</i>	Hallyon (Korean) <i>Tropaeolum majus</i>
Griner fefer (Yidd.) <i>Piper nigrum</i>	Gulaf (Nepali) <i>Rosa damascena</i>	Gyene kankan (Twi) <i>Allium sativum</i>	Hadas limoni (Hebr.) <i>Backhousia citriodora</i>	Hallyosog (Korean) <i>Tropaeolum majus</i>
Gröban (Gael.) <i>Artemisia vulgaris</i>	Gülburnu (Turk.) <i>Rosa canina</i>	Gyeojagwa (Korean) <i>Eruca sativa</i>	Hadass (Arab.) <i>Myrtus communis</i>	Halodhi (Assam.) <i>Curcuma longa</i>
Groene anijs (Dutch) <i>Pimpinella anisum</i>	Gülelması (Turk.) <i>Rosa canina</i>	Gyeo-jamu (Korean) <i>Armoracia rusticana</i>	Hagehestemynte (Norw.) <i>Monarda didyma</i>	Haltit (Arab.,Hebr.) <i>Ferula assa-foetida</i>
Grøn anis (Dan.) <i>Pimpinella anisum</i>	Gülglfen (Malt.) <i>Sesamum indicum</i>	Gyeoja-naengi (Korean) <i>Wasabia japonica</i>	Hagekjørvel (Norw.) <i>Anthriscus cerefolium</i>	Halu (Newari) <i>Curcuma longa</i>
Grönpeppar (Swed.) <i>Piper nigrum</i>	Gulisurkh (Punjabi) <i>Rosa damascena</i>	Gyepi (Korean) <i>Cinnamomum zeylanicum</i>	Hagetimian (Norw.) <i>Thymus vulgaris</i>	Halu bun (Newari) <i>Curcuma zedoaria</i>
Großer Galgant (Germ.) <i>Alpinia galanga</i>	Gulki (Hindi) <i>Piper nigrum</i>	G-yer ma (Tibet.) <i>Zanthoxylum piperitum</i>	Hagyma (Hung.) <i>Allium cepa</i>	Haluun chinzhüü (Mong.) <i>Capsicum frutescens</i>
Grote galanga (Dutch) <i>Alpinia galanga</i>	Gulki Marich (Santali) <i>Piper nigrum</i>	Gyin sein (Burmes.) <i>Zingiber officinale</i>	Hahng yahn (Canton.) <i>Prunus dulcis</i>	Hamakaenang (Thai) <i>Amomum xanthioides</i>
Grozdasti ruj (Serb.) <i>Rhus coriaria</i>	Gul rang (Farsi,Urdu) <i>Carthamus tinctorius</i>	Gyömbér (Hung.) <i>Zingiber officinale</i>	Hahuun (Mong.) <i>Origanum vulgare</i>	Hamalata (Aram.) <i>Zingiber officinale</i>
Grško seno (Sloven.) <i>Trigonella foenum-graecum</i>	Gumbakmynis, persinis (Lith.) <i>Bunium persicum</i>	Gyömbér, kínai (Hung.) <i>Boesenbergia pandurata</i>	Haijen (Bodo) <i>Zingiber officinale</i>	Hamama (Turk.) <i>Elettaria cardamomum</i>
Grüner Cardamom (Germ.) <i>Elettaria cardamomum</i>	Gung (Vietnam.) <i>Zingiber officinale</i>	Gyopár, fekete (Hung.) <i>Origanum vulgare</i>	Hail (Arab.) <i>Elettaria cardamomum</i>	Hamame (Turk.) <i>Elettaria cardamomum</i>
Grüner Kardamom (Germ.) <i>Elettaria cardamomum</i>	Gun gwai (Canton.) <i>Cinnamomum cassia</i>	Gyoseiso (Japan.) <i>Houttuynia cordata</i>	Haisev vaiguputk (Eston.) <i>Ferula assa-foetida</i>	Hamanasu (Japan.) <i>Rosa rugosa</i>
Grüner Pfeffer (Germ.) <i>Piper nigrum</i>	Guniper (Hebr.) <i>Juniperus communis</i>	Haatsho (Ga-Dangme) <i>Zanthoxylum xanthoxyloides</i>	Haisop (Lao) <i>Hyssopus officinalis</i>	Hamham (Arab.) <i>Borago officinalis</i>
Guang dong gui (Mand.) <i>Cinnamomum burmannii</i>	Gunyan (Hindi) <i>Carum carvi</i>	Habanero (Engl.,Span.) <i>Capsicum chinense</i>	Haji (Newari) <i>Nigella sativa</i>	Hamo (Newari) <i>Sesamum indicum</i>
	Guppai (Tamil) <i>Anethum graveolens</i>	Habaq (Malt.) <i>Ocimum basilicum</i>	Hajme (Roman.) <i>Allium ascalonicum</i>	Hana-hakka (Japan.) <i>Origanum vulgare</i>
	Gur-gum (Tibet.) <i>Carthamus tinctorius</i>	Habaq (Arab.) <i>Ocimum basilicum</i>	Hajupihka (Finn.) <i>Ferula assa-foetida</i>	Hangam (Manipuri) <i>Brassica nigra</i>
	Gurkemeie (Norw.) <i>Curcuma longa</i>	Habaq (Arab.) <i>Ocimum basilicum</i>	Hakiki çöreotu (Turk.) <i>Nigella sativa</i>	Hängsi (Tangkhal) <i>Sesamum indicum</i>
	Gurkemeje (Dan.) <i>Curcuma longa</i>	Habaq ar-Rahi (Arab.) <i>Artemisia vulgaris</i>	Hak jung chou (Canton.) <i>Nigella sativa</i>	Hanh (Vietnam.) <i>Allium cepa</i>
				Hanh (Vietnam.) <i>Prunus dulcis</i>

Hanh cu (Vietnam.) <i>Allium cepa</i>	Harilik kõõmen (Eston.) <i>Carum carvi</i>	Haşmâ (Roman.) <i>Allium ascalonicum</i>	Hendkakan Enkoyz (Armen.) <i>Cocos nucifera</i>	Herba Origani (pharm.) <i>Origanum vulgare</i>
Hanh gau (Vietnam.) <i>Allium ursinum</i>	Harilik kurgirohi (Eston.) <i>Borago officinalis</i>	Hasmaŕuchi (Roman.) <i>Anthriscus cerefolium</i>	Hengu (Oriya) <i>Ferula assa-foetida</i>	Herba Rutae (pharm.) <i>Ruta graveolens</i>
Hanh tam (Vietnam.) <i>Allium schoenoprasum</i>	Harilik kurkuma (Eston.) <i>Curcuma longa</i>	Hasop (Korean) <i>Hyssopus officinalis</i>	Henneru (Japan.) <i>Foeniculum vulgare</i>	Herba Saturejae (pharm.) <i>Satureja hortensis</i>
Hanh tay (Vietnam.) <i>Allium cepa</i>	Harilik leeskputk (Eston.) <i>Levisticum officinale</i>	Hat sen (Vietnam.) <i>Zanthoxylum nitidum</i>	Henruda (Japan.) <i>Ruta graveolens</i>	Herba Thymi (pharm.) <i>Thymus vulgaris</i>
Hanh trang (Vietnam.) <i>Allium schoenoprasum</i>	Harilik loorberipuu (Eston.) <i>Laurus nobilis</i>	Hat-tieu (Vietnam.) <i>Piper nigrum</i>	Hentgagan Engouz (Armen.) <i>Cocos nucifera</i>	Herbe au citron (French) <i>Melissa officinalis</i>
Han jin lian (Mand.) <i>Tropaeolum majus</i>	Harilik mandlipuu (Eston.) <i>Prunus dulcis</i>	Hat tieu den (Vietnam.) <i>Piper nigrum</i>	Henu-guriku (Japan.) <i>Trigonella foenum-graecum</i>	Herbe aux chantres (French) <i>Sisymbrium officinale</i>
Hantu duri (Malay) <i>Zanthoxylum rhetsa</i>	Harilik mungapipar (Eston.) <i>Vitex agnus-castus</i>	Hat tieu Jamaica (Vietnam.) <i>Pimenta dioica</i>	Heobu (Korean) <i>Mentha piperita</i>	Herbe de citron (French) <i>Melissa officinalis</i>
Hao shu (Mand.) <i>Artemisia vulgaris</i>	Harilik mürt (Eston.) <i>Myrtus communis</i>	Hat tieu trang (Vietnam.) <i>Piper nigrum</i>	Heong choi (Canton.) <i>Petroselinum crispum</i>	Herbe de grâce (French) <i>Ruta graveolens</i>
Hapanappelsiini (Finn.) <i>Citrus aurantium ssp. amara</i>	Harilik nelgipuu (Eston.) <i>Syzygium aromaticum</i>	Hauk (Aram.) <i>Ocimum basilicum</i>	Heong sou (Canton.) <i>Perilla frutescens</i>	Herbe de Saint-Julien (French) <i>Satureja hortensis</i>
Hapu laimipuu (Eston.) <i>Citrus aurantifolia</i>	Harilik nõõpkakar (Eston.) <i>Spilanthes acmella</i>	Havekarse (Dan.) <i>Lepidium sativum</i>	Heong tou muhk (Canton.) <i>Myrtus communis</i>	Herbe dragonne (French) <i>Artemisia dracuncululus</i>
Hapusha (Sanskrit) <i>Juniperus communis</i>	Harilik paprika (Eston.) <i>Capsicum annuum</i>	Havija (Kannada) <i>Coriandrum sativum</i>	Herba Abrotani (pharm.) <i>Artemisia abrotanum</i>	Herbe du citron (French) <i>Melissa officinalis</i>
Haradali (Swahili) <i>Brassica nigra</i>	Harilik pimendipuu (Eston.) <i>Pimenta dioica</i>	Havlican (Turk.) <i>Alpinia galanga</i>	Herba Absinthii (pharm.) <i>Artemisia absinthium</i>	Herbe puante (French) <i>Eryngium foetidum</i>
Hara dhania (Hindi,Punjabi) <i>Coriandrum sativum</i>	Harilik porss (Eston.) <i>Myrica gale</i>	Ha yih chung (Canton.) <i>Allium schoenoprasum</i>	Herba Alii ursini (pharm.) <i>Allium ursinum</i>	Herbe royale (French) <i>Ocimum basilicum</i>
Harakputk (Eston.) <i>Anthriscus cerefolium</i>	Harilik puju (Eston.) <i>Artemisia vulgaris</i>	Hayit (Turk.) <i>Vitex agnus-castus</i>	Herba Andropogonis (pharm.) <i>Cymbopogon citratus</i>	Herbe sacrée (French) <i>Hyssopus officinalis</i>
Har chinzhüü (Mong.) <i>Piper nigrum</i>	Harilik pune (Eston.) <i>Origanum vulgare</i>	Hayl (Arab.) <i>Elettaria cardamomum</i>	Herba Apii graveolentis (pharm.) <i>Apium graveolens</i>	Herb of Grace (Engl.) <i>Ruta graveolens</i>
Harčyca (Belar.) <i>Sinapis alba</i>	Harilik rosmariin (Eston.) <i>Rosmarinus officinalis</i>	Hayseed, greek (Engl.) <i>Trigonella foenum-graecum</i>	Herba Artemisiae (pharm.) <i>Artemisia vulgaris</i>	Herman (Copt.) <i>Punica granatum</i>
Harčyca, belaja (Belar.) <i>Sinapis alba</i>	Harilik seesam (Eston.) <i>Sesamum indicum</i>	Hazeret hagina (Hebr.) <i>Armoracia rusticana</i>	Herba Basilici (pharm.) <i>Ocimum basilicum</i>	Herud (Tigr.) <i>Curcuma longa</i>
Harčyca, čornaja (Belar.) <i>Brassica nigra</i>	Harilik sibul (Eston.) <i>Allium cepa</i>	Hedge mustard (Engl.) <i>Chenopodium ambrosioides</i>	Herba Cerefolii (pharm.) <i>Anthriscus cerefolium</i>	Heulbol (Dutch) <i>Papaver somniferum</i>
Hardal (Aram.,Turk.) <i>Brassica nigra</i>	Harilik sidrunhein (Eston.) <i>Cymbopogon citratus</i>	Hedge mustard (Engl.) <i>Sisymbrium officinale</i>	Herba Cerefolii (pharm.) <i>Anthriscus cerefolium</i>	Heung ba maauh (Canton.) <i>Cymbopogon citratus</i>
Hardal, kara (Turk.) <i>Brassica nigra</i>	Harilik sidrunipuu (Eston.) <i>Citrus limon</i>	Hedge weed (Engl.) <i>Sisymbrium officinale</i>	Herba Chenopodii ambrosioidis (pharm.) <i>Chenopodium ambrosioides</i>	Heung bohk hoh (Canton.) <i>Satureja hortensis</i>
Hardal, deve t�y� tohumları (Turk.) <i>Sinapis alba</i>	Harilik t�htaniisipuu (Eston.) <i>Illicium verum</i>	Hedyosmon (Old Greek) <i>Mentha piperita</i>	Herba Citronellae (pharm.) <i>Cymbopogon citratus</i>	Heung choi (Canton.) <i>Coriandrum sativum</i>
Hardal lavan (Hebr.) <i>Sinapis alba</i>	Harilik vanill (Eston.) <i>Vanilla planifolia</i>	Hegy bors (Hung.) <i>Tasmannia lanceolata</i>	Herba de cantors (Catalan) <i>Sisymbrium officinale</i>	Heung faa choi (Canton.) <i>Mentha piperita</i>
Hardal shahor (Hebr.) <i>Brassica nigra</i>	Hari mirch (Dogri,Hindi,Urdu) <i>Capsicum frutescens</i>	Hei hu jiao (Mand.) <i>Piper nigrum</i>	Herba de la castedat (Catalan) <i>Vitex agnus-castus</i>	Heung fung chou (Canton.) <i>Melissa officinalis</i>
Hardal tohum, beyaz (Turk.) <i>Sinapis alba</i>	Hari mirch (Punjabi) <i>Piper nigrum</i>	Heijang (Manipuri) <i>Citrus medica</i>	Herba de les vinyes (Catalan) <i>Foeniculum vulgare</i>	Heung gaahp laahn (Canton.) <i>Vanilla planifolia</i>
Hardal tohum, siyah (Turk.) <i>Brassica nigra</i>	Hari Mirch (Punjabi) <i>Capsicum annuum</i>	Hei jie zi (Mand.) <i>Brassica nigra</i>	Herba de Lim�n (Galic.) <i>Cymbopogon citratus</i>	Heung ji lan (Canton.) <i>Vanilla planifolia</i>
Hardalun (Aram.) <i>Brassica nigra</i>	Har pjer'ts (Mong.) <i>Piper nigrum</i>	Heinathei (Tangkhul) <i>Mangifera indica</i>	Herba dormidora (Catalan) <i>Papaver somniferum</i>	Heung lahm tauh (Canton.) <i>Pandanus amaryllifolius</i>
Hardi (Maith.,Nepali) <i>Curcuma longa</i>	Hasalban (Turk.) <i>Rosmarinus officinalis</i>	Heinou (Manipuri) <i>Mangifera indica</i>	Herba Dracunculi (pharm.) <i>Artemisia dracuncululus</i>	Heung lan (Canton.) <i>Vanilla planifolia</i>
Hared (Maith.) <i>Curcuma longa</i>	Hasbir (Turk.) <i>Carthamus tinctorius</i>	Hei zhong cao (Mand.) <i>Nigella sativa</i>	Herba Hyssopi (pharm.) <i>Hyssopus officinalis</i>	Heung maauh suk (Canton.) <i>Cymbopogon citratus</i>
Har gich (Mong.) <i>Brassica nigra</i>	Hash (Aram.) <i>Thymus vulgaris</i>	Hel (Farsi,Hebr.,Tigr.) <i>Elettaria cardamomum</i>	Herba Lepidi (pharm.) <i>Lepidium sativum</i>	Heung seui (Canton.) <i>Coriandrum sativum</i>
Haridra (Sanskrit,Telugu) <i>Curcuma longa</i>	Haşhaş tohumu (Turk.) <i>Papaver somniferum</i>	H'el (Amhar.) <i>Elettaria cardamomum</i>	Herba Lippia (pharm.) <i>Lippia citriodora</i>	Hexenkraut (Germ.) <i>Trigonella caerulea</i>
Hari ilaichi (Punjabi) <i>Elettaria cardamomum</i>	Hashilzh (Mong.) <i>Anthriscus cerefolium</i>	He lan qin (Mand.) <i>Petroselinum crispum</i>	Herba Luisa (Galic.) <i>Lippia citriodora</i>	Hidamba saga (Oriya) <i>Lepidium sativum</i>
Harilik aniis (Eston.) <i>Pimpinella anisum</i>	Hashisha al-limun (Arab.) <i>Cymbopogon citratus</i>	Helenbeli (Dhivehi) <i>Tamarindus indica</i>	Herba Majoranae (pharm.) <i>Majorana hortensis</i>	Hierbabuena (Span.) <i>Mentha piperita</i>
Harilik apteegitill (Eston.) <i>Foeniculum vulgare</i>	Hashisha an-namal (Arab.) <i>Melissa officinalis</i>	Helogan (Welsh) <i>Apium graveolens</i>	Herba Monardae (pharm.) <i>Monarda didyma</i>	Hierba de Lim�n (Span.) <i>Cymbopogon citratus</i>
Harilik granaadipuu (Eston.) <i>Punica granatum</i>	Hasimenasina kayi (Kannada) <i>Capsicum annuum</i>	Helygen Fair (Welsh) <i>Myrica gale</i>	Herba Myrti Rabanitini (pharm.) <i>Myrica gale</i>	Hierbaluisa (Span.) <i>Lippia citriodora</i>
Harilik iisop (Eston.) <i>Hyssopus officinalis</i>	Hasin (Copt.) <i>Mentha piperita</i>	Hemptree (Engl.) <i>Vitex agnus-castus</i>	Herba Nasturtii (pharm.) <i>Nasturtium officinale</i>	Hiina kaneelipuu (Eston.) <i>Cinnamomum cassia</i>
Harilik ingver (Eston.) <i>Zingiber officinale</i>	Hasiru Menasu (Kannada) <i>Piper cubeba</i>			Hikandhifat (Dhivehi) <i>Murraya koenigii</i>

Hikandhi gas (Dhivehi) <i>Murraya koenigii</i>	Hjärtansfröjd (Swed.) <i>Melissa officinalis</i>	Hom lek (Thai) <i>Allium ascalonicum</i>	Hortelä-pimenta (Port.) <i>Mentha piperita</i>	Hudhër e rëndomtë (Alb.) <i>Allium sativum</i>
Hilbeh (Arab.,Hebr.) <i>Trigonella foenum-graecum</i>	Hjólkróna (Icel.) <i>Borago officinalis</i>	Hom paen (Thai) <i>Allium schoenoprasum</i>	Hortelä-vietnamita (Port.) <i>Persicaria odoratum</i>	Hudhra (Alb.) <i>Allium sativum</i>
Hiltit (Arab.) <i>Ferula assa-foetida</i>	Hjulkrone (Dan.) <i>Borago officinalis</i>	Hom-pom (Lao) <i>Coriandrum sativum</i>	Hosraedit (Thai) <i>Armoracia rusticana</i>	Hudhu revi (Dhivehi) <i>Sinapis alba</i>
Himeuikiyo (Japan.) <i>Carum carvi</i>	Hmarcha (Hmar,Mizo) <i>Capsicum frutescens</i>	Hom pom (Thai) <i>Carum carvi</i>	Hosszú koriander (Hung.) <i>Eryngium foetidum</i>	Huei hsiang (Mand.) <i>Pimpinella anisum</i>
Himhim (Arab.) <i>Borago officinalis</i>	Hminthin (Burmes.) <i>Cinnamomum zeylanicum</i>	Hom-pomkula (Thai) <i>Eryngium foetidum</i>	Hosuradishu (Japan.) <i>Armoracia rusticana</i>	Huelenn-c'hwerv (Bret.) <i>Artemisia absinthium</i>
Himsra (Sanskrit) <i>Capparis spinosa</i>	Hninsi (Burmes.) <i>Rosa damascena</i>	Hom ton (Thai) <i>Allium ascalonicum</i>	Hosuraediswi (Korean) <i>Armoracia rusticana</i>	Huelenn-wenn (Bret.) <i>Artemisia vulgaris</i>
Hin (Japan.) <i>Ferula assa-foetida</i>	Hoa huong (Vietnam.) <i>Rosa damascena</i>	Hónaproszsa (Hung.) <i>Rosa damascena</i>	Hosurediswi (Korean) <i>Armoracia rusticana</i>	Huhng dau kau (Canton.) <i>Alpinia galanga</i>
Hinda cinamomo (Esperanto) <i>Cinnamomum tamala</i>	Hoang luc (Vietnam.) <i>Zanthoxylum nitidum</i>	Hondsknoflook (Dutch) <i>Allium ursinum</i>	Hot dieu mau (Vietnam.) <i>Bixa orellana</i>	Huhng laahn faa (Canton.) <i>Carthamus tinctorius</i>
Hindistancevizi (Turk.) <i>Myristica fragrans</i>	Hoang moc dai (Vietnam.) <i>Zanthoxylum avicennae</i>	Honey plant (Engl.) <i>Melissa officinalis</i>	Ho tieu (Vietnam.) <i>Piper nigrum</i>	Huhng sou yihp (Canton.) <i>Perilla frutescens</i>
Hing (Assam.,Bengali,Gujrati,Hindi,Maith.,Manipuri,Marathi,Nepali,Newari,Pashto,Urdu) <i>Ferula assa-foetida</i>	Hoang moc nhieu gai (Vietnam.) <i>Zanthoxylum myriacanthum</i>	Hong dou kou (Mand.) <i>Alpinia galanga</i>	Ho tuy (Vietnam.) <i>Coriandrum sativum</i>	Hui (Tangkhal) <i>Zingiber officinale</i>
Hingra (Punjabi) <i>Ferula assa-foetida</i>	Hoa oai huong (Vietnam.) <i>Lavandula angustifolia</i>	Honggwassi (Korean) <i>Carthamus tinctorius</i>	Hou sohk (Canton.) <i>Artemisia vulgaris</i>	Hui qin (Mand.) <i>Anthriscus cerefolium</i>
Hingu (Sanskrit) <i>Ferula assa-foetida</i>	Hobakssi (Korean) <i>Cucurbita pepo</i>	Hong hoa (Vietnam.) <i>Carthamus tinctorius</i>	Hoyttynia (Swed.) <i>Houttuynia cordata</i>	Hui xiang (Mand.) <i>Foeniculum vulgare</i>
Hingu (Sanskrit) <i>Ferula assa-foetida</i>	Hobu (Korean) <i>Mentha piperita</i>	Honghwa (Korean) <i>Carthamus tinctorius</i>	Hrean (Roman.) <i>Armoracia rusticana</i>	Hu jiao (Mand.) <i>Piper nigrum</i>
Hinojo (Span.) <i>Foeniculum vulgare</i>	Hodan (Turk.) <i>Borago officinalis</i>	Hong lan hua (Mand.) <i>Carthamus tinctorius</i>	Hřebíček (Czech) <i>Syzygium aromaticum</i>	Hu jiao bo he (Mand.) <i>Mentha piperita</i>
Hinojo hediondo (Span.) <i>Anethum graveolens</i>	Hode badam (Nepali) <i>Prunus dulcis</i>	Hong su ye (Mand.) <i>Perilla frutescens</i>	Hřebíčkový pepř (Czech) <i>Pimenta dioica</i>	Hu jiao mian (Mand.) <i>Piper nigrum</i>
Hint biberi (Turk.) <i>Piper cubeba</i>	Hodes (Yidd.) <i>Myrtus communis</i>	Honigblume (Germ.) <i>Melissa officinalis</i>	Hren (Croat.,Serb.,Sloven.,Vietnam.) <i>Armoracia rusticana</i>	Hu jiao mu (Mand.) <i>Zanthoxylum piperitum</i>
Hint küncütü (Azeri) <i>Sesamum indicum</i>	Hoehyang (Korean) <i>Foeniculum vulgare</i>	Honigklee, blauer (Germ.) <i>Trigonella caerulea</i>	Hren, vrtni (Croat.) <i>Armoracia rusticana</i>	Hukchongcho (Korean) <i>Nigella damascena</i>
Hint safran (Turk.) <i>Curcuma longa</i>	Hoehyang-pul (Korean) <i>Foeniculum vulgare</i>	Honik-melise (Yidd.) <i>Melissa officinalis</i>	Hri (Aram.) <i>Carthamus tinctorius</i>	Hukkyoja (Korean) <i>Brassica nigra</i>
Hippali (Kannada) <i>Piper longum</i>	Ho ho yeh ji (Canton.) <i>Cocos nucifera</i>	Honingklaver soort (Dutch) <i>Trigonella caerulea</i>	Hrim (Copt.) <i>Artemisia absinthium</i>	Hulba (Arab.) <i>Trigonella foenum-graecum</i>
Hirchak pertsevy (Ukr.) <i>Persicaria hydropiper</i>	Hoi (Vietnam.) <i>Illicium verum</i>	Hon kun (Chines.) <i>Apium graveolens</i>	Hsanwen (Burmes.) <i>Curcuma longa</i>	Hulbe (Turk.) <i>Trigonella foenum-graecum</i>
Hirchitsya bila (Ukr.) <i>Sinapis alba</i>	Hoi can (Vietnam.) <i>Anthriscus cerefolium</i>	Hoosam (Armen.) <i>Lavandula angustifolia</i>	Hsiang ts'ao lan (Mand.) <i>Vanilla planifolia</i>	Huli (Kannada) <i>Tamarindus indica</i>
Hirchysya chorna (Ukr.) <i>Brassica nigra</i>	Hoi huong (Vietnam.) <i>Foeniculum vulgare</i>	Hop (Manipuri) <i>Foeniculum vulgare</i>	Hua chiao (Mand.) <i>Zanthoxylum piperitum</i>	Hu lu ba (Mand.) <i>Trigonella foenum-graecum</i>
Hirvi velchi (Marathi) <i>Elettaria cardamomum</i>	Hoi huong (Vietnam.) <i>Illicium verum</i>	Hon rapa (Thai) <i>Ocimum basilicum</i>	Hua chiao (Mand.) <i>Zanthoxylum bungeanum</i>	Hu ma (Mand.) <i>Sesamum indicum</i>
Hirvy mirchya (Marathi) <i>Capsicum frutescens</i>	Hoja (Span.) <i>Murraya koenigii</i>	Hon rapa (Thai) <i>Ocimum basilicum</i>	Hua chiao (Mand.) <i>Zanthoxylum bungeanum</i>	Hum chung (Dz.) <i>Citrus aurantifolia</i>
Hiseopu (Korean) <i>Hyssopus officinalis</i>	Hoja de Curry (Span.) <i>Murraya koenigii</i>	Horčiak pieprový (Slovak) <i>Persicaria hydropiper</i>	Hua jiao (Mand.) <i>Zanthoxylum piperitum</i>	Hum chung tswa (Dz.) <i>Cymbopogon citratus</i>
Hisop (Korean) <i>Hyssopus officinalis</i>	Hoja de Lima Cafre (Span.) <i>Citrus hystrix</i>	Horčica biela (Slovak) <i>Sinapis alba</i>	Hua jiao (Mand.) <i>Zanthoxylum bungeanum</i>	Hümheel (Mong.) <i>Allium schoenoprasum</i>
Hisopi mjekësor (Alb.) <i>Hyssopus officinalis</i>	Hoja de Lima Kaffir (Span.) <i>Citrus hystrix</i>	Horčica čierna (Slovak) <i>Brassica nigra</i>	Hua Kasai (Lao) <i>Boesenbergia pandurata</i>	Hunase-hannu (Kannada) <i>Tamarindus indica</i>
Hisop likars'ki (Ukr.) <i>Hyssopus officinalis</i>	Holdi (Garo) <i>Curcuma longa</i>	Hořčice bílá (Czech) <i>Sinapis alba</i>	Huang hua nan jie cai (Mand.) <i>Eruca sativa</i>	Hunase-mara (Kannada) <i>Tamarindus indica</i>
Hisop mjekësor (Alb.) <i>Hyssopus officinalis</i>	Ho lo ba (Vietnam.) <i>Trigonella foenum-graecum</i>	Hořčice černá (Czech) <i>Brassica nigra</i>	Huang jiang (Mand.) <i>Curcuma longa</i>	Hun'ba sinna (Ukr.) <i>Trigonella foenum-graecum</i>
Hisopo (Esperanto,Galic.,Span.) <i>Hyssopus officinalis</i>	Holsuraediswi (Korean) <i>Armoracia rusticana</i>	Hořčice sitinovitá (Czech) <i>Brassica juncea</i>	Huangjing (Mand.) <i>Vitex negundo</i>	Hung (Vietnam.) <i>Ocimum basilicum</i>
Hissopo (Port.) <i>Hyssopus officinalis</i>	Holud (Bengali) <i>Curcuma longa</i>	Horčicové semená (Slovak) <i>Brassica nigra</i>	Huang jing zi (Mand.) <i>Vitex negundo</i>	Hung cay (Vietnam.) <i>Mentha piperita</i>
Hissopu (Japan.) <i>Hyssopus officinalis</i>	Hom bua (Lao) <i>Allium cepa</i>	Horidra (Assam.) <i>Curcuma longa</i>	Huang zhang (Mand.) <i>Sassafras albidum</i>	Hung dui (Vietnam.) <i>Mentha piperita</i>
Hithi damui (Dhivehi) <i>Trachyspermum copticum</i>	Hom chan (Thai) <i>Persicaria odoratum</i>	Horiyah (Assam.) <i>Brassica nigra</i>	Hua si khai (Lao) <i>Cymbopogon citratus</i>	Hung gioi (Vietnam.) <i>Ocimum basilicum</i>
Hiyakumikoshō (Japan.) <i>Pimenta dioica</i>	Hom daeng (Thai) <i>Allium ascalonicum</i>	Horki mindai (Belar.) <i>Prunus dulcis</i>	Hua sing khai (Lao) <i>Cymbopogon citratus</i>	Hung giui (Vietnam.) <i>Mentha piperita</i>
Hjartafró (Icel.) <i>Melissa officinalis</i>	Hom hain (Thai) <i>Allium cepa</i>	Horopa (Korean) <i>Trigonella foenum-graecum</i>	Hu-chiao (Mand.) <i>Piper nigrum</i>	Hung nhui (Vietnam.) <i>Mentha piperita</i>
	Hom hao (Thai) <i>Allium cepa</i>	Horseradish (Engl.) <i>Armoracia rusticana</i>	Huchu (Korean) <i>Piper nigrum</i>	Hung que (Vietnam.) <i>Ocimum basilicum</i>
	Hom khaek (Thai) <i>Murraya koenigii</i>	Horseradish, Japanese (Engl.) <i>Wasabia japonica</i>	Huchu-namu (Korean) <i>Schinus terebinthifolius</i>	
	Hom khao (Thai) <i>Allium cepa</i>			

Hung sha yao (Chines.) <i>Perilla frutescens</i>	İdrifil (Turk.) <i>Aframomum melegueta</i>	Imbir, žouty (Belar.) <i>Curcuma longa</i>	Indische dadel (Dutch) <i>Tamarindus indica</i>	Indring (Indones.) <i>Ocimum basilicum</i>
Hung tay (Vietnam.) <i>Thymus vulgaris</i>	İdrisagacı (Turk.) <i>Prunus mahaleb</i>	Imbir' zhyoltojy (Russ.) <i>Curcuma longa</i>	Indische Dattel (Germ.) <i>Tamarindus indica</i>	Indyjski finik (Belar.) <i>Tamarindus indica</i>
Hungu (Dhivehi) <i>Ferula assa-foetida</i>	Ienibahar (Roman.) <i>Pimenta dioica</i>	Imbyr (Ukr.) <i>Zingiber officinale</i>	Indische Kresse (Germ.) <i>Tropaeolum majus</i>	Indyjski kmen (Belar.) <i>Cuminum cyminum</i>
Hunlavendel (Dan.) <i>Lavandula angustifolia</i>	Ienupär (Roman.) <i>Juniperus communis</i>	Imli (Dogri,Hindi,Maith.,Nepali,Punjabi) <i>Tamarindus indica</i>	Indische Petersilie (Germ.) <i>Coriandrum sativum</i>	Ingber (Yidd.) <i>Zingiber officinale</i>
Huong duyen (Vietnam.) <i>Citrus limon</i>	Ierba de Lămăie (Roman.) <i>Cymbopogon citratus</i>	Imlibo (Sumi Naga) <i>Tamarindus indica</i>	Indischer Kümmel (Germ.) <i>Trachyspermum copticum</i>	Ingee (Tamil) <i>Zingiber officinale</i>
Hupa (Basque) <i>Crocus sativus</i>	Igazi édesgyökér (Hung.) <i>Glycyrrhiza glabra</i>	Imlishe (Chakhesang-Chokri Naga) <i>Tamarindus indica</i>	Indischer Safran (Germ.) <i>Curcuma longa</i>	Ingefær (Dan.,Norw.) <i>Zingiber officinale</i>
Hurkafú (Hung.) <i>Lepidium sativum</i>	Igen erós apró (Hung.) <i>Capsicum frutescens</i>	Imu (Newari) <i>Trachyspermum copticum</i>	Indischer Sesam (Germ.) <i>Sesamum indicum</i>	Ingefära (Swed.) <i>Zingiber officinale</i>
Hurkafú (Hung.) <i>Satureja hortensis</i>	Iguru (Sinh.) <i>Zingiber officinale</i>	Inchi (Malayalam) <i>Zingiber officinale</i>	Indisches Lorbeerblatt (Germ.) <i>Cinnamomum tamala</i>	İngiliz su teresi (Turk.) <i>Sisymbrium officinale</i>
Husam (Armen.) <i>Lavandula angustifolia</i>	Ihansu (Rongmei) <i>Capsicum frutescens</i>	Inchippullu (Malayalam) <i>Cymbopogon citratus</i>	Indisches Zitronenblatt (Germ.) <i>Citrus hystrix</i>	Ingrupiyali (Sinh.) <i>Kaempferia galanga</i>
Husarenknopflume (Germ.) <i>Spilanthes acmella</i>	Iisop, harilik (Eston.) <i>Hyssopus officinalis</i>	Indanezijskaja karyca (Belar.) <i>Cinnamomum burmannii</i>	Indiškas kmynas (Lith.) <i>Trachyspermum copticum</i>	Ingu (Kannada,Tulu) <i>Ferula assa-foetida</i>
Hushhash (Hebr.) <i>Citrus sinensis ssp. amara</i>	Iisoppi (Finn.) <i>Hyssopus officinalis</i>	Indanezijski laurovy list (Belar.) <i>Eugenia polyantha</i>	Indiški lauro lapai (Lith.) <i>Cinnamomum tamala</i>	Inguru (Sinh.) <i>Zingiber officinale</i>
Hu sui (Mand.) <i>Coriandrum sativum</i>	Ika (Newari) <i>Sinapis alba</i>	Indai babérlevél (Hung.) <i>Cinnamomum tamala</i>	Indisk Laurbærblad (Dan.) <i>Cinnamomum tamala</i>	Inguru piyali (Sinh.) <i>Kaempferia galanga</i>
Huszárgomb (Hung.) <i>Spilanthes acmella</i>	Ikleel al-Jabal (Arab.) <i>Rosmarinus officinalis</i>	Indiai datolya (Hung.) <i>Tamarindus indica</i>	Indonaga-kosho (Japan.) <i>Piper longum</i>	Inguva (Telugu) <i>Ferula assa-foetida</i>
Hutínia (Slovak) <i>Houttuynia cordata</i>	Iklil al-Jabal (Arab.) <i>Rosmarinus officinalis</i>	India mangopuu (Eston.) <i>Mangifera indica</i>	Indonesian bay leaves (Engl.) <i>Eugenia polyantha</i>	Ingver (Croat.,Eston.,Serb.,Sloven.) <i>Zingiber officinale</i>
Hutujnija (Sloven.) <i>Houttuynia cordata</i>	Ilaichi (Khasi) <i>Elettaria cardamomum</i>	Indian anise (Engl.) <i>Illicium verum</i>	Indonesian cinnamon (Engl.) <i>Cinnamomum burmannii</i>	Ingver, harilik (Eston.) <i>Zingiber officinale</i>
Huzarenknop (Dutch) <i>Spilanthes acmella</i>	Ilaichi, bari (Dogri,Hindi, Maith.) <i>Amomum subulatum</i>	Indian arrowroot (Engl.) <i>Curcuma zedoaria</i>	Indonesian lemon-pepper (Engl.) <i>Zanthoxylum acanthopodium</i>	Ingver, žuti (Serb.) <i>Curcuma longa</i>
Hvazdzika (Belar.) <i>Syzygium aromaticum</i>	Ilaichi, choti (Dogri,Hindi, Maith.) <i>Elettaria cardamomum</i>	Indian bay leaves (Engl.) <i>Cinnamomum tamala</i>	Indonesische citroenboom (Dutch) <i>Citrus hystrix</i>	Ingverijuur (Eston.) <i>Zingiber officinale</i>
Hvězdicový anýz (Czech) <i>Illicium verum</i>	Ilaichi, kali (Hindi) <i>Amomum subulatum</i>	Indian cardamom (Engl.) <i>Amomum subulatum</i>	Indonesische kaneel (Dutch) <i>Cinnamomum burmannii</i>	Ingers, ārstniecības (Latv.) <i>Zingiber officinale</i>
Hvidløg (Dan.) <i>Allium sativum</i>	Ilaisi (Bodo) <i>Elettaria cardamomum</i>	Indian cress (Engl.) <i>Tropaeolum majus</i>	Indonesischer Zimt (Germ.) <i>Cinnamomum burmannii</i>	Ingwer (Germ.) <i>Zingiber officinale</i>
Hvid peber (Dan.) <i>Piper nigrum</i>	Ilaneeru (Malayalam) <i>Cocos nucifera</i>	Indian date (Engl.) <i>Tamarindus indica</i>	Indonesischer Zitronenpfeffer (Germ.) <i>Zanthoxylum acanthopodium</i>	Ingwer, chinesisches (Germ.) <i>Boesenbergia pandurata</i>
Hvid Sennep (Dan.) <i>Sinapis alba</i>	Ilasi (Assam.) <i>Elettaria cardamomum</i>	Indian krasse (Swed.) <i>Tropaeolum majus</i>	Indonesisches Lorbeerblatt (Germ.) <i>Eugenia polyantha</i>	Ingwer, siamesisches (Germ.) <i>Alpinia galanga</i>
Hviezdicový aníz (Slovak) <i>Illicium verum</i>	Ilavangam (Tamil) <i>Cinnamomum zeylanicum</i>	Indian parsley (Engl.) <i>Coriandrum sativum</i>	Indonesisches Zitronenblatt (Germ.) <i>Citrus hystrix</i>	Iñibre (Basque) <i>Juniperus communis</i>
Hvítlaukur (Icel.) <i>Allium sativum</i>	Ilaychi (Dogri,Hindi,Maith.) <i>Elettaria cardamomum</i>	Indian saffron (Engl.) <i>Curcuma longa</i>	Indonesisch laurierblad (Dutch) <i>Eugenia polyantha</i>	Injaikaraim (Rongmei) <i>Curcuma longa</i>
Hvitløk (Norw.) <i>Allium sativum</i>	Ilbon-gyepi (Korean) <i>Cinnamomum loureiroi</i>	Indický šafrán (Czech) <i>Curcuma longa</i>	Indonesisk Kanel (Dan.) <i>Cinnamomum burmannii</i>	Inji (Tamil) <i>Zingiber officinale</i>
Hvitsennep (Norw.) <i>Sinapis alba</i>	Ili (Georg.) <i>Elettaria cardamomum</i>	Indijska datula (Croat.) <i>Tamarindus indica</i>	Indonesisk Laurbærblad (Dan.) <i>Eugenia polyantha</i>	Inkivääri (Finn.) <i>Zingiber officinale</i>
Hvítur pipar (Icel.) <i>Piper nigrum</i>	Ilicio (Esperanto) <i>Illicium verum</i>	Indijska tamarinda (Sloven.) <i>Tamarindus indica</i>	Indonéz babér (Hung.) <i>Eugenia polyantha</i>	Inondo (Japan.) <i>Anethum graveolens</i>
Hydropeperi (Old Greek) <i>Perisaria hydropiper</i>	Illatfa (Hung.) <i>Laurus nobilis</i>	Indijska urma (Croat.,Serb.) <i>Tamarindus indica</i>	Indonéz fahéj (Hung.) <i>Cinnamomum burmannii</i>	Inondu (Korean) <i>Anethum graveolens</i>
Hysope (French) <i>Hyssopus officinalis</i>	Iloet (Lao) <i>Piper sarmentosum</i>	Indijskij finik (Russ.) <i>Tamarindus indica</i>	Indonezija cinamomo (Esperanto) <i>Cinnamomum burmannii</i>	Insalata (Malt.) <i>Eruca sativa</i>
Hysoppe (French) <i>Hyssopus officinalis</i>	Iltzea (Basque) <i>Syzygium aromaticum</i>	Indijskij tmin (Russ.) <i>Cuminum cyminum</i>	Indoneziska kanela (Bulg.) <i>Cinnamomum burmannii</i>	Insilal (Amhar.) <i>Anethum graveolens</i>
Hysopum (Lat.) <i>Hyssopus officinalis</i>	Iltze-kanela (Basque) <i>Syzygium aromaticum</i>	Indijski šafran (Croat.) <i>Curcuma longa</i>	Indonezijskij lavrovj list (Russ.) <i>Eugenia polyantha</i>	Intir-intir (Indones.) <i>Zanthoxylum acanthopodium</i>
Hyssop (Dutch,Engl.) <i>Hyssopus officinalis</i>	Imber (Yidd.) <i>Zingiber officinale</i>	Indijsko orekhche (Bulg.) <i>Myristica fragrans</i>	Indonezisk muskat (Basque) <i>Myristica fragrans</i>	Intxaur muskatu (Basque) <i>Myristica fragrans</i>
Hyssopos (Old Greek) <i>Hyssopus officinalis</i>	Imbieras (Lith.) <i>Zingiber officinale</i>	Indinis cinamonas (Lith.) <i>Cinnamomum tamala</i>	Iphyon (Old Greek) <i>Lavandula angustifolia</i>	Ipu (Dutch) <i>Hyssopus officinalis</i>
Hyzop lekarski (Pol.) <i>Hyssopus officinalis</i>	Imbieras, kiniškas (Lith.) <i>Boesenbergia pandurata</i>	Indinis mangas (Lith.) <i>Mangifera indica</i>	Ipiru (Basque) <i>Juniperus communis</i>	Iradimadhuram (Malayalam) <i>Glycyrrhiza glabra</i>
Iadlovec (Belar.) <i>Juniperus communis</i>	Imbierpipiri, rojinis (Lith.) <i>Aframomum melegueta</i>	Indinis sezamas (Lith.) <i>Sesamum indicum</i>	Ird (Amhar.) <i>Curcuma longa</i>	Irit bazal (Hebr.) <i>Allium schoenoprasum</i>
Iaponski khren (Belar.) <i>Wasabia japonica</i>	Imbierutis, kvapusis (Lith.) <i>Kaempferia galanga</i>	Indinis tamarindas (Lith.) <i>Tamarindus indica</i>		
Iavanski perac (Belar.) <i>Piper cubeba</i>	Imbir (Belar.,Pol.,Uzbek) <i>Zingiber officinale</i>			
Iban (Amhar.) <i>Mentha piperita</i>	Imbir' (Russ.) <i>Zingiber officinale</i>			

Ironwood, lemon (Engl.) <i>Backhousia citriodora</i>	Izmă bună (Roman.) <i>Mentha piperita</i>	Jamaica peper (Dutch) <i>Pimenta dioica</i>	Japanski biber (Serb.) <i>Zanthoxylum piperitum</i>	Javanthri (Hindi) <i>Myristica fragrans</i>
Irqu as-sus (Arab.) <i>Glycyrrhiza glabra</i>	İzmir kekığı (Turk.) <i>Origanum vulgare</i>	Jamaica pepper (Engl.) <i>Pimenta dioica</i>	Japansk Peberrod (Dan.) <i>Wasabia japonica</i>	Javatri (Punjabi) <i>Myristica fragrans</i>
Irulli (Kannada,Tamil) <i>Allium cepa</i>	Izop (Serb.,Sloven.) <i>Hyssopus officinalis</i>	Jamaicapfeffer (Germ.) <i>Pimenta dioica</i>	Japansk pepparrot (Swed.) <i>Wasabia japonica</i>	Javind (Kashm.) <i>Trachyspermum copticum</i>
Irut (Thai) <i>Ruta graveolens</i>	Izops, ärstniecības (Latv.) <i>Hyssopus officinalis</i>	Jamaika biberi (Turk.) <i>Pimenta dioica</i>	Japán torma (Hung.) <i>Wasabia japonica</i>	Javitri (Hindi,Urdu) <i>Myristica fragrans</i>
İrziyan (Turk.) <i>Foeniculum vulgare</i>	Izpiliku (Basque) <i>Lavandula angustifolia</i>	Jamaikai szegfűbors (Hung.) <i>Pimenta dioica</i>	Japatre (Kannada) <i>Myristica fragrans</i>	Javzi (Georg.) <i>Myristica fragrans</i>
Ishgen sharilzh (Mong.) <i>Artemisia dracunculus</i>	Izsóp (Hung.) <i>Hyssopus officinalis</i>	Jamaikako piperbeltz (Basque) <i>Pimenta dioica</i>	Japatri (Telugu) <i>Myristica fragrans</i>	Jawa cassia (Engl.) <i>Cinnamomum burmannii</i>
Isiot (Sloven.) <i>Curcuma zedoaria</i>	Jaafari (Farsi) <i>Petroselinum crispum</i>	Jamaikas pipari (Latv.) <i>Pimenta dioica</i>	Japhar (Maith.) <i>Myristica fragrans</i>	Jawain (Gujrati) <i>Trachyspermum copticum</i>
Isiot (Bulg.,Serb.) <i>Zingiber officinale</i>	Jaavankaneli (Finn.) <i>Cinnamomum burmannii</i>	Jamain (Maith.) <i>Trachyspermum copticum</i>	Japhran (Bengali) <i>Crocus sativus</i>	Jawanikkei (Japan.) <i>Cinnamomum burmannii</i>
Isiot, bijeli (Croat.) <i>Curcuma zedoaria</i>	Jaba huchu (Korean) <i>Piper cubeba</i>	Jamajský pepř (Czech) <i>Pimenta dioica</i>	Japoninis pipirkrienis (Lith.) <i>Wasabia japonica</i>	Jawanischer Pfeffer (Germ.) <i>Piper cubeba</i>
Isop (Bulg.,Dan.,Gael.,Norw.,Roman.,Swed.) <i>Hyssopus officinalis</i>	Jaborandi pepper (Engl.) <i>Piper longum</i>	Jambala (Urdu) <i>Pandanus odoratissimus</i>	Japoniškas pipirai (Lith.) <i>Zanthoxylum piperitum</i>	Jawa peppercorn (Engl.) <i>Piper cubeba</i>
Isopas, vaistinis (Lith.) <i>Hyssopus officinalis</i>	Jaborandi-Pfeffer (Germ.) <i>Piper longum</i>	Jambira-phalam (Malayalam) <i>Citrus limon</i>	Japonský chren (Slovak) <i>Wasabia japonica</i>	Jawqazm (Kazakh) <i>Crocus sativus</i>
Ísópur (Icel.) <i>Hyssopus officinalis</i>	Jadwar (Urdu) <i>Curcuma zedoaria</i>	Jambú (Port.) <i>Spilanthes acmella</i>	Japonský pepř (Czech) <i>Zanthoxylum piperitum</i>	Jawz as-Sirk (Arab.) <i>Aframomum melegueta</i>
Isop zwichajnyj (Ukr.) <i>Hyssopus officinalis</i>	Jae (Indones.) <i>Zingiber officinale</i>	Jambu (Span.) <i>Spilanthes acmella</i>	Japonský zelený křen (Czech) <i>Wasabia japonica</i>	Jayatri (Bengali,Oriya) <i>Myristica fragrans</i>
Isovesikrassi (Finn.) <i>Nasturtium officinale</i>	Jafaran (Assam.,Bengali) <i>Crocus sativus</i>	Jambú do rio (Port.) <i>Spilanthes acmella</i>	Jarak belanda (Malay) <i>Bixa orellana</i>	Jayfal (Manipuri) <i>Myristica fragrans</i>
Ispt (Turk.) <i>Borago officinalis</i>	Jafari (Tajik) <i>Petroselinum crispum</i>	Jambul (Urdu) <i>Pandanus odoratissimus</i>	Jaram (Ao Naga) <i>Punica granatum</i>	Jayikayi (Tulu) <i>Myristica fragrans</i>
Issop (Russ.) <i>Hyssopus officinalis</i>	Jagody jałowca (Pol.) <i>Juniperus communis</i>	Jamda (Swahili) <i>Cuminum cyminum</i>	Jaramago (Span.) <i>Eruca sativa</i>	Jayipatre (Tulu) <i>Myristica fragrans</i>
Issopo (Ital.) <i>Hyssopus officinalis</i>	Jahé (Indones.) <i>Zingiber officinale</i>	Jamveel (Farsi) <i>Zingiber officinale</i>	Jarjeer (Arab.) <i>Eruca sativa</i>	Jaypatri (Gujrati,Maith.,Marathi) <i>Myristica fragrans</i>
Issopos (Greek) <i>Hyssopus officinalis</i>	Jahi (Malay) <i>Zingiber officinale</i>	Jamyrdah (Khasi) <i>Houttuynia cordata</i>	Jarjir (Arab.) <i>Eruca sativa</i>	Jayphal (Bengali,Marathi) <i>Myristica fragrans</i>
Īstais kardamons (Latv.) <i>Elettaria cardamomum</i>	Jaidana (Newari) <i>Myristica fragrans</i>	Janebre (Prov.) <i>Juniperus communis</i>	Jarumthi (Lotha Naga) <i>Aframomum subulatum</i>	Jebir (Kazakh) <i>Satureja hortensis</i>
Istami (Nepali) <i>Glycyrrhiza glabra</i>	Jaifal (Newari) <i>Myristica fragrans</i>	Janež (Sloven.) <i>Pimpinella anisum</i>	Järvelemb (Eston.) <i>Limnophila aromatica</i>	Jebir (Kazakh) <i>Thymus vulgaris</i>
Istenfa (Hung.) <i>Artemisia abrotanum</i>	Jaikoso (Japan.) <i>Thymus vulgaris</i>	Janež, zvezdasti (Sloven.) <i>Illium verum</i>	Jat-gbowie (Ga-Dangme,Twi) <i>Piper clusii</i>	Jebiršöb (Kazakh) <i>Satureja hortensis</i>
Istenfű (Hung.) <i>Artemisia abrotanum</i>	Jaiphal (Hindi,Nepali,Punjabi,Urdu) <i>Myristica fragrans</i>	Jangli jvano (Nepali) <i>Apium graveolens</i>	Jathi (Malayalam) <i>Myristica fragrans</i>	Jebiršöp (Kazakh) <i>Thymus vulgaris</i>
İstiot (Azeri) <i>Capsicum annum</i>	Jaiphala (Oriya) <i>Myristica fragrans</i>	Janglituli (Urdu) <i>Artemisia absinthium</i>	Jathikka (Malayalam) <i>Myristica fragrans</i>	Jedrea (Span.) <i>Satureja hortensis</i>
İstiot (Azeri) <i>Piper nigrum</i>	Jaiphol (Assam.,Khasi) <i>Myristica fragrans</i>	Jangmi (Korean) <i>Rosa damascena</i>	Jathikkayu (Malayalam) <i>Myristica fragrans</i>	Jeera (Dogri,Hindi) <i>Cuminum cyminum</i>
İstiot nanəsi (Azeri) <i>Mentha piperita</i>	Jaitun (Nepali,Punjabi,Telugu) <i>Olea europaea</i>	Janjapili (Georg.) <i>Zingiber officinale</i>	Jathikosham (Malayalam) <i>Myristica fragrans</i>	Jeera, kali (Hindi) <i>Bunium persicum</i>
Istivi (Newari) <i>Glycyrrhiza glabra</i>	Jajikaya (Telugu) <i>Myristica fragrans</i>	Japana kreno (Esperanto) <i>Wasabia japonica</i>	Jathipatri (Malayalam) <i>Myristica fragrans</i>	Jeera, kashmiri (Hindi) <i>Bunium persicum</i>
Itala kukurbo (Esperanto) <i>Cucurbita pepo</i>	Jajipatra (Kannada) <i>Myristica fragrans</i>	Japánbors (Hung.) <i>Zanthoxylum piperitum</i>	Jatikkai (Tamil) <i>Myristica fragrans</i>	Jeera, safaid (Dogri,Hindi) <i>Cuminum cyminum</i>
Italianischer koper (Yidd.) <i>Foeniculum vulgare</i>	Jakayi (Kannada) <i>Myristica fragrans</i>	Japanese horseradish (Engl.) <i>Wasabia japonica</i>	Jatipatri (Tamil) <i>Myristica fragrans</i>	Jeera, shia (Hindi) <i>Carum carvi</i>
Italliamokhong (Korean) <i>Vitex agnus-castus</i>	Jakayi patri (Kannada) <i>Myristica fragrans</i>	Japanese pepper (Engl.) <i>Zanthoxylum piperitum</i>	Jatipatra (Sanskrit) <i>Myristica fragrans</i>	Jeera, vilayati (Hindi) <i>Carum carvi</i>
Italliamokhyeong (Korean) <i>Vitex agnus-castus</i>	Jalbiz (Kazakh) <i>Mentha piperita</i>	Japanese prickly ash (Engl.) <i>Zanthoxylum piperitum</i>	Jatiphala (Kannada,Sanskrit) <i>Myristica fragrans</i>	Jeeragam (Malayalam) <i>Cuminum cyminum</i>
Itanayila (Malayalam) <i>Cinnamomum tamala</i>	Jalbiz (Kazakh) <i>Salvia officinalis</i>	Japaninpiparjuuri (Finn.) <i>Wasabia japonica</i>	Jatippu (Tamil) <i>Myristica fragrans</i>	Jeit (Copt.) <i>Olea europaea</i>
Itarianinjın-boku (Japan.) <i>Vitex agnus-castus</i>	Jalík (Garo) <i>Capsicum frutescens</i>	Japanischer Kren (Germ.) <i>Wasabia japonica</i>	Jau jih sou (Canton.) <i>Perilla frutescens</i>	Jelkök (Kazakh) <i>Armoracia rusticana</i>
İt burnu (Turk.) <i>Rosa canina</i>	Jalovčinky (Czech) <i>Juniperus communis</i>	Japanischer Meerrettich (Germ.) <i>Wasabia japonica</i>	Java biberi (Turk.) <i>Piper cubeba</i>	Jeneverbes (Dutch) <i>Juniperus communis</i>
Itrifil (Turk.) <i>Aframomum melegueta</i>	Jalovec (Czech) <i>Juniperus communis</i>	Japanischer Pfeffer (Germ.) <i>Zanthoxylum piperitum</i>	Jávai bors (Hung.) <i>Piper cubeba</i>	Jenevreg-boutin (Bret.) <i>Juniperus communis</i>
Itrifil-i sagir (Turk.) <i>Aframomum melegueta</i>	Jalovec obecný (Czech) <i>Juniperus communis</i>	Japane mierikswortel (Dutch) <i>Wasabia japonica</i>	Jávai kasszia (Hung.) <i>Cinnamomum burmannii</i>	Jengibre (Basque,Span.) <i>Zingiber officinale</i>
Iuniparium (Lat.) <i>Juniperus communis</i>	Jałowiec (Pol.) <i>Juniperus communis</i>		Jávai kurkuma (Hung.) <i>Curcuma xanthorrhiza</i>	Jenjebel (Tigr.) <i>Zingiber officinale</i>
Iuniperum (Lat.) <i>Juniperus communis</i>	Jaluk (Assam.) <i>Piper nigrum</i>		Javano (Nepali) <i>Trachyspermum copticum</i>	Jenofi (Bret.) <i>Syzygium aromaticum</i>

Jeonghyang (Korean) <i>Syzygium aromaticum</i>	Jilakara (Telugu) <i>Cuminum cyminum</i>	Jitaptugh (Armen.) <i>Olea europaea</i>	Jungfer-im-Grünen (Germ.) <i>Nigella damascena</i>	Kabbaabu (Dhivehi) <i>Piper cubeba</i>
Jeonghyang-namu (Korean) <i>Syzygium aromaticum</i>	Jilakarra (Telugu) <i>Cuminum cyminum</i>	Jitani (Armen.) <i>Olea europaea</i>	Junipa (Japan.) <i>Juniperus communis</i>	Kabbad (Arab.) <i>Citrus medica</i>
Jernurt (Dan.) <i>Lippia citriodora</i>	Ji mah (Canton.) <i>Sesamum indicum</i>	Jit yih gan (Canton.) <i>Houttuynia cordata</i>	Junipeo (Korean) <i>Juniperus communis</i>	Kabra (Bengali,Hindi) <i>Capparis spinosa</i>
Jeruk (Indones.,Malay) <i>Citrus sinensis</i>	Jimla (Newari) <i>Cuminum cyminum</i>	Jiu cai (Mand.) <i>Allium schoenoprasum</i>	Juniper (Engl.) <i>Juniperus communis</i>	Kabsh qaranful (Arab.) <i>Syzygium aromaticum</i>
Jeruk (Indones.) <i>Citrus limon</i>	Jin chou kou (Mand.) <i>Spilanthes acmella</i>	Jiu ceng ta (Mand.) <i>Ocimum basilicum</i>	Juniperbero (Esperanto) <i>Juniperus communis</i>	Kabsh qarunfil (Arab.) <i>Syzygium aromaticum</i>
Jeruk asem (Malay) <i>Citrus medica</i>	Jing jie qi (Mand.) <i>Ruta graveolens</i>	Jiyek jalbiz (Kazakh) <i>Mentha piperita</i>	Junipero (Port.,Span.) <i>Juniperus communis</i>	Kabuji (Chakma) <i>Citrus aurantifolia</i>
Jeruk bodong (Indones.) <i>Citrus medica</i>	Jing lim Sheng ji mei (Mand.) <i>Vitex agnus-castus</i>	Jofi (Copt.) <i>Trigonella foenum-graecum</i>	Junipero (Dan.) <i>Juniperus communis</i>	Kabusinenn (Bret.) <i>Tropaeolum majus</i>
Jeruk manis (Indones.,Malay) <i>Citrus sinensis</i>	Jinja (Japan.) <i>Zingiber officinale</i>	Joipol (Garo) <i>Myristica fragrans</i>	Junipo (Port.) <i>Juniperus communis</i>	Kaccholam (Malayalam) <i>Kaempferia galanga</i>
Jeruk nipis (Indones.) <i>Citrus limon</i>	Jinjebr (Bret.) <i>Zingiber officinale</i>	Joit (Copt.) <i>Olea europaea</i>	Juodasis bastutis (Lith.) <i>Brassica nigra</i>	Kacchuramu (Telugu) <i>Alpinia galanga</i>
Jeruk nipis (Indones.) <i>Citrus aurantifolia</i>	Jinjeo (Korean) <i>Zingiber officinale</i>	Jojo dare (Santali) <i>Tamarindus indica</i>	Juodasis kardamonas (Lith.) <i>Amomum subulatum</i>	Ka chai (Thai) <i>Boesenbergia pandurata</i>
Jeruk sekade (Indones., Malay) <i>Citrus medica</i>	Jin jiao (Mand.) <i>Zanthoxylum nitidum</i>	Jolokiya (Assam.) <i>Capsicum frutescens</i>	Juodgrūdė (Lith.) <i>Nigella sativa</i>	Ka-chay (Khmer) <i>Allium schoenoprasum</i>
Jerusalem parsley (Engl.) <i>Chenopodium ambrosioides</i>	Jin lian hua (Mand.) <i>Tropaeolum majus</i>	Jolpai (Bengali) <i>Olea europaea</i>	Juodieji pipirai (Lith.) <i>Piper nigrum</i>	Kachora (Kannada) <i>Curcuma zedoaria</i>
Jestamadha (Marathi) <i>Glycyrrhiza glabra</i>	Jin niu gong (Mand.) <i>Zanthoxylum nitidum</i>	Jombir (Assam.) <i>Citrus aurantifolia</i>	Juodieji pipirai (Lith.) <i>Xylopiya aethiopica</i>	Kachra (Hindi) <i>Capparis spinosa</i>
Jesuitentee (Germ.) <i>Chenopodium ambrosioides</i>	Jintan (Indones.) <i>Cuminum cyminum</i>	Joni guti (Assam.) <i>Trachyspermum copticum</i>	Juodoji zira (Lith.) <i>Bunium persicum</i>	Kachur (Hindi,Newari) <i>Curcuma zedoaria</i>
Jethimadh (Gujrati,Hindi) <i>Glycyrrhiza glabra</i>	Jintan (Indones.) <i>Trachyspermum copticum</i>	Jooz al-hind (Arab.) <i>Cocos nucifera</i>	Juodosios garstyčios (Lith.) <i>Brassica nigra</i>	Kachuram (Malayalam) <i>Curcuma zedoaria</i>
Jethimadhu (Nepali) <i>Glycyrrhiza glabra</i>	Jintan hitam (Indones., Malay) <i>Nigella sativa</i>	Josat al-Tib (Arab.) <i>Myristica fragrans</i>	Juodavaik (Eston.) <i>Ferula assa-foetida</i>	Kadagys, paprastasis (Lith.) <i>Juniperus communis</i>
Jeung (Chines.) <i>Zingiber officinale</i>	Jintan manis (Malay) <i>Foeniculum vulgare</i>	Joseph (Germ.) <i>Hyssopus officinalis</i>	Juustokumina (Finn.) <i>Cuminum cyminum</i>	Kadakamarjad (Eston.) <i>Juniperus communis</i>
Jeven (Kashm.) <i>Trachyspermum copticum</i>	Jintan puteh (Malay) <i>Cuminum cyminum</i>	Jotang (Indones.) <i>Spilanthes acmella</i>	Juustuköömen (Eston.) <i>Cuminum cyminum</i>	Kadakas, harilik (Eston.) <i>Juniperus communis</i>
Jhamsi (Newari) <i>Citrus limon</i> var. <i>jambhiri</i>	Jinten manis (Indones.) <i>Foeniculum vulgare</i>	Jou kuei (Mand.) <i>Cinnamomum zeylanicum</i>	Juvert (Prov.) <i>Petroselinum crispum</i>	Kadamom (Korean) <i>Elettaria cardamomum</i>
Jhanjhafili (Georg.) <i>Zingiber officinale</i>	Jinten manis (Indones.) <i>Pimpinella anisum</i>	Jouver (Prov.) <i>Petroselinum crispum</i>	Juyaku (Japan.) <i>Houttuynia cordata</i>	Kadavoma (Kannada) <i>Chenopodium ambrosioides</i>
Jhri Kotem (Armen.) <i>Lepidium sativum</i>	Jinten putih (Malay) <i>Cuminum cyminum</i>	Jouza al-Teeb (Arab.) <i>Myristica fragrans</i>	Jvano (Nepali) <i>Trachyspermum copticum</i>	Kadhilimb (Marathi) <i>Murraya koenigii</i>
Ji (Newari) <i>Cuminum cyminum</i>	Jiphvang (Newari) <i>Myristica fragrans</i>	Jouz as-Sudan (Arab.) <i>Aframomum melegueta</i>	Jwa (Kazakh) <i>Allium cepa</i>	Kadik (Yidd.) <i>Juniperus communis</i>
Jia du xing cai (Mand.) <i>Lepidium sativum</i>	Jira (Assam.,Bengali,Bodo, Chakma,Dogri,Garo, Hindi,Hmar,Khasi, Manipuri,Nepali,Oriya, Punjabi,Santali,Swahili) <i>Cuminum cyminum</i>	Jouz hendi (Farsi) <i>Myristica fragrans</i>	Jyaba gypepi (Korean) <i>Cinnamomum burmannii</i>	Kadiķa ogas (Latv.) <i>Juniperus communis</i>
Jiang (Mand.) <i>Zingiber officinale</i>	Jira, kala (Dogri,Hindi) <i>Bunium persicum</i>	Jouz rishe (Farsi) <i>Alpinia galanga</i>	Jyunipeo (Korean) <i>Juniperus communis</i>	Kadiķis, zviedrijas (Latv.) <i>Juniperus communis</i>
Jiang huang (Mand.) <i>Curcuma longa</i>	Jira, kashmiri (Dogri,Hindi) <i>Bunium persicum</i>	Jowan (Bengali) <i>Trachyspermum copticum</i>	Ka-aen (Thai) <i>Boesenbergia pandurata</i>	Kadomom (Korean) <i>Elettaria cardamomum</i>
Jia rou gui (Mand.) <i>Cinnamomum burmannii</i>	Jira, shahi (Hindi) <i>Bunium persicum</i>	Joyan (Bengali) <i>Trachyspermum copticum</i>	Kaafooru tholhi (Dhivehi) <i>Elettaria cardamomum</i>	Kadrama (Alb.) <i>Nasturtium officinale</i>
Jia zhou hu jiao mu (Mand.) <i>Schinus terebinthifolius</i>	Jiragam (Tamil) <i>Cuminum cyminum</i>	Juani (Oriya) <i>Trachyspermum copticum</i>	Kaanphlu (Thai) <i>Syzygium aromaticum</i>	Kadu (Malayalam) <i>Brassica nigra</i>
Ji cai (Mand.) <i>Houttuynia cordata</i>	Jirakam (Malayalam) <i>Cuminum cyminum</i>	Jubi (Rongmei) <i>Cocos nucifera</i>	Kaashi (Dhivehi) <i>Cocos nucifera</i>	Kadu-ayamodagam (Malayalam) <i>Chenopodium ambrosioides</i>
Jie cai (Mand.) <i>Brassica nigra</i>	Jire (Marathi) <i>Cuminum cyminum</i>	Jufa (Sanskrit) <i>Hyssopus officinalis</i>	Kaasinjee (Dhivehi) <i>Cymbopogon citratus</i>	Kadugu (Tamil) <i>Brassica nigra</i>
Jiefo (Port.) <i>Piper guineense</i>	Jirige (Kannada,Tulu) <i>Cuminum cyminum</i>	Juffrouwmerk (Dutch) <i>Apium graveolens</i>	Kaatmurikku (Malayalam) <i>Zanthoxylum rhetsa</i>	Kaduku (Malayalam) <i>Brassica nigra</i>
Jih gwai (Canton.) <i>Cinnamomum cassia</i>	Jiru (Gujrati) <i>Cuminum cyminum</i>	Julienne, yellow (Engl.) <i>Sisymbrium officinale</i>	Kabaaba (Arab.) <i>Piper cubeba</i>	Kadulja (Croat.,Serb.,Sloven.) <i>Salvia officinalis</i>
Jih sou (Canton.) <i>Perilla frutescens</i>	Ji sou chou (Canton.) <i>Limnophila aromatica</i>	Julipe (Kannada) <i>Olea europaea</i>	Kababah (Arab.) <i>Piper cubeba</i>	Kadulja, ljekovita (Croat.) <i>Salvia officinalis</i>
Jiira (Sanskrit) <i>Cuminum cyminum</i>	Jitabdoogh (Armen.) <i>Olea europaea</i>	Julivert (Catalan) <i>Petroselinum crispum</i>	Kabab-chini (Bengali) <i>Pimenta dioica</i>	Kaerowe (Korean) <i>Carum carvi</i>
Jiira, krishna (Sanskrit) <i>Bunium persicum</i>		Juljulana (Arab.) <i>Sesamum indicum</i>	Kabab-chini (Hindi,Maith., Oriya,Urdu) <i>Piper cubeba</i>	Kaerowei (Korean) <i>Carum carvi</i>
Jiiraka (Sanskrit) <i>Cuminum cyminum</i>		Junça ordinária (Port.) <i>Alpinia galanga</i>	Kabab (Turk.) <i>Cucurbita pepo</i>	Kae-sancho (Korean) <i>Zanthoxylum planispinum</i>
Jiirana (Sanskrit) <i>Cuminum cyminum</i>		Junceamosterd (Dutch) <i>Brassica nigra</i>	Kabar (Arab.,Tajik,Urdu) <i>Capparis spinosa</i>	Kaeseo (Korean) <i>Cinnamomum cassia</i>
Jika (Newari) <i>Myristica fragrans</i>		Juncea-Senf (Germ.) <i>Brassica juncea</i>	Kabara (Punjabi) <i>Capparis spinosa</i>	

Kaeso (Korean) <i>Cinnamomum cassia</i>	Kajena pipro (Esperanto) <i>Capsicum frutescens</i>	Kalgan (Eston.,Russ.) <i>Alpinia galanga</i>	Kamelleon pullaentu (Korean) <i>Houttuynia cordata</i>	Kanell (Bret.,Icel.) <i>Cinnamomum zeylanicum</i>
Kaeyogwi (Korean) <i>Persicaria hydropiper</i>	Kajēnas pipari (Latv.) <i>Capsicum frutescens</i>	Kalganirohi (Eston.) <i>Alpinia galanga</i>	Kami-meboki (Japan.) <i>Ocimum basilicum</i>	Kanella (Alb.) <i>Cinnamomum zeylanicum</i>
Kaffercitrom (Hung.) <i>Citrus hystrix</i>	Kajeno pipirai (Lith.) <i>Capsicum frutescens</i>	Kalhurevi (Dhivehi) <i>Brassica nigra</i>	Kamla (Bodo) <i>Citrus sinensis</i>	Kanellē (Alb.) <i>Cinnamomum zeylanicum</i>
Kaffernlimette (Germ.) <i>Citrus hystrix</i>	Kajenská paprika (Slovak) <i>Capsicum frutescens</i>	Kaliandra, meksikanskaja (Belar.) <i>Eryngium foetidum</i>	Kammarkas (Marathi) <i>Salvia officinalis</i>	Kanelondo (Basque) <i>Cinnamomum zeylanicum</i>
Kaffir citrom és level (Hung.) <i>Citrus hystrix</i>	Kajenska paprika (Croat.) <i>Capsicum frutescens</i>	Kaliandra, vietnamskaja (Belar.) <i>Eryngium foetidum</i>	Kammon (Aram.) <i>Cuminum cyminum</i>	Kanfu (Fante) <i>Zanthoxylum xanthoxyloides</i>
Kaffir citrus (Czech) <i>Citrus hystrix</i>	Kajenskij perets (Russ.) <i>Capsicum frutescens</i>	Kali ilaichi (Hindi,Punjabi) <i>Amomum subulatum</i>	Kammun (Hebr.) <i>Cuminum cyminum</i>	Kangas-ajuruoho (Finn.) <i>Thymus serpyllum</i>
Kaffir laimilehed (Eston.) <i>Citrus hystrix</i>	Kajenski perac (Belar.) <i>Capsicum frutescens</i>	Kali marich (Punjabi) <i>Piper nigrum</i>	Kamoon (Hebr.) <i>Cuminum cyminum</i>	Kang-hwang (Korean) <i>Curcuma longa</i>
Kaffir lime (Dan.,Engl.) <i>Citrus hystrix</i>	Kajenski poper (Sloven.) <i>Capsicum frutescens</i>	Kali mirch (Dogri,Hindi,Punjabi,Urdu) <i>Piper nigrum</i>	Kamoun (Arab.) <i>Cuminum cyminum</i>	Kani pepper (Engl.) <i>Xylopia aethiopica</i>
Kaffirlimette (Germ.) <i>Citrus hystrix</i>	Kajyuchu (Korean) <i>Curcuma zedoaria</i>	Kalindzhi (Russ.) <i>Nigella sativa</i>	Kamoun halou (Arab.) <i>Pimpinella anisum</i>	Kanipeffer (Germ.) <i>Xylopia aethiopica</i>
Kaffir limoen (Dutch) <i>Citrus hystrix</i>	Kakaduru (Twi) <i>Zingiber officinale</i>	Kalinka (Maced.) <i>Punica granatum</i>	Kam saet (Thai) <i>Bixa orellana</i>	Kanitong (Ao Naga) <i>Papaver somniferum</i>
Kaffirzitrone (Germ.) <i>Citrus hystrix</i>	Kakaotshofa (Ga-Dangme) <i>Zingiber officinale</i>	Kalindra (Belar.) <i>Coriandrum sativum</i>	Kamte kai (Kannada) <i>Zanthoxylum rhetsa</i>	Kankol (Marathi) <i>Piper cubeba</i>
Kafir laim (Hebr.) <i>Citrus hystrix</i>	Kakhresii (Mao) <i>Tamarindus indica</i>	Kaljira (Assam.) <i>Nigella sativa</i>	Kam thai (Thai) <i>Bixa orellana</i>	Kankola (Kannada) <i>Pimenta dioica</i>
Kafirlime (Swed.) <i>Citrus hystrix</i>	Kakine-garashi (Japan.) <i>Sisymbrium officinale</i>	Kalkán (Czech) <i>Alpinia galanga</i>	Kamukus (Indones.) <i>Piper cubeba</i>	Kankrasing (Hindi) <i>Rhus coriaria</i>
Kaf marim (Arab.) <i>Vitex agnus-castus</i>	Kakji (Garo) <i>Citrus aurantifolia</i>	Kallengal (Korean) <i>Alpinia galanga</i>	Kamun (Arab.,Hebr.) <i>Cuminum cyminum</i>	Kannella (Malt.) <i>Cinnamomum zeylanicum</i>
Kafoi (Manipuri) <i>Punica granatum</i>	Kakji (Garo) <i>Citrus limon</i>	Källfräne (Swed.) <i>Nasturtium officinale</i>	Kamun al-maluki (Arab.) <i>Trachyspermum coticum</i>	Kanop (Copt.) <i>Ruta graveolens</i>
Kafrskij lajm (Russ.) <i>Citrus hystrix</i>	Kakola (Tibet.) <i>Amomum subulatum</i>	Kallik (Korean) <i>Allium sativum</i>	Kamun aswad (Arab.) <i>Nigella sativa</i>	Kan phou (Lao) <i>Syzygium aromaticum</i>
Kaferes piperies (Greek) <i>Capsicum frutescens</i>	Kakos (Belar.) <i>Cocos nucifera</i>	Kalninis dašis (Lith.) <i>Satureja montana</i>	Kamya (Oriya) <i>Tamarindus indica</i>	Kan plu (Thai) <i>Syzygium aromaticum</i>
Kafuriye (Turk.) <i>Artemisia abrotanum</i>	Kakoules (Greek) <i>Elettaria cardamomum</i>	Kaloa (Dagbani) <i>Zanthoxylum xanthoxyloides</i>	Kana (Sanskrit) <i>Piper longum</i>	Kansh (Nepali) <i>Cymbopogon citratus</i>
Kagadilimbu (Marathi) <i>Citrus aurantifolia</i>	Kakukkfü (Hung.) <i>Thymus vulgaris</i>	Kalo Jira (Nepali) <i>Bunium persicum</i>	Kancha lanka (Oriya) <i>Capsicum frutescens</i>	Kanthari (Malayalam) <i>Capsicum frutescens</i>
Kagati (Newari) <i>Citrus aurantifolia</i>	Kakul (Aram.) <i>Elettaria cardamomum</i>	Kalo jira (Bengali) <i>Nigella sativa</i>	Kancha-lanka (Bengali) <i>Capsicum frutescens</i>	Kan tsau (Mand.) <i>Glycyrrhiza uralensis</i>
Kagati (Nepali) <i>Citrus limon</i>	Kakule meyvesi (Turk.) <i>Elettaria cardamomum</i>	Kalo Marich (Bengali) <i>Piper nigrum</i>	Kancha-morich (Bengali) <i>Capsicum frutescens</i>	Kanumfari (Hausa) <i>Syzygium aromaticum</i>
Kagji lebu (Bengali) <i>Citrus aurantifolia</i>	Kakutupala (Sinh.) <i>Tropaeolum majus</i>	Kalomirich (Gujrati) <i>Piper nigrum</i>	Kanda (Marathi) <i>Allium cepa</i>	Kanzo (Japan.) <i>Glycyrrhiza uralensis</i>
Kaha (Sinh.) <i>Curcuma longa</i>	Kala (Pashto) <i>Syzygium aromaticum</i>	Kalo sorse (Bengali) <i>Brassica nigra</i>	Kandandipili (Tamil) <i>Piper longum</i>	Kaol-garv (Bret.) <i>Borago officinalis</i>
Kaha mal (Sinh.) <i>Crocus sativus</i>	Kalajira (Chakma,Oriya) <i>Nigella sativa</i>	Kalounji (Hindi) <i>Nigella sativa</i>	Kaneel (Dutch,Eston.) <i>Cinnamomum zeylanicum</i>	Kaotong (Thai) <i>Houttuynia cordata</i>
Kahn choi (Canton.) <i>Apium graveolens</i>	Kalajira (Oriya) <i>Bunium persicum</i>	Kalu dhiri (Dhivehi) <i>Nigella sativa</i>	Kanel (Dan.,Norw.,Swed.) <i>Cinnamomum zeylanicum</i>	Kapara (Czech,Serb.) <i>Capparis spinosa</i>
Kahvrilaim (Eston.) <i>Citrus hystrix</i>	Kala jira (Dogri,Hindi,Punjabi) <i>Bunium persicum</i>	Kaluduru (Sinh.) <i>Nigella sativa</i>	Kanel, indonesisk (Dan.) <i>Cinnamomum burmannii</i>	Kapara trnitá (Czech) <i>Capparis spinosa</i>
Kahvrilaimipuu (Eston.) <i>Citrus hystrix</i>	Kalajirige (Tulu) <i>Nigella sativa</i>	Kama (Georg.) <i>Foeniculum vulgare</i>	Kanel, kinesisk (Dan.) <i>Cinnamomum cassia</i>	Kaparcax (Armen.) <i>Capparis spinosa</i>
Kai (Hmong) <i>Zingiber officinale</i>	Kalam (Bulg.) <i>Hyssopus officinalis</i>	Kama i anguza (Pashto) <i>Ferula assa-foetida</i>	Kanel, Vietnamesisk (Dan.) <i>Cinnamomum loureiroi</i>	Kapar ciernisty (Pol.) <i>Capparis spinosa</i>
Kai Blong (Hmong) <i>Amomum kervanh</i>	Kalamansi (Tagalog) <i>Citrofortunella mitis</i>	Kamala (Chakma,Oriya) <i>Citrus sinensis</i>	Kanela (Basque,Bulg.,Greek,Tagalog) <i>Cinnamomum zeylanicum</i>	Kapari (Croat.,Turk.) <i>Capparis spinosa</i>
Kaiena (Basque) <i>Capsicum frutescens</i>	Kalamarich (Oriya) <i>Piper nigrum</i>	Kamanchi kasu (Telugu) <i>Cymbopogon citratus</i>	Kanela, Indonezijska (Bulg.) <i>Cinnamomum burmannii</i>	Kapary (Pol.,Slovak) <i>Capparis spinosa</i>
Kaien gochu (Korean) <i>Capsicum frutescens</i>	Kala mire (Marathi) <i>Piper nigrum</i>	Kambari (Kannada) <i>Coriandrum sativum</i>	Kanela, Tsejlonska (Bulg.) <i>Cinnamomum zeylanicum</i>	Kaper (Germ.,Yidd.) <i>Capparis spinosa</i>
Kaienpeppa (Japan.) <i>Capsicum frutescens</i>	Kalamondiinipuu (Eston.) <i>Citrofortunella mitis</i>	Kamchat nuai (Thai) <i>Zanthoxylum nitidum</i>	Kanela, Vietnamska (Bulg.) <i>Cinnamomum loureiroi</i>	Kapers (Dan.,Icel.,Norw.) <i>Capparis spinosa</i>
Kairapalmu (Finn.) <i>Pandanus amaryllifolius</i>	Kalampir (Kazakh) <i>Syzygium aromaticum</i>	Kam chat ton (Thai) <i>Zanthoxylum limonella</i>	Kanela Keýlanes (Greek) <i>Cinnamomum zeylanicum</i>	Kapers, dzeloḡainais (Latv.) <i>Capparis spinosa</i>
Kairapalmu (Finn.) <i>Pandanus odoratissimus</i>	Kalanka (Oriya) <i>Alpinia galanga</i>	Kam chat (Korean) <i>Glycyrrhiza glabra</i>	Kaneli (Finn.) <i>Cinnamomum zeylanicum</i>	Kapersai (Lith.) <i>Capparis spinosa</i>
Kaitana (Tagalog) <i>Zanthoxylum rhetsa</i>	Kalaunji (Punjabi) <i>Nigella sativa</i>	Kameleontblad (Swed.) <i>Houttuynia cordata</i>	Kanelilaakeri (Finn.) <i>Cinnamomum tamala</i>	Kapersi (Bulg.) <i>Capparis spinosa</i>
Kaitha (Malayalam) <i>Pandanus odoratissimus</i>	Kalazira (Urdu) <i>Bunium persicum</i>		Kanēlis (Latv.) <i>Cinnamomum zeylanicum</i>	Kapersy (Belar.,Russ.) <i>Capparis spinosa</i>
Kajena-biber (Serb.) <i>Capsicum frutescens</i>	Kale (Ewe) <i>Piper clusii</i>			

Kapertsi travyanisti (Ukr.) <i>Capparis spinosa</i>	Kaputsin-kress (Russ.) <i>Tropaeolum majus</i>	Kardamom, Gewürz- (Germ.) <i>Elettaria cardamomum</i>	Karia (Copt.) <i>Prunus dulcis</i>	Karrilehed (Eston.) <i>Murraya koenigii</i>
Kaphao (Thai) <i>Ocimum tenuiflorum</i>	Kaputsyn (Ukr.) <i>Tropaeolum majus</i>	Kardamom, grüner (Germ.) <i>Elettaria cardamomum</i>	Karia (Punjabi) <i>Capparis spinosa</i>	Karri list'ya (Russ.) <i>Murraya koenigii</i>
Kaphau* (Lao) <i>Ocimum basilicum</i>	Kapuzinerkresse (Germ.) <i>Tropaeolum majus</i>	Kardamom, schwarzer (Germ.) <i>Amomum subulatum</i>	Kariapat (Urdu) <i>Murraya koenigii</i>	Karry blad (Dan.) <i>Murraya koenigii</i>
Kapor (Hung.) <i>Anethum graveolens</i>	Karabas (Turk.) <i>Thymus vulgaris</i>	Kardamom, zöld (Hung.) <i>Elettaria cardamomum</i>	Karibevu (Kannada) <i>Murraya koenigii</i>	Karse (Norw.) <i>Lepidium sativum</i>
Kaporna (Hung.) <i>Capparis spinosa</i>	Karabiber (Turk.) <i>Piper nigrum</i>	Kardamom-du (Bret.) <i>Amomum subulatum</i>	Karibevu soppu (Kannada) <i>Murraya koenigii</i>	Karsi (Icel.) <i>Lepidium sativum</i>
Kaporo (Esperanto) <i>Capparis spinosa</i>	Karabiber, yalanci (Turk.) <i>Schinus terebinthifolius</i>	Kardamomo (Esperanto) <i>Elettaria cardamomum</i>	Karida (Greek) <i>Cocos nucifera</i>	Kartam (Bret.) <i>Carthamus tinctorius</i>
Kappar (Eston.,Malt.) <i>Capparis spinosa</i>	Karabu nati (Sinh.) <i>Syzygium aromaticum</i>	Kardamomoa (Basque) <i>Elettaria cardamomum</i>	Kari jirige (Kannada) <i>Nigella sativa</i>	Kartamo, tinktura (Esperanto) <i>Carthamus tinctorius</i>
Kappari (Greek) <i>Capparis spinosa</i>	Kara çörek otu (Turk.) <i>Nigella sativa</i>	Kardamomon (Old Greek) <i>Elettaria cardamomum</i>	Karikku (Malayalam) <i>Cocos nucifera</i>	Karthäusertee (Germ.) <i>Chenopodium ambrosioides</i>
Kapparis (Old Greek) <i>Capparis spinosa</i>	Karafs (Arab.,Farsi,Pahlavi) <i>Apium graveolens</i>	Kardamomovnik šipový (Czech) <i>Amomum subulatum</i>	Karí list (Slovak) <i>Murraya koenigii</i>	Kartusis kietis (Lith.) <i>Artemisia absinthium</i>
Kappertjes (Dutch) <i>Capparis spinosa</i>	Karafuu (Swahili) <i>Syzygium aromaticum</i>	Kardamon (Bulg.,Croat.,Pol.,Russ.,Serb.,Sloven.,Uzbek) <i>Elettaria cardamomum</i>	Karí lístky (Czech) <i>Murraya koenigii</i>	Kartudamon (Japan.) <i>Elettaria cardamomum</i>
Kapra (Alb.) <i>Capparis spinosa</i>	Kara hardal (Turk.) <i>Brassica nigra</i>	Kardamon (Old Greek) <i>Lepidium sativum</i>	Kari Menasu (Kannada) <i>Piper nigrum</i>	Karulauk (Eston.) <i>Allium ursinum</i>
Kaprao (Thai) <i>Ocimum tenuiflorum</i>	Kara kekik (Turk.) <i>Satureja thymbra</i>	Kardamon (Slovak) <i>Elettaria cardamomum</i>	Karinjeeragam (Malayalam) <i>Nigella sativa</i>	Karunjiragam (Tamil) <i>Nigella sativa</i>
Kaprao-chang (Thai) <i>Ocimum gratissimum</i>	Karaket (Thai) <i>Pandanus odoratissimus</i>	Kardamon (Old Greek) <i>Lepidium sativum</i>	Karino (Gujrati) <i>Mangifera indica</i>	Karupillam (Malay) <i>Murraya koenigii</i>
Kaprez (Bret.) <i>Capparis spinosa</i>	Karaman kimyonu (Turk.) <i>Carum carvi</i>	Kardamon, guinejský (Slovak) <i>Aframomum melegueta</i>	Kariofila (Greek) <i>Syzygium aromaticum</i>	Karuppu (Malayalam) <i>Papaver somniferum</i>
Kaprezenn (Bret.) <i>Capparis spinosa</i>	Karambu (Tamil) <i>Syzygium aromaticum</i>	Kardamonas (Lith.) <i>Elettaria cardamomum</i>	Kariofilo (Esperanto) <i>Syzygium aromaticum</i>	Karuppu, milagu (Tamil) <i>Piper nigrum</i>
Kapri (Serb.) <i>Capparis spinosa</i>	Karamfil (Bulg.) <i>Syzygium aromaticum</i>	Kardamonas, juodasis (Lith.) <i>Amomum subulatum</i>	Karipat (Dogri,Hindi) <i>Murraya koenigii</i>	Karuppu elakka (Malayalam) <i>Amomum subulatum</i>
Kapribogyó (Hung.) <i>Capparis spinosa</i>	Karampoo (Malayalam) <i>Syzygium aromaticum</i>	Kardamonas, chyornyj (Russ.) <i>Amomum subulatum</i>	Karipata (Bengali,Manipuri,Punjabi) <i>Murraya koenigii</i>	Karuppu elakkai (Tamil) <i>Amomum subulatum</i>
Kaprica trnovita (Serb.) <i>Capparis spinosa</i>	Karanfil (Maced.,Turk.) <i>Syzygium aromaticum</i>	Kardamon malabarský (Slovak) <i>Elettaria cardamomum</i>	Karipatah (Urdu) <i>Murraya koenigii</i>	Karusköömen, löhnav (Eston.) <i>Trachyspermum copticum</i>
Kapris (Finn.,Swed.) <i>Capparis spinosa</i>	Karanfil baharati (Turk.) <i>Syzygium aromaticum</i>	Kardamon pravý (Slovak) <i>Elettaria cardamomum</i>	Karipatta (Punjabi) <i>Murraya koenigii</i>	Karutta elaka (Malayalam) <i>Amomum subulatum</i>
Kaprovec (Sloven.) <i>Capparis spinosa</i>	Karanfilić (Serb.) <i>Syzygium aromaticum</i>	Kardamons, ĭstais (Latv.) <i>Elettaria cardamomum</i>	Karis (Lith.) <i>Murraya koenigii</i>	Karutta Jirakam (Malayalam) <i>Nigella sativa</i>
Kapsasrohi, must (Eston.) <i>Brassica nigra</i>	Karanfoo (Dhivehi) <i>Syzygium aromaticum</i>	Kardemom (Dutch) <i>Elettaria cardamomum</i>	Karivepaku (Telugu) <i>Murraya koenigii</i>	Karutta kurumulagu (Malayalam) <i>Piper nigrum</i>
Kapsasrohi, sarepta (Eston.) <i>Brassica juncea</i>	Karapelin otu (Turk.) <i>Artemisia abrotanum</i>	Kardemomme (Dan.,Norw.) <i>Elettaria cardamomum</i>	Kariveppa (Malayalam) <i>Murraya koenigii</i>	Karuva (Malayalam,Tamil) <i>Cinnamomum zeylanicum</i>
Kapsiko, duonligneca (Esperanto) <i>Capsicum frutescens</i>	Karapincha (Sinh.) <i>Murraya koenigii</i>	Kardemomme, sort (Dan.) <i>Amomum subulatum</i>	Kariveppilai (Tamil) <i>Murraya koenigii</i>	Karuvapatta Ilai (Malayalam) <i>Cinnamomum tamala</i>
Kapsiko, unujara (Esperanto) <i>Capsicum annuum</i>	Karaway (Arab.) <i>Carum carvi</i>	Kardemon (Eston.,Yidd.) <i>Elettaria cardamomum</i>	Kariveppu (Malayalam) <i>Murraya koenigii</i>	Karuvappatta (Malayalam) <i>Cinnamomum zeylanicum</i>
Kapucínček (Sloven.) <i>Tropaeolum majus</i>	Karawiaa (Arab.) <i>Carum carvi</i>	Kardemon, must (Eston.) <i>Amomum subulatum</i>	Karkatakashringi (Kannada) <i>Rhus coriaria</i>	Karuvappatta (Malayalam) <i>Cinnamomum zeylanicum</i>
Kapucínella (Malt.) <i>Tropaeolum majus</i>	Karawiya (Arab.) <i>Carum carvi</i>	Kardemumma (Finn.,Swed.) <i>Elettaria cardamomum</i>	Karkhadagachingi (Tamil) <i>Rhus coriaria</i>	Karuvappilai (Tamil) <i>Murraya koenigii</i>
Kapuciner karse (Dan.) <i>Tropaeolum majus</i>	Karayam (Malayalam) <i>Syzygium aromaticum</i>	Kardimomma (Icel.) <i>Elettaria cardamomum</i>	Karkkararingi (Telugu) <i>Rhus coriaria</i>	Karvanh (Khmer) <i>Amomum krervanh</i>
Kapucinka (Sloven.) <i>Tropaeolum majus</i>	Karayampu (Malayalam) <i>Syzygium aromaticum</i>	Karepeku (Telugu) <i>Murraya koenigii</i>	Karmir Pghpegh (Armen.) <i>Capsicum annuum</i>	Karvasmanteli (Finn.) <i>Prunus dulcis</i>
Kapučinka (Serb.) <i>Tropaeolum majus</i>	Karayanpoo (Malayalam) <i>Syzygium aromaticum</i>	Karer (Hindi) <i>Capparis spinosa</i>	Karo (Copt.,Greek) <i>Carum carvi</i>	Karve (Norw.) <i>Carum carvi</i>
Kapucínka včesnia (Slovak) <i>Tropaeolum majus</i>	Karčiavaisis citrinmedis (Lith.) <i>Citrus sinensis</i> var. <i>amara</i>	Kare-rifu (Japan.) <i>Murraya koenigii</i>	Karon (Old Greek) <i>Carum carvi</i>	Kärveles, lapu (Latv.) <i>Anthriscus cerefolium</i>
Kapucinusvirág (Hung.) <i>Tropaeolum majus</i>	Kardai (Marathi) <i>Carthamus tinctorius</i>	Karfaf (Arab.) <i>Apium graveolens</i>	Karotz-naer (Bret.) <i>Carum carvi</i>	Karvi (Greek) <i>Carum carvi</i>
Kapula (Serb.) <i>Allium cepa</i>	Kardamo (Greek) <i>Elettaria cardamomum</i>	Kargazaneh (Farsi) <i>Persicaria hydropiper</i>	Karpass rehani (Hebr.) <i>Apium graveolens</i>	Karvio (Esperanto) <i>Carum carvi</i>
Kapulaga (Indones.) <i>Amomum kepulaga</i>	Kardamo (Greek) <i>Lepidium sativum</i>	Karhilimb (Marathi) <i>Murraya koenigii</i>	Karppooora-Thulsi (Malayalam) <i>Mentha piperita</i>	Karwa pale (Malay) <i>Murraya koenigii</i>
Kapulaga seberang (Indones.) <i>Elettaria cardamomum</i>	Kardamom (Bret.,Czech,Germ.,Maced.) <i>Elettaria cardamomum</i>	Karhunlaukka (Finn.) <i>Allium ursinum</i>	Karppurappul (Tamil) <i>Cymbopogon citratus</i>	Karwij (Dutch) <i>Carum carvi</i>
Kapurapati (Newari) <i>Ocimum kilimandscharicum</i>	Kardamom, brauner (Germ.) <i>Amomum subulatum</i>		Karpura Tulasi (Oriya) <i>Ocimum kilimandscharicum</i>	K'arya (Amhar.) <i>Capsicum annuum</i>
Kapusta czarna (Pol.) <i>Brassica nigra</i>	Kardamom, feketé (Hung.) <i>Amomum subulatum</i>		Karriblader (Norw.) <i>Murraya koenigii</i>	Karyca, indanezijskaja (Belar.) <i>Cinnamomum burmannii</i>

Karyca, vietnamskaja (Belar.) <i>Cinnamomum loureiroi</i>	Kassie (Dutch) <i>Cinnamomum cassia</i>	Kebere (Turk.) <i>Capparis spinosa</i>	Kembang lawang (Indones.) <i>Illicium verum</i>	Kerfes (Turk.) <i>Apium graveolens</i>
Karyca, zejlonskaja (Belar.) <i>Cinnamomum zeylanicum</i>	Kasszia (Hung.) <i>Cinnamomum cassia</i>	Kedar (Oriya) <i>Curcuma zedoaria</i>	Kembang pala (Malay) <i>Myristica fragrans</i>	Kerfill (Icel.) <i>Anthriscus cerefolium</i>
Karyda (Greek) <i>Cocos nucifera</i>	Kaštan bělavý (Czech) <i>Sassafras albidum</i>	Kedawak (Malay) <i>Piper retrofractum</i>	Kembang pekak (Indones.) <i>Illicium verum</i>	Kerkoom (Armen.) <i>Crocus sativus</i>
Karyofylla (Greek) <i>Syzygium aromaticum</i>	Kasuri methi (Urdu) <i>Trigonella foenum-graecum</i>	Kedia (Hebr.) <i>Cinnamomum cassia</i>	Kembang serawan (Indones.) <i>Zanthoxylum nitidum</i>	Kerkum (Armen.) <i>Crocus sativus</i>
Karytsa (Belar.) <i>Cinnamomum zeylanicum</i>	Kataja (Finn.) <i>Juniperus communis</i>	Kedige (Kannada) <i>Pandanus odoratissimus</i>	Këmbësorrë (Alb.) <i>Nasturtium officinale</i>	Kermangi (Indones.) <i>Ocimum basilicum</i>
Kas (Korean) <i>Brassica juncea</i>	Katajanmarja (Finn.) <i>Juniperus communis</i>	Kedris (Old Greek) <i>Juniperus communis</i>	Keménymag (Hung.) <i>Carum carvi</i>	Kerribladeren (Dutch) <i>Murraya koenigii</i>
Kasai (Lao) <i>Boesenbergia pandurata</i>	Katbadam (Bengali) <i>Prunus dulcis</i>	Kedromelon (Old Greek) <i>Citrus medica</i>	Kemlhey (Yidd.) <i>Cymbopogon citratus</i>	Kerti bazsalikom (Hung.) <i>Ocimum basilicum</i>
Kasakasa (Tamil) <i>Papaver somniferum</i>	Ka tepus (Malay) <i>Amomum krervanh</i>	Kefrios (Copt.) <i>Ruta graveolens</i>	Kemnon (Turk.) <i>Cuminum cyminum</i>	Kerti katicavirág (Hung.) <i>Nigella sativa</i>
Kasāthei (Tangkhu) <i>Capsicum frutescens</i>	Kathal (Hindi) <i>Myristica fragrans</i>	Kegad (Marathi) <i>Pandanus odoratissimus</i>	Kemukus (Malay) <i>Piper cubeba</i>	Kerti mák (Hung.) <i>Papaver somniferum</i>
Käseklee (Germ.) <i>Trigonella caerulea</i>	Kathit-pyu (Burmese.) <i>Zanthoxylum rhetsa</i>	Keihi (Japan.) <i>Cinnamomum cassia</i>	Kemun (Amhar.) <i>Cuminum cyminum</i>	Kerti mustár (Hung.) <i>Sinapis alba</i>
Kashia (Japan.) <i>Cinnamomum cassia</i>	Kathmir (Gujrati) <i>Coriandrum sativum</i>	Keipa (Japan.) <i>Capparis spinosa</i>	Kenchoru (Japan.) <i>Kaempferia galanga</i>	Kerti ruta (Hung.) <i>Ruta graveolens</i>
Kashimaa (Dhivehi) <i>Pandanus odoratissimus</i>	Katiam (Lao) <i>Allium sativum</i>	Keipeo (Korean) <i>Capparis spinosa</i>	Kencur (Indones.) <i>Kaempferia galanga</i>	Kerti sarkantyúka (Hung.) <i>Tropaeolum majus</i>
Kashmeeran (Malayalam) <i>Crocus sativus</i>	Katiem (Thai) <i>Allium sativum</i>	Keipo (Korean) <i>Capparis spinosa</i>	Kenda (Marathi) <i>Pandanus odoratissimus</i>	Kerti zsázsa (Hung.) <i>Lepidium sativum</i>
Kashmiirajan (Sanskrit) <i>Crocus sativus</i>	Katkeratatar (Finn.) <i>Persicaria hydropiper</i>	Keishi (Japan.) <i>Cinnamomum cassia</i>	Kentior (Pol.) <i>Kaempferia galanga</i>	Kerupulai (Malay) <i>Murraya koenigii</i>
Kashmiiran (Sanskrit) <i>Crocus sativus</i>	Katneem (Hindi) <i>Murraya koenigii</i>	Kekeş (Turk.) <i>Eruca sativa</i>	Kentjoer (Dutch) <i>Kaempferia galanga</i>	Kervel' (Russ.) <i>Anthriscus cerefolium</i>
Kashmiri jira (Dogri,Hindi, Kashm.) <i>Bunium persicum</i>	Katrinika (Bulg.) <i>Artemisia abrotanum</i>	Ke ke ye zi (Mand.) <i>Cocos nucifera</i>	Kenyie (Angami Naga) <i>Perilla frutescens</i>	Kervel', muskatnyj (Russ.) <i>Myrrhis odorata</i>
Kashmiri zireh (Kashm.) <i>Bunium persicum</i>	Kattelam (Malayalam) <i>Amomum subulatum</i>	Kekiği, İzmir (Turk.) <i>Origanum vulgare</i>	Keokyumeo jedo (Korean) <i>Curcuma zedoaria</i>	Kervel, roomse (Dutch) <i>Myrrhis odorata</i>
Kashnich (Uzbek) <i>Coriandrum sativum</i>	Katu yelam (Tamil) <i>Amomum subulatum</i>	Kekik, esas (Turk.) <i>Thymus vulgaris</i>	Keolkuma (Korean) <i>Curcuma longa</i>	Kervel, vaste (Dutch) <i>Myrrhis odorata</i>
Kashubha (Tagalog) <i>Crocus sativus</i>	Kavunu, ağaç (Turk.) <i>Citrus medica</i>	Kekik, kara (Turk.) <i>Satureja thymbra</i>	Keomin (Korean) <i>Cuminum cyminum</i>	Kervl (Yidd.) <i>Anthriscus cerefolium</i>
Kashuma (Aram.) <i>Sesamum indicum</i>	Kawan (Lao) <i>Elettaria cardamomum</i>	Kekik otu (Turk.) <i>Majorana hortensis</i>	Keong (Chines.) <i>Zingiber officinale</i>	Kesäkynteli (Finn.) <i>Satureja hortensis</i>
Kasia (Greek,Hebr.,Korean) <i>Cinnamomum cassia</i>	Kayam (Malayalam) <i>Ferula assa-foetida</i>	Kekikotu (Turk.) <i>Majorana hortensis</i>	Keora (Bengali,Hindi,Urdu) <i>Pandanus odoratissimus</i>	Kesar (Dogri,Hindi,Manipuri, Nepali,Newari) <i>Crocus sativus</i>
Kasija (Sloven.) <i>Cinnamomum cassia</i>	Kayang (Thai) <i>Limnophila aromatica</i>	Kekikotu (Turk.) <i>Origanum vulgare</i>	Keori (Korean) <i>Murraya koenigii</i>	Kesara (Oriya) <i>Crocus sativus</i>
Kasiya (Bulg.) <i>Cinnamomum cassia</i>	Kayānghan (Tangkhu) <i>Brassica nigra</i>	Kekik otu (Turk.) <i>Satureja hortensis</i>	Keori ripu (Korean) <i>Murraya koenigii</i>	Kesari (Tulu) <i>Crocus sativus</i>
Kasja (Pol.) <i>Cinnamomum cassia</i>	Kayetana (Tagalog) <i>Zanthoxylum rhetsa</i>	Kekikotu (Turk.) <i>Satureja hortensis</i>	Kepaløk (Norw.) <i>Allium cepa</i>	Keserű mandula (Hung.) <i>Prunus dulcis</i>
Kas Kas (Malay) <i>Papaver somniferum</i>	Kayimunchi (Tulu) <i>Capsicum frutescens</i>	Kekinis pimentas (Lith.) <i>Pimenta dioica</i>	Kepillaga (Indones.) <i>Amomum kepulaga</i>	Keserű narancs (Hung.) <i>Citrus sinensis</i>
Kaskasaa (Dhivehi) <i>Papaver somniferum</i>	Kayu lemah (Indones.) <i>Zanthoxylum rhetsa</i>	Keklik otu (Turk.) <i>Origanum vulgare</i>	Kepulaga (Malay) <i>Amomum kepulaga</i>	Keshar (Gujrati,Marathi,Punjab) <i>Crocus sativus</i>
Kaskasu (Malayalam) <i>Papaver somniferum</i>	Kayu manis (Indones.,Malay) <i>Cinnamomum zeylanicum</i>	Këklikotu (Azeri) <i>Thymus vulgaris</i>	Kerada (Nepali) <i>Pandanus odoratissimus</i>	Keshi (Japan.) <i>Papaver somniferum</i>
Kaslók (Hung.) <i>Origanum vulgare</i>	Kayu manis Cina (Indones.) <i>Cinnamomum cassia</i>	Këkotu (Azeri) <i>Thymus vulgaris</i>	Kerbel (Germ.) <i>Anthriscus cerefolium</i>	Keşniş (Azeri) <i>Coriandrum sativum</i>
Kasmiri jira (Bengali) <i>Bunium persicum</i>	Kayu manis Padang (Indones.,Malay) <i>Cinnamomum burmannii</i>	Kelabat (Indones.) <i>Trigonella foenum-graecum</i>	Kerbel, spanischer (Germ.) <i>Myrrhis odorata</i>	Kesum (Malay) <i>Persicaria odoratum</i>
Kasoor methi (Hindi) <i>Trigonella foenum-graecum</i>	Kayu sekatok (Malay) <i>Zanthoxylum nitidum</i>	Kelabət (Indones.,Malay) <i>Trigonella foenum-graecum</i>	Kerblik třebule (Czech) <i>Anthriscus cerefolium</i>	Kesumba (Indones.) <i>Bixa orellana</i>
Kasshia (Japan.) <i>Cinnamomum cassia</i>	Kazanlikishe royz (Yidd.) <i>Rosa damascena</i>	Kelapa (Indones.,Malay) <i>Cocos nucifera</i>	K'erefa (Amhar.) <i>Cinnamomum zeylanicum</i>	Kesumphiu (Burmese.) <i>Allium sativum</i>
Kassia (Icel.) <i>Cinnamomum cassia</i>	Kcu Pghpegh (Armen.) <i>Capsicum frutescens</i>	Kelat samak (Malay) <i>Eugenia polyantha</i>	Kereviz (Turk.) <i>Apium graveolens</i>	Kesuna (Indones.) <i>Allium sativum</i>
Kassia (Eston.,Finn.,Greek, Hebr.,Norw.,Old Greek, Swed.) <i>Cinnamomum cassia</i>	Kearitaso (Japan.) <i>Chenopodium ambrosioides</i>	Keltajuuri (Finn.) <i>Curcuma longa</i>	Këreviz (Azeri) <i>Apium graveolens</i>	Kesunni (Burmese.) <i>Allium cepa</i>
Kassiakaneli (Finn.) <i>Cinnamomum cassia</i>	Kebabe (Turk.) <i>Piper cubeba</i>	Keltasinappi (Finn.) <i>Sinapis alba</i>	Kereviz, div (Bulg.) <i>Anthriscus cerefolium</i>	Ketak (Gujrati) <i>Pandanus odoratissimus</i>
	Kebabiye biber (Turk.) <i>Piper cubeba</i>	Kemangi (Malay) <i>Ocimum basilicum</i>	Kerevizi, yaban (Turk.) <i>Levisticum officinale</i>	Ketaka (Sanskrit) <i>Pandanus odoratissimus</i>
	Kebebe (Yidd.) <i>Piper cubeba</i>	Kemangi hutan (Indones.) <i>Ocimum gratissimum</i>	Kerevizi, yabanî (Turk.) <i>Apium graveolens</i>	Ketakai (Tamil) <i>Pandanus odoratissimus</i>
			Kerfee (Arab.) <i>Cinnamomum cassia</i>	Ketake (Kannada) <i>Pandanus odoratissimus</i>

Ketaki (Bengali,Hindi,Marathi,Telugu,Urdu) <i>Pandanus odoratissimus</i>	Khamfoi (Thai) <i>Carthamus tinctorius</i>	Khchey (Khmer) <i>Boesenbergia pandurata</i>	Khtim slek (Khmer) <i>Allium cepa</i>	Kimion italiani (Bulg.) <i>Cuminum cyminum</i>
Ketakiphul (Assam.) <i>Pandanus odoratissimus</i>	Khamin (Lao) <i>Curcuma longa</i>	Khekho (Georg.) <i>Myristica fragrans</i>	Khtoma (Georg.) <i>Capparis spinosa</i>	Kimion rimski (Bulg.) <i>Cuminum cyminum</i>
Keteki (Assam.,Manipuri) <i>Pandanus odoratissimus</i>	Kha min (Thai) <i>Curcuma longa</i>	Khen (Lao) <i>Zanthoxylum nitidum</i>	Khuen chai (Thai) <i>Apium graveolens</i>	Kiml (Yidd.) <i>Carum carvi</i>
Ketekiphul (Assam.) <i>Pandanus odoratissimus</i>	Kha min chan (Thai) <i>Curcuma longa</i>	Khen khu (Lao) <i>Zanthoxylum acanthopodium</i>	Khuen chai farang (Thai) <i>Apium graveolens</i>	Kimlgroz (Yidd.) <i>Foeniculum vulgare</i>
Keteltenga (Angami Naga, Lotha Naga) <i>Tamarindus indica</i>	Kha min hua khun (Thai) <i>Curcuma zedoaria</i>	Khen ton (Lao) <i>Zanthoxylum acanthopodium</i>	Khulanjan (Arab.) <i>Alpinia galanga</i>	Kimon (Armen.) <i>Cuminum cyminum</i>
Ketoembar (Dutch) <i>Coriandrum sativum</i>	Kha min khao (Thai) <i>Curcuma zedoaria</i>	Khi be (Lao) <i>Murraya koenigii</i>	Khuong hoang (Vietnam.) <i>Curcuma longa</i>	Kimyon (Turk.) <i>Cuminum cyminum</i>
Ketuki (Manipuri) <i>Pandanus odoratissimus</i>	Kha min kuen (Thai) <i>Curcuma zedoaria</i>	Khilbe (Yidd.) <i>Trigonella foenum-graecum</i>	Khushbodard (Urdu) <i>Lavandula angustifolia</i>	Kimyon, siyah (Turk.) <i>Nigella sativa</i>
Ketumbar (Indones.,Malay) <i>Coriandrum sativum</i>	Kha min luang (Thai) <i>Curcuma longa</i>	Khimin (Lao) <i>Curcuma longa</i>	Khushbo'y shivid (Uzbek) <i>Anethum graveolens</i>	Kimyonu, acem (Turk.) <i>Cuminum cyminum</i>
Ketumbar Jawa (Malay) <i>Eryngium foetidum</i>	Kha min oi (Thai) <i>Curcuma zedoaria</i>	Khi min khay (Lao) <i>Curcuma zedoaria</i>	Khushkhosh (Yidd.) <i>Citrus sinensis ssp. amara</i>	Kimyonu, frenk (Turk.) <i>Carum carvi</i>
Keturbriaunis čibrelis (Lith.) <i>Thymus pulegioides</i>	Kham ngo (Thai) <i>Bixa orellana</i>	Khi min khun (Lao) <i>Curcuma longa</i>	Khuzaama (Arab.) <i>Lavandula angustifolia</i>	Kimyonu, karaman (Turk.) <i>Carum carvi</i>
Ketzah (Hebr.) <i>Nigella sativa</i>	Kham nhong (Lao) <i>Carthamus tinctorius</i>	Khi mu (Lao) <i>Capsicum frutescens</i>	Khvojna (Bulg.) <i>Juniperus communis</i>	Kinabasuzushiro (Japan.) <i>Eruca sativa</i>
Keukentijm (Dutch) <i>Thymus vulgaris</i>	Kham saet (Thai) <i>Bixa orellana</i>	Khing (Lao,Thai) <i>Zingiber officinale</i>	Khyen-seing (Burmes.) <i>Zingiber officinale</i>	Kínai ánizs (Hung.) <i>Illicium verum</i>
Keura (Marathi,Newari) <i>Pandanus odoratissimus</i>	Kham thai (Thai) <i>Bixa orellana</i>	Khing-daen (Thai) <i>Zingiber officinale</i>	Khyuma (Tibet.) <i>Sesamum indicum</i>	Kínai bazsalikom (Hung.) <i>Perilla frutescens</i>
Keuschlamm (Germ.) <i>Vitex agnus-castus</i>	Kham yong (Thai) <i>Carthamus tinctorius</i>	Khingsai khingkaeng (Thai) <i>Boesenbergia pandurata</i>	Kia (Oriya) <i>Pandanus odoratissimus</i>	Kínai bors (Hung.) <i>Zanthoxylum piperitum</i>
Kevara (Urdu) <i>Pandanus odoratissimus</i>	Khan pluu (Khmer) <i>Syzygium aromaticum</i>	Khinji (Georg.) <i>Coriandrum sativum</i>	Ki amis (Indones.) <i>Cinnamomum burmannii</i>	Kínai fahéj (Hung.) <i>Cinnamomum cassia</i>
Kevü (Angami Naga) <i>Zingiber officinale</i>	Khaotong (Thai) <i>Houttuynia cordata</i>	Khlam puu (Khmer) <i>Syzygium aromaticum</i>	Kiari (Hindi) <i>Capparis spinosa</i>	Kínai gömbér (Hung.) <i>Boesenbergia pandurata</i>
Kewda (Dogri,Hindi,Marathi) <i>Pandanus odoratissimus</i>	Khardal (Arab.) <i>Brassica nigra</i>	Khnehey (Khmer) <i>Zingiber officinale</i>	Kibana-oranda-senniti (Japan.) <i>Spilanthes acmella</i>	Kinamom (Armen.) <i>Cinnamomum zeylanicum</i>
Kewoda (Gujrati) <i>Pandanus odoratissimus</i>	Khardal abyad (Arab.) <i>Sinapis alba</i>	Khngeni (Armen.) <i>Satureja hortensis</i>	Kibe paprika (Eston.) <i>Capsicum frutescens</i>	Kinamon (Hebr.) <i>Cinnamomum zeylanicum</i>
Kewra (Dogri,Hindi,Marathi) <i>Pandanus odoratissimus</i>	Khardal asfur (Arab.) <i>Sinapis alba</i>	Khngooni (Armen.) <i>Rosmarinus officinalis</i>	Kibuvits (Eston.) <i>Rosa damascena</i>	Kinchay (Tagalog) <i>Apium graveolens</i>
Kewrerima (Amhar.) <i>Aframomum melegueta</i>	Khardal aswad (Arab.) <i>Brassica nigra</i>	Khnhai phlung (Khmer) <i>Zingiber officinale</i>	Kicchilipandu (Telugu) <i>Citrus sinensis</i>	Kindsi (Georg.) <i>Coriandrum sativum</i>
Key, Chinese (Engl.) <i>Boesenbergia pandurata</i>	Khardel (Farsi) <i>Brassica nigra</i>	Khokhnata (Georg.) <i>Armoracia rusticana</i>	Kidati-yomogi (Japan.) <i>Artemisia abrotanum</i>	Kindzæ (Oss.) <i>Coriandrum sativum</i>
Keya (Bengali) <i>Pandanus odoratissimus</i>	Khardel sefid (Farsi) <i>Sinapis alba</i>	Khole sag (Nepali) <i>Nasturtium officinale</i>	Kietis, kartusis (Lith.) <i>Artemisia absinthium</i>	Kinesisk Kanel (Dan.) <i>Cinnamomum cassia</i>
K'ey Shinkurt (Amhar.) <i>Allium cepa</i>	Khardel siyah (Farsi) <i>Brassica nigra</i>	Khondari (Georg.) <i>Satureja hortensis</i>	Kietis, vaistinis (Lith.) <i>Artemisia dracuncululus</i>	Kinesisk Mynte (Dan.) <i>Perilla frutescens</i>
Khaa (Lao,Thai) <i>Alpinia galanga</i>	Khashir (Arab.) <i>Sisymbrium officinale</i>	Khondari (Georg.) <i>Thymus vulgaris</i>	Kignen (Bret.) <i>Allium sativum</i>	Kineski, cimet (Serb.) <i>Cinnamomum cassia</i>
Khaa ban (Lao) <i>Alpinia galanga</i>	Khaskhash (Arab.,Kashm.) <i>Papaver somniferum</i>	Khopra (Kashm.) <i>Citrus sinensis</i>	Kignen-an-arzhed (Bret.) <i>Allium ursinum</i>	Kineski cimet (Croat.) <i>Cinnamomum cassia</i>
Khaa daeng (Lao) <i>Alpinia galanga</i>	Khaskhash (Farsi,Urdu) <i>Papaver somniferum</i>	Khorsani (Nepali) <i>Capsicum frutescens</i>	Kihaaku (Dhivehi) <i>Cocos nucifera</i>	Kineszike piperoriza (Greek) <i>Kaempferia galanga</i>
Khaa daeng (Lao) <i>Alpinia galanga</i>	Khas-khas (Dogri,Hindi) <i>Papaver somniferum</i>	Khoshkhoshi (Georg.) <i>Papaver somniferum</i>	Kiik ot (Kazakh) <i>Origanum vulgare</i>	Kinh gioi dat (Vietnam.) <i>Chenopodium ambrosioides</i>
Khaa khom (Lao) <i>Alpinia galanga</i>	Khas-khas (Dogri,Gujrati,Hindi,Punjabi) <i>Papaver somniferum</i>	Khouan (Lao) <i>Zanthoxylum nitidum</i>	Kiisöp (Kazakh) <i>Origanum vulgare</i>	Kinia-saenggang (Korean) <i>Aframomum melegueta</i>
Khaa-ling (Thai) <i>Alpinia officinarum</i>	Khas-Khas (Marathi) <i>Papaver somniferum</i>	Khouttuyjniya serdtselista (Russ.) <i>Houttuynia cordata</i>	Kijitu (Japan.) <i>Citrus sinensis ssp. amara</i>	Kinjös anyžius (Lith.) <i>Illicium verum</i>
Khaa lueang (Lao) <i>Alpinia galanga</i>	Khata kamala (Oriya) <i>Citrus aurantifolia</i>	Khren (Belar.,Russ.) <i>Armoracia rusticana</i>	Kikoku (Japan.) <i>Citrus sinensis ssp. amara</i>	Kininis cinamonas (Lith.) <i>Cinnamomum cassia</i>
Khaa nyai (Lao) <i>Alpinia galanga</i>	Kha ton (Lao) <i>Cinnamomum cassia</i>	Khren, iaponski (Belar.) <i>Wasabia japonica</i>	Kili (French) <i>Xylopi aethiopica</i>	Kiniškas imbias (Lith.) <i>Boesenbergia pandurata</i>
Khaa pa (Lao) <i>Alpinia galanga</i>	Khaulän (Copt.) <i>Papaver somniferum</i>	Khren, yaponskij (Russ.) <i>Wasabia japonica</i>	Kim (Bulg.,Croat.,Maced.,Serb.) <i>Carum carvi</i>	Kinj (Armen.) <i>Coriandrum sativum</i>
Kha-che kye (Tibet.) <i>Crocus sativus</i>	Khautong (Lao) <i>Houttuynia cordata</i>	Khreyn (Yidd.) <i>Armoracia rusticana</i>	Kimel (Hebr.,Maced.) <i>Carum carvi</i>	Kinj (Georg.) <i>Coriandrum sativum</i>
Khae (Lao) <i>Cinnamomum loureiroi</i>	Khawmhma (Mizo) <i>Rhus coriaria</i>	Khrin zvyhajnyj (Ukr.) <i>Armoracia rusticana</i>	Kima, crnog (Croat.) <i>Nigella sativa</i>	Kinnamomom (Old Greek) <i>Cinnamomum zeylanicum</i>
Khae hom (Lao) <i>Cinnamomum cassia</i>	Khauuan (Lao) <i>Carum carvi</i>	Khrin zvyhajnyj (Ukr.) <i>Armoracia rusticana</i>	Kimino (Greek) <i>Cuminum cyminum</i>	Kinome (Japan.) <i>Zanthoxylum piperitum</i>
Khakhvi (Georg.) <i>Allium cepa</i>	Khayaeng (Lao) <i>Limnophila aromatica</i>	Khryan (Bulg.) <i>Armoracia rusticana</i>	Kimion (Bulg.) <i>Cuminum cyminum</i>	
Kham (Lao,Thai) <i>Tamarindus indica</i>	Khayang (Thai) <i>Limnophila aromatica</i>	Khtim kraham (Khmer) <i>Allium cepa</i>		

Kinrenka (Japan.) <i>Tropaeolum majus</i>	Kitunguu kidogo sana (Swahili) <i>Allium ascalonicum</i>	Kminek koptyjski (Pol.) <i>Trachyspermum copticum</i>	Koirohi (Eston.) <i>Artemisia absinthium</i>	Kökü, safran (Turk.) <i>Curcuma longa</i>
Kintsay (Tagalog) <i>Petroselinum crispum</i>	Kitunguu saumu (Swahili) <i>Allium sativum</i>	Kminek zwyczajny (Pol.) <i>Carum carvi</i>	Kokas (Amhar.) <i>Cocos nucifera</i>	Kokulu yonca (Turk.) <i>Trigonella foenum-graecum</i>
Kinza (Russ.) <i>Coriandrum sativum</i>	Kiura (Urdu) <i>Pandanus odoratissimus</i>	Kminik (Yidd.) <i>Cuminum cyminum</i>	Kokilakshmu (Telugu) <i>Capparis spinosa</i>	Kokus (Hebr.) <i>Cocos nucifera</i>
Kinzas (Latv.) <i>Coriandrum sativum</i>	Kiya (Oriya) <i>Pandanus odoratissimus</i>	Kmín luční (Czech) <i>Carum carvi</i>	Kokkophoinika (Greek) <i>Cocos nucifera</i>	Kókuszdíó (Hung.) <i>Cocos nucifera</i>
Kio kau (Hmong) <i>Houttuynia cordata</i>	Kiyewil (Kazakh) <i>Capparis spinosa</i>	Kmin rzymiski (Pol.) <i>Cuminum cyminum</i>	Kok mak kham (Lao) <i>Tamarindus indica</i>	Kokyumo jedo (Korean) <i>Curcuma zedoaria</i>
Kiora (Punjabi) <i>Pandanus odoratissimus</i>	Kjørvel (Norw.) <i>Anthriscus cerefolium</i>	Kmin tminovyj (Russ.) <i>Cuminum cyminum</i>	Kok mak khi hout (Lao) <i>Citrus hystrix</i>	Koldpuu (Eston.) <i>Zanthoxylum piperitum</i>
Ķīploki (Latv.) <i>Allium sativum</i>	Kkae (Korean) <i>Sesamum indicum</i>	Kmyn (Ukr.) <i>Carum carvi</i>	Kok mak ma (Lao) <i>Zanthoxylum acanthopodium</i>	Kolendra siewna (Pol.) <i>Coriandrum sativum</i>
Kirburohi, mõru (Eston.) <i>Persicaria hydropiper</i>	Kkae-ggocch (Korean) <i>Salvia officinalis</i>	Kmynas (Lith.) <i>Cuminum cyminum</i>	Kok mak phao (Lao) <i>Cocos nucifera</i>	Koliandro (Greek) <i>Coriandrum sativum</i>
Kirchensepl (Germ.) <i>Hyssoopus officinalis</i>	Kkaessi (Korean) <i>Sesamum indicum</i>	Kmynas, indiškás (Lith.) <i>Trachyspermum copticum</i>	Kok mak phi la (Lao) <i>Punica granatum</i>	Koliantro (Greek) <i>Coriandrum sativum</i>
Kirfa (Hausa) <i>Cinnamomum zeylanicum</i>	Kklat (Indones.) <i>Trigonella foenum-graecum</i>	Kmynas, paprastasis (Lith.) <i>Carum carvi</i>	Köknär (Kazakh) <i>Papaver somniferum</i>	Koliantros (Greek) <i>Coriandrum sativum</i>
Kırmızı biber (Turk.) <i>Capsicum annuum</i>	Kłacze kurkumy (Pol.) <i>Curcuma longa</i>	Kmyninis kuminai (Lith.) <i>Cuminum cyminum</i>	Koko (Basque,Bret.) <i>Cocos nucifera</i>	Kolinja (Gujrati) <i>Alpinia galanga</i>
Kırsafram (Turk.) <i>Carthamus tinctorius</i>	Klapperkruid (Dutch) <i>Artemisia dracunculus</i>	Kmyn zwychajnyj (Ukr.) <i>Carum carvi</i>	Kokonet (Amhar.) <i>Cocos nucifera</i>	Kolkuma (Korean) <i>Curcuma longa</i>
Kirsche, Mahaleb- (Germ.) <i>Prunus mahaleb</i>	Klaver, zevenjaargetijden (Dutch) <i>Trigonella caerulea</i>	Knekos (Old Greek) <i>Carthamus tinctorius</i>	Kokořík vonný (Czech) <i>Persicaria odoratum</i>	Kollajuur, lõhnav (Eston.) <i>Curcuma longa</i>
Kirsche, türkische (Germ.) <i>Prunus mahaleb</i>	Klee, Bockshorn- (Germ.) <i>Trigonella foenum-graecum</i>	Knikion (Old Greek) <i>Carthamus tinctorius</i>	Kokos (Bulg.,Croat.,Czech, Germ.,Mong.,Russ., Serb.,Swed.,Turkmen, Uzbek,Yidd.) <i>Cocos nucifera</i>	Kölle (Germ.) <i>Satureja hortensis</i>
Kirshnan (Sanskrit) <i>Piper nigrum</i>	Klee, Brot- (Germ.) <i>Trigonella caerulea</i>	Knikos (Greek) <i>Carthamus tinctorius</i>	Kokosnjak (Serb.) <i>Cocos nucifera</i>	Koloskovyj perets (Russ.) <i>Piper officinarum</i>
Kirsipuu, lõhnav (Eston.) <i>Prunus mahaleb</i>	Klee, Schabzieger- (Germ.) <i>Trigonella caerulea</i>	Knobl (Yidd.) <i>Allium sativum</i>	Kokosa (Sloven.) <i>Cocos nucifera</i>	Koma koma (Malay) <i>Crocus sativus</i>
Kirveli (Finn.) <i>Anthriscus cerefolium</i>	Kleiner Galgant (Germ.) <i>Kaempferia galanga</i>	Knoblauch (Germ.) <i>Allium sativum</i>	Kokosas, riešutinis (Lith.) <i>Cocos nucifera</i>	Komalalebu (Bengali) <i>Citrus sinensis</i>
Kisar (Urdu) <i>Crocus sativus</i>	Kleka (Serb.) <i>Juniperus communis</i>	Knoflook (Dutch) <i>Allium sativum</i>	Kókoshneta (Icel.) <i>Cocos nucifera</i>	Komamanga (Swahili) <i>Punica granatum</i>
Kishnets (Russ.) <i>Coriandrum sativum</i>	Klekovača (Maced.) <i>Juniperus communis</i>	Knoflook, wilde (Dutch) <i>Allium ursinum</i>	Kokosnjak (Serb.) <i>Cocos nucifera</i>	Komarček, sladki (Sloven.) <i>Foeniculum vulgare</i>
Kishniz (Urdu) <i>Coriandrum sativum</i>	Klettasalat (Icel.) <i>Eruca sativa</i>	Knotted marjoram (Engl.) <i>Majorana hortensis</i>	Kokosnoot (Dutch) <i>Cocos nucifera</i>	Kombaava (Eston.) <i>Citrus hystrix</i>
Kisibiti (Swahili) <i>Carum carvi</i>	Klin (Malt.) <i>Rosmarinus officinalis</i>	Knyflok (Fris.) <i>Allium sativum</i>	Kokosnöt (Swed.) <i>Cocos nucifera</i>	Kömény (Hung.) <i>Carum carvi</i>
Kisibiti (Swahili) <i>Cuminum cyminum</i>	Klinček (Slovak) <i>Syzygium aromaticum</i>	Kobab-chini (Bengali) <i>Piper cubeba</i>	Kokosnoot (Dutch) <i>Cocos nucifera</i>	Kömény, egyiptomi (Hung.) <i>Cuminum cyminum</i>
Kišnec (Serb.) <i>Coriandrum sativum</i>	Klinčevac, dišeči (Sloven.) <i>Syzygium aromaticum</i>	Kobbari (Kannada) <i>Cocos nucifera</i>	Kokosnöt (Swed.) <i>Cocos nucifera</i>	Kömény, római (Hung.) <i>Cuminum cyminum</i>
Kišnic (Turk.) <i>Coriandrum sativum</i>	Klinčić (Croat.,Serb.) <i>Syzygium aromaticum</i>	Kobbarikaya (Telugu) <i>Cocos nucifera</i>	Kokosnus (Yidd.) <i>Cocos nucifera</i>	Köménymag (Hung.) <i>Carum carvi</i>
Kišniş (Turk.) <i>Coriandrum sativum</i>	Klinčić plod (Serb.) <i>Syzygium aromaticum</i>	Kobra (Hindi) <i>Capparis spinosa</i>	Kokosnuß (Germ.) <i>Cocos nucifera</i>	Komijn (Dutch) <i>Cuminum cyminum</i>
Kissi, poivre du (French) <i>Piper clusii</i>	Klinčki (Sloven.) <i>Syzygium aromaticum</i>	Kobumikan (Japan.) <i>Citrus hystrix</i>	Kokosnút (Fris.) <i>Cocos nucifera</i>	Komijn, zwarte (Dutch) <i>Bunium persicum</i>
Kissipfeffer (Germ.) <i>Piper cubeba</i>	Klöben (Germ.) <i>Allium ascalonicum</i>	Kocha (Georg.) <i>Zingiber officinale</i>	Kokoso (Esperanto) <i>Cocos nucifera</i>	Komila (Garo) <i>Citrus sinensis</i>
Kitajski piper (Bulg.) <i>Zanthoxylum piperitum</i>	Kloeftsvoeb (Dan.) <i>Cuminum cyminum</i>	Kochapghpegh (Armen.) <i>Zingiber officinale</i>	Kokosova palma (Sloven.) <i>Cocos nucifera</i>	Komin (Korean) <i>Cuminum cyminum</i>
Kitri (Copt.) <i>Citrus medica</i>	Klopovnik posevnoj (Russ.) <i>Lepidium sativum</i>	Kochi Miris (Sinh.) <i>Capsicum chinense</i>	Kokosov orah (Serb.) <i>Cocos nucifera</i>	Komino (Basque) <i>Cuminum cyminum</i>
Kitria (Greek) <i>Citrus medica</i>	Kmen, indyjski (Belar.) <i>Cuminum cyminum</i>	Kochu (Korean) <i>Capsicum frutescens</i>	Kokosovyj orjekh (Russ.) <i>Cocos nucifera</i>	Komkommerkruid (Dutch) <i>Borago officinalis</i>
Kitrinoriza (Greek) <i>Curcuma longa</i>	Kmen, rymski (Belar.) <i>Cuminum cyminum</i>	Kochu-naengi (Korean) <i>Wasabia japonica</i>	Kokosový ořech (Czech) <i>Cocos nucifera</i>	Komla (Apatani,Bengali, Manipuri,Mao,Tangkhalul) <i>Citrus sinensis</i>
Kitrion (Old Greek) <i>Citrus medica</i>	Kmín (Czech) <i>Carum carvi</i>	Koele (Dutch) <i>Satureja hortensis</i>	Kokosový orech (Slovak) <i>Cocos nucifera</i>	Kommen (Dan.) <i>Carum carvi</i>
Kitro (Greek) <i>Citrus medica</i>	Kmín (Russ.) <i>Cuminum cyminum</i>	Koendoro (Japan.) <i>Coriandrum sativum</i>	Kokospalma (Serb.) <i>Cocos nucifera</i>	Kommen, sort (Dan.) <i>Bunium persicum</i>
Kitrolemono (Greek) <i>Citrus medica</i>	Kmín (Slovak) <i>Carum carvi</i>	Koenir (Dutch) <i>Curcuma longa</i>	Kokosu (Korean) <i>Cocos nucifera</i>	Komobiton (Copt.) <i>Alpinia galanga</i>
Kitron (Armen.) <i>Citrus limon</i>	Kmín, černý (Czech) <i>Nigella sativa</i>	Koenjit (Dutch) <i>Curcuma longa</i>	Kokoyaja (Korean) <i>Cocos nucifera</i>	Komola (Assam.,Chakma) <i>Citrus sinensis</i>
Kitronaxot (Armen.) <i>Citrus limon</i>	Kmín, římský (Czech) <i>Cuminum cyminum</i>	Koganos (Copt.) <i>Mentha piperita</i>	Kokoyashi (Japan.) <i>Cocos nucifera</i>	Komorač (Croat.,Serb.) <i>Foeniculum vulgare</i>
Kitronella (Greek) <i>Cymbopogon nardus</i>	Kminek (Pol.) <i>Carum carvi</i>	Koino piperi (Greek) <i>Piper nigrum</i>	Kokronoto (Sranan) <i>Cocos nucifera</i>	Komosa piżmowa (Pol.) <i>Chenopodium ambrosioides</i>

Kompa (Korean) <i>Allium ursinum</i>	Kopr, římský (Czech) <i>Foeniculum vulgare</i>	Koriandr (Russ.,Uzbek) <i>Coriandrum sativum</i>	Koshtkulinjan (Marathi) <i>Alpinia galanga</i>	Kpete (Ga-Dangme) <i>Citrus aurantifolia</i>
Kondari (Georg.) <i>Satureja hortensis</i>	Kopr, sladký (Czech) <i>Foeniculum vulgare</i>	Koriandrež (Bret.) <i>Coriandrum sativum</i>	Kosiisii (Mao) <i>Capsicum frutescens</i>	Krabu (Sinh.) <i>Syzygium aromaticum</i>
Kondari (Georg.) <i>Thymus vulgaris</i>	Kopr, vlašský (Czech) <i>Foeniculum vulgare</i>	Koriandro (Esperanto) <i>Coriandrum sativum</i>	Kostets (Germ.) <i>Origanum vulgare</i>	Kra chai (Thai) <i>Boesenbergia pandurata</i>
Kon-gang (Korean) <i>Zingiber officinale</i>	Kopra (Alb.,Maced.) <i>Anethum graveolens</i>	Koriandr posyynyj (Ukr.) <i>Coriandrum sativum</i>	Kosu (Korean) <i>Coriandrum sativum</i>	Krafes (Malt.) <i>Apium graveolens</i>
Kongaram (Tamil) <i>Bixa orellana</i>	Kopr vonný (Czech) <i>Anethum graveolens</i>	Koriandrs (Latv.) <i>Coriandrum sativum</i>	Kosu-pul (Korean) <i>Coriandrum sativum</i>	Krako sbat (Khmer) <i>Elettaria cardamomum</i>
Königskraut (Germ.) <i>Ocimum basilicum</i>	Koptilainen kumina (Finn.) <i>Trachyspermum copticum</i>	Koriandr setý (Czech) <i>Coriandrum sativum</i>	Kot chian (Thai) <i>Levisticum officinale</i>	Kram (Copt.) <i>Petroselinum crispum</i>
Königskümmel (Germ.) <i>Trachyspermum copticum</i>	Kopur (Bulg.) <i>Anethum graveolens</i>	Koriandur (Bulg.) <i>Coriandrum sativum</i>	Kot chulalampha (Thai) <i>Artemisia vulgaris</i>	Kram (Copt.) <i>Carthamus tinctorius</i>
Konile (Old Greek) <i>Majorana hortensis</i>	Koranit (Hebr.) <i>Thymus vulgaris</i>	Koriannon (Old Greek) <i>Coriandrum sativum</i>	Kotem (Armen.) <i>Lepidium sativum</i>	Krambu (Kannada,Tamil) <i>Syzygium aromaticum</i>
Koningskruid (Dutch) <i>Ocimum basilicum</i>	Korarima (Amhar.) <i>Aframomum melegueta</i>	Korianteri (Finn.) <i>Coriandrum sativum</i>	Kothamali (Tamil) <i>Coriandrum sativum</i>	Kramprkuid (Dutch) <i>Artemisia abrotanum</i>
Konjed (Farsi) <i>Sesamum indicum</i>	Koren, sladki (Sloven.) <i>Glycyrrhiza glabra</i>	Korianthro (Greek) <i>Coriandrum sativum</i>	Kothamalli (Malayalam) <i>Coriandrum sativum</i>	Kranawitt (Germ.) <i>Juniperus communis</i>
Konjeda (Serb.) <i>Glycyrrhiza glabra</i>	Koren, slatki (Serb.) <i>Glycyrrhiza glabra</i>	Korichnoje derevo (Russ.) <i>Cinnamomum cassia</i>	Kothamir (Urdu) <i>Coriandrum sativum</i>	Kraoň-kokoz (Bret.) <i>Cocos nucifera</i>
Konofló (Papiamento) <i>Allium sativum</i>	Kořen, žlutý (Czech) <i>Curcuma longa</i>	Koriendeo (Korean) <i>Coriandrum sativum</i>	Kothampal (Malayalam) <i>Coriandrum sativum</i>	Kraoň-muskadez (Bret.) <i>Myristica fragrans</i>
Konoflok (Papiamento) <i>Allium sativum</i>	Korenie, sečuánske (Slovak) <i>Zanthoxylum piperitum</i>	Korijandar (Croat.,Serb.) <i>Coriandrum sativum</i>	Kothanbiri (Dhivehi) <i>Coriandrum sativum</i>	Krapai (Lith.) <i>Anethum graveolens</i>
Konopice (Alb.) <i>Vitex agnus-castus</i>	Korenie Maggi (Slovak) <i>Levisticum officinale</i>	Korijander (Maced.) <i>Coriandrum sativum</i>	Kothimbir (Marathi) <i>Coriandrum sativum</i>	Krapai, paprastasis (Lith.) <i>Anethum graveolens</i>
Konopljika (Croat.,Serb.,Sloven.) <i>Vitex agnus-castus</i>	Koření sumac (Czech) <i>Rhus coriaria</i>	Korijen, sladki (Croat.) <i>Glycyrrhiza glabra</i>	Kotikataja (Finn.) <i>Juniperus communis</i>	Kraški šetraj (Sloven.) <i>Satureja montana</i>
Konopljika, navadna (Sloven.) <i>Vitex agnus-castus</i>	Koren' kurkumy (Russ.) <i>Curcuma longa</i>	Korion (Old Greek) <i>Coriandrum sativum</i>	Kotimer (Telugu) <i>Coriandrum sativum</i>	Krasolya velyka (Ukr.) <i>Tropaeolum majus</i>
Konyhakomény (Hung.) <i>Carum carvi</i>	Koren solodki (Russ.) <i>Glycyrrhiza glabra</i>	Koristekrassi (Finn.) <i>Tropaeolum majus</i>	Kotimir (Telugu) <i>Coriandrum sativum</i>	Krasseläktet (Finn.) <i>Tropaeolum majus</i>
Kookospähkinä (Finn.) <i>Cocos nucifera</i>	Kori (Korean) <i>Murraya koenigii</i>	Koritsa (Russ.) <i>Cinnamomum zeylanicum</i>	Kottamali (Tamil) <i>Coriandrum sativum</i>	Krasta (Alb.) <i>Thymus serpyllum</i>
Kookospalm (Eston.) <i>Cocos nucifera</i>	Koriaendeo (Korean) <i>Coriandrum sativum</i>	Koritsa, malabarskaya (Russ.) <i>Cinnamomum tamala</i>	Kottamalli (Sinh.) <i>Coriandrum sativum</i>	Krasuljica (Croat.,Serb.) <i>Anthriscus cerefolium</i>
Köömen, harilik (Eston.) <i>Carum carvi</i>	Korianda (Japan.) <i>Coriandrum sativum</i>	Koritsa, tsejlonskaya (Russ.) <i>Cinnamomum zeylanicum</i>	Kottambari (Tulu) <i>Coriandrum sativum</i>	Krasulke (Yidd.) <i>Tropaeolum majus</i>
Köömen, juustu- (Eston.) <i>Cuminum cyminum</i>	Koriandeo (Korean) <i>Coriandrum sativum</i>	Koritsa, v'etnamskaya (Russ.) <i>Cinnamomum loureiroi</i>	Kottampalari (Malayalam) <i>Coriandrum sativum</i>	Krathiam (Thai) <i>Allium sativum</i>
Köömen, must- (Eston.) <i>Nigella sativa</i>	Kóriander (Icel.) <i>Coriandrum sativum</i>	Koromač (Croat.) <i>Foeniculum vulgare</i>	Kotthamal (Malayalam) <i>Coriandrum sativum</i>	Kraunch soeuth (Khmer) <i>Citrus hystrix</i>
Köömen, vürts- (Eston.) <i>Cuminum cyminum</i>	Koriander (Alb.,Dutch,Germ.,Hung.,Norw.,Slovak,Sloven.,Swed.,Yidd.) <i>Coriandrum sativum</i>	Korong (Chakhesang-Chokri Naga) <i>Pandanus odoratissimus</i>	Kottmbari (Kannada) <i>Coriandrum sativum</i>	Kravs (Aram.) <i>Apium graveolens</i>
Kopar (Croat.,Serb.) <i>Anethum graveolens</i>	Koriander, hosszú (Hung.) <i>Eryngium foetidum</i>	Kortam (Turk.) <i>Carthamus tinctorius</i>	Koubeba (Greek) <i>Piper cubeba</i>	Krawaan khaao (Thai) <i>Amomum krervanh</i>
Koper (Sloven.,Ukr.,Yidd.) <i>Anethum graveolens</i>	Koriander, langer (Germ.) <i>Eryngium foetidum</i>	Koruha (Japan.) <i>Trigonella foenum-graecum</i>	Koumin (Bret.) <i>Cuminum cyminum</i>	Krawan khaao (Thai) <i>Amomum krervanh</i>
Kopër (Alb.) <i>Anethum graveolens</i>	Koriander, mexicanischer (Germ.) <i>Eryngium foetidum</i>	Körvel (Swed.) <i>Anthriscus cerefolium</i>	Kourkoumas (Greek) <i>Curcuma longa</i>	Krawan-thet (Thai) <i>Elettaria cardamomum</i>
Kopër (Alb.) <i>Foeniculum vulgare</i>	Koriander, mexikói (Hung.) <i>Eryngium foetidum</i>	Körvel, spansk (Dan.) <i>Myrrhis odorata</i>	Kourkoumi (Greek) <i>Curcuma longa</i>	Krawyah (Hebr.) <i>Carum carvi</i>
Koper, italienisher (Yidd.) <i>Foeniculum vulgare</i>	Koriander, Puerto Ricói (Hung.) <i>Eryngium foetidum</i>	Körvel, spansk (Swed.) <i>Myrrhis odorata</i>	Kousui-hakka (Japan.) <i>Melissa officinalis</i>	Krbuljica (Croat.,Serb.) <i>Anthriscus cerefolium</i>
Kopër Greqie (Alb.) <i>Trigonella foenum-graecum</i>	Koriander, vietnamesischer (Germ.) <i>Persicaria odoratum</i>	Körvel, spansk (Dan.) <i>Myrrhis odorata</i>	Kova ha-nazir (Hebr.) <i>Tropaeolum majus</i>	Krbuljica (Maced.) <i>Anthriscus cerefolium</i>
Koper ogrodowy (Pol.) <i>Anethum graveolens</i>	Koriander, vietnamesisk (Dan.) <i>Persicaria odoratum</i>	Körvel, spansk (Swed.) <i>Myrrhis odorata</i>	Kovan otu (Turk.) <i>Melissa officinalis</i>	Kredamom (Amhar.) <i>Elettaria cardamomum</i>
Koper wloski (Pol.) <i>Foeniculum vulgare</i>	Koriander, dlhý (Slovak) <i>Eryngium foetidum</i>	Körvel, spansk (Dan.) <i>Myrrhis odorata</i>	Köynnöskrassi (Finn.) <i>Tropaeolum majus</i>	Krebuljica, vrtna (Sloven.) <i>Anthriscus cerefolium</i>
Kophyang-namu (Korean) <i>Juniperus communis</i>	Koriander, kultivuar (Alb.) <i>Coriandrum sativum</i>	Körvits (Eston.) <i>Cucurbita pepo</i>	Kozieradka błękitna (Pol.) <i>Trigonella caerulea</i>	Krecava salata (Serb.) <i>Lepidium sativum</i>
Kôpor (Slovak) <i>Anethum graveolens</i>	Koriander, siaty (Slovak) <i>Coriandrum sativum</i>	Korytsya (Ukr.) <i>Cinnamomum zeylanicum</i>	Kozieradka pospolita (Pol.) <i>Trigonella foenum-graecum</i>	Kreeka lambalääts (Eston.) <i>Trigonella foenum-graecum</i>
Kôpor voňavý (Slovak) <i>Anethum graveolens</i>		Korzeń lukrecji (Pol.) <i>Glycyrrhiza glabra</i>	Közönséges bazsalikom (Hung.) <i>Ocimum basilicum</i>	Kreko krervanh (Khmer) <i>Amomum krervanh</i>
Kopr (Czech,Slovak) <i>Anethum graveolens</i>		Korzennik lekarski (Pol.) <i>Pimenta dioica</i>	Közönséges torma (Hung.) <i>Armoracia rusticana</i>	Kremmidi (Greek) <i>Allium cepa</i>
		Kosho (Japan.) <i>Piper nigrum</i>		Křen (Czech) <i>Armoracia rusticana</i>
		Koshoso (Japan.) <i>Lepidium sativum</i>		

Kren (Germ.) <i>Armoracia rusticana</i>	Krishnamula (Sanskrit) <i>Ocimum tenuiflorum</i>	Kubeba (Bulg.,Japan.,Russ.) <i>Piper cubeba</i>	Kumidin (Aram.) <i>Cuminum cyminum</i>	Kundadag-naengi (Korean) <i>Lepidium sativum</i>
Kren, japanischer (Germ.) <i>Wasabia japonica</i>	Krokos (Greek) <i>Crocus sativus</i>	Kubéba (Slovak) <i>Piper cubeba</i>	Kumin (Croat.,Germ.,Japan.,Korean,Russ.,Serb.) <i>Cuminum cyminum</i>	K'undo berbere (Amhar.) <i>Piper nigrum</i>
Křen, zelený Japonský (Czech) <i>Wasabia japonica</i>	Krokosz barwierski (Pol.) <i>Carthamus tinctorius</i>	Kubéba hors (Hung.) <i>Piper cubeba</i>	Kumin, crni (Croat.) <i>Nigella sativa</i>	Kung (Norw.) <i>Origanum vulgare</i>
Kreno (Esperanto) <i>Armoracia rusticana</i>	Krokus (Ukr.) <i>Crocus sativus</i>	Kubebapeppar (Swed.) <i>Piper cubeba</i>	Kumin, divlji (Serb.) <i>Carum carvi</i>	Kungkum (Assam.) <i>Crocus sativus</i>
Kreno, japana (Esperanto) <i>Wasabia japonica</i>	Kromač, dišeči (Sloven.) <i>Myrrhis odorata</i>	Kubebenpfeffer (Germ.) <i>Piper cubeba</i>	Kumina (Finn.,Sloven.) <i>Carum carvi</i>	Kung-kum (Nepali) <i>Crocus sativus</i>
Křen selský (Czech) <i>Armoracia rusticana</i>	Kromid (Bulg.,Maced.) <i>Allium cepa</i>	Kubebos pipirai (Lith.) <i>Piper cubeba</i>	Kumina (Finn.,Sloven.) <i>Cuminum cyminum</i>	Kungsmymta (Swed.) <i>Origanum vulgare</i>
Kres (Yidd.) <i>Lepidium sativum</i>	Kromitče (Maced.) <i>Allium ascalonicum</i>	Kubebu (Japan.) <i>Piper cubeba</i>	Kumina, koptilainen (Finn.) <i>Trachyspermum copticum</i>	Kungulli (Alb.) <i>Cucurbita pepo</i>
Kreša (Maced.) <i>Lepidium sativum</i>	Krommyon to schiston (Old Greek) <i>Allium ascalonicum</i>	Kubebapipar (Eston.) <i>Piper cubeba</i>	Kumina, navadna (Sloven.) <i>Carum carvi</i>	Kungumanga (Swahili) <i>Myristica fragrans</i>
Kreša, vodna (Sloven.) <i>Nasturtium officinale</i>	Kromyon (Old Greek) <i>Allium cepa</i>	Kubepu (Korean) <i>Piper cubeba</i>	Kumina, orientalske (Sloven.) <i>Cuminum cyminum</i>	Kungumappu (Tamil) <i>Crocus sativus</i>
Kreša, vrtna (Sloven.) <i>Lepidium sativum</i>	Kronto (Sranan) <i>Cocos nucifera</i>	Kuca (Malay) <i>Allium schoenoprasum</i>	Kumina, zamorska (Sloven.) <i>Cuminum cyminum</i>	Kungumapu (Malayalam,Tamil) <i>Crocus sativus</i>
Krese (Latv.) <i>Tropaeolum majus</i>	Krookus (Eston.) <i>Crocus sativus</i>	Küçük Hindistan cevizi (Turk.) <i>Myristica fragrans</i>	Kuminai (Lith.) <i>Cuminum cyminum</i>	Kunir (Indones.) <i>Curcuma longa</i>
Krese, avotu (Latv.) <i>Nasturtium officinale</i>	Krop (Belar.,Yidd.) <i>Anethum graveolens</i>	Kudhumani (Swahili) <i>Punica granatum</i>	Kuming (Mand.) <i>Cuminum cyminum</i>	Kunir putih (Indones.) <i>Kaempferia rotunda</i>
Kreso, ĝardena (Esperanto) <i>Lepidium sativum</i>	Kroyzmint (Yidd.) <i>Mentha crispata</i>	Kuei tsin (Mand.) <i>Cinnamomum cassia</i>	Kuminmag (Hung.) <i>Cuminum cyminum</i>	Kunir putih (Indones.) <i>Curcuma zedoaria</i>
Kreson (Bulg.) <i>Nasturtium officinale</i>	Krški vrisak (Croat.) <i>Satureja montana</i>	Kuel skey (Khmer) <i>Cymbopogon citratus</i>	Kumino (Esperanto) <i>Cuminum cyminum</i>	Künji (Turkmen) <i>Sesamum indicum</i>
Kress, kaputsin- (Russ.) <i>Tropaeolum majus</i>	Krstovnik (Serb.) <i>Nasturtium officinale</i>	Kui chai farang (Thai) <i>Allium schoenoprasum</i>	Kumino, nigra (Esperanto) <i>Bunium persicum</i>	Künjit (Kazakh) <i>Sesamum indicum</i>
Kress, maslyanyj (Russ.) <i>Spilanthes acmella</i>	Kruidnagel (Dutch) <i>Syzygium aromaticum</i>	Kuisboom (Dutch) <i>Vitex agnus-castus</i>	Kunkuma (Sanskrit) <i>Crocus sativus</i>	Kunjut (Uzbek) <i>Sesamum indicum</i>
Kres salat (Ukr.) <i>Lepidium sativum</i>	Kruipende tijm (Dutch) <i>Thymus serpyllum</i>	Kukhi taj (Nepali) <i>Cinnamomum zeylanicum</i>	Kumla (Rongmei) <i>Citrus aurantifolia</i>	Kunjuti (Georg.) <i>Sesamum indicum</i>
Kressalāti (Latv.) <i>Lepidium sativum</i>	Krulpeterselie (Dutch) <i>Petroselinum crispum</i>	Kukku (Tulu) <i>Mangifera indica</i>	Kümmel (Germ.) <i>Carum carvi</i>	Kunkum (Assam.,Tibet.) <i>Crocus sativus</i>
Kress brazil'skij (Russ.) <i>Spilanthes acmella</i>	Krušina (Croat.) <i>Prunus mahaleb</i>	Kukuabe (Ewe) <i>Piper clusii</i>	Kümmel, indischer (Germ.) <i>Trachyspermum copticum</i>	Kunkumada gida (Kannada) <i>Bixa orellana</i>
Kresse (Germ.) <i>Lepidium sativum</i>	Krustnagliņas (Latv.) <i>Syzygium aromaticum</i>	Kukulhu faiypilaa (Dhivehi) <i>Ocimum basilicum</i>	Kümmel, Königs- (Germ.) <i>Trachyspermum copticum</i>	Kunkuma kesari (Kannada) <i>Crocus sativus</i>
Kresse, Brunnen- (Germ.) <i>Nasturtium officinale</i>	Kruvipuu (Eston.) <i>Pandanus amaryllifolius</i>	Kukuma (Oriya) <i>Bixa orellana</i>	Kümmel, Kreuz- (Germ.) <i>Cuminum cyminum</i>	Kunkumampu (Malayalam) <i>Crocus sativus</i>
Kresse, indische (Germ.) <i>Tropaeolum majus</i>	Kruvipuu (Eston.) <i>Pandanus odoratissimus</i>	Kukun (Dhivehi) <i>Crocus sativus</i>	Kümmel, Kreuz-(schwarzer) (Germ.) <i>Bunium persicum</i>	Kunkumapuvvu (Telugu) <i>Crocus sativus</i>
Kresse, Para- (Germ.) <i>Spilanthes acmella</i>	Kruv shahor (Hebr.) <i>Brassica nigra</i>	Kulaap-mon (Thai) <i>Rosa damascena</i>	Kümmel, römischer (Germ.) <i>Cuminum cyminum</i>	Kunne (Dutch) <i>Satureja hortensis</i>
Kress-salat (Russ.) <i>Lepidium sativum</i>	Kryddernellike (Dan.) <i>Syzygium aromaticum</i>	Kulanja (Sanskrit) <i>Alpinia galanga</i>	Kümmel, Schwarz- (Germ.) <i>Nigella sativa</i>	Kunofroku (Sranan) <i>Allium sativum</i>
Kress vodyanoj (Russ.) <i>Nasturtium officinale</i>	Kryddkrassing (Swed.) <i>Lepidium sativum</i>	Kulanjam (Urdu) <i>Alpinia galanga</i>	Kümmel, Wiesen- (Germ.) <i>Carum carvi</i>	Kunyit (Indones.) <i>Curcuma longa</i>
Kreuzkümmel (Germ.) <i>Cuminum cyminum</i>	Kryddmæra (Icel.) <i>Majorana hortensis</i>	Kulap (Lao) <i>Rosa damascena</i>	Kummin (Icel.) <i>Cuminum cyminum</i>	Kunyit basah (Malay) <i>Curcuma longa</i>
Kreuzkümmel, schwarzer (Germ.) <i>Bunium persicum</i>	Kryddnejlikor (Swed.) <i>Syzygium aromaticum</i>	Kulinaval (Tamil) <i>Myrtus communis</i>	Kummin, romersk (Swed.) <i>Cuminum cyminum</i>	Kunyit kering (Indones.) <i>Crocus sativus</i>
Kreuzkümmel, weißer (Germ.) <i>Cuminum cyminum</i>	Kryddpeppar (Swed.) <i>Pimenta dioica</i>	Kulingan (Aram.) <i>Alpinia galanga</i>	Kummin, vit (Swed.) <i>Cuminum cyminum</i>	Kunyit putih (Malay) <i>Kaempferia rotunda</i>
Krewanh (Khmer) <i>Amomum krervanh</i>	Kryddsalvia (Swed.) <i>Salvia officinalis</i>	Kulinjan (Hindi,Nepali) <i>Alpinia galanga</i>	Kuna (Chakhesang-Chokri Naga) <i>Perilla frutescens</i>	Kunzhit (Yidd.) <i>Sesamum indicum</i>
Krienas (Lith.) <i>Armoracia rusticana</i>	Kryptimian (Norw.) <i>Thymus serpyllum</i>	Kulit manis (Indones.) <i>Cinnamomum zeylanicum</i>	Kuncai (Chines.) <i>Apium graveolens</i>	Kunzhit (Russ.) <i>Sesamum indicum</i>
K'rifud (Amhar.) <i>Syzygium aromaticum</i>	Kryddpeppar (Swed.) <i>Pimenta dioica</i>	Kulit manis Cina (Indones.) <i>Cinnamomum cassia</i>	Kunchor (Malay) <i>Kaempferia galanga</i>	Kunžut (Belar.) <i>Sesamum indicum</i>
Krip (Ukr.,Yidd.) <i>Anethum graveolens</i>	Kryddsalvia (Swed.) <i>Salvia officinalis</i>	Kulit manis Padang (Indones.) <i>Cinnamomum burmannii</i>	Kunci pepet (Indones.) <i>Kaempferia rotunda</i>	Kunžuut (Eston.) <i>Sesamum indicum</i>
Krip zapashnyj (Ukr.) <i>Anethum graveolens</i>	Kryddmæra (Icel.) <i>Majorana hortensis</i>	Kullobu (Korean) <i>Syzygium aromaticum</i>	Küncüt (Azeri) <i>Sesamum indicum</i>	Kupiena lekarstvennaya (Russ.) <i>Persicaria odoratum</i>
Krishnadi (Sanskrit) <i>Piper nigrum</i>	Kryddnejlikor (Swed.) <i>Syzygium aromaticum</i>	Kuma-kuma (Indones.) <i>Crocus sativus</i>	Kuraesson (Korean) <i>Nasturtium officinale</i>	Kuraesson (Korean) <i>Nasturtium officinale</i>
Krishna jūra (Sanskrit) <i>Bunium persicum</i>	Kryddpeppar (Swed.) <i>Pimenta dioica</i>	Kumar (Japan.) <i>Dipteryx odorata</i>	Kurangumanyalu (Malayalam) <i>Bixa orellana</i>	
	Ku ab (Mand.) <i>Artemisia absinthium</i>	Kumba perets (Russ.) <i>Xylopiya aethiopica</i>		
	Ku ai (Mand.) <i>Artemisia absinthium</i>	Kümen (Icel.) <i>Carum carvi</i>		
	Ku ai (Mand.) <i>Artemisia abrotanum</i>			
	Kubabah (Farsi) <i>Piper cubeba</i>			
	Kübabe (Turk.) <i>Piper cubeba</i>			

Kurgirohi (Eston.) <i>Borago officinalis</i>	Kusumba (Tamil,Urdu) <i>Carthamus tinctorius</i>	Kvliavi (Georg.) <i>Cuminum cyminum</i>	Lada panjang (Indones.) <i>Piper retrofractum</i>	Lakritsi (Finn.) <i>Glycyrrhiza glabra</i>
Kurisuma-beri (Japan.) <i>Schinus terebinthifolius</i>	Kusumba pushpamu (Telugu) <i>Carthamus tinctorius</i>	Kwendel (Dutch) <i>Thymus serpyllum</i>	Lada putih (Malay) <i>Piper nigrum</i>	Lakritsikasvi (Finn.) <i>Glycyrrhiza glabra</i>
Kurkam (Aram.) <i>Crocus sativus</i>	Kusumbha (Sanskrit) <i>Carthamus tinctorius</i>	Kya-gogap (Dz.) <i>Allium sativum</i>	Ladar (Kashm.) <i>Curcuma longa</i>	Lakritze (Germ.) <i>Glycyrrhiza glabra</i>
Kurkkuyrtti (Finn.) <i>Borago officinalis</i>	Kusumbham (Malayalam) <i>Carthamus tinctorius</i>	Kyarawei (Japan.) <i>Carum carvi</i>	Lad's Love (Engl.) <i>Artemisia abrotanum</i>	Lakryčnik (Belar.) <i>Glycyrrhiza glabra</i>
Kurkubeto (Esperanto) <i>Cucurbita pepo</i>	Kusumbo (Gujrati) <i>Carthamus tinctorius</i>	Kyaung-thwe (Burmes.) <i>Murraya koenigii</i>	La dua (Vietnam.) <i>Pandanus amaryllifolius</i>	Laksa plant (Engl.) <i>Persicaria odoratum</i>
Kurkubo (Esperanto) <i>Cucurbita pepo</i>	Kusum phul (Newari) <i>Carthamus tinctorius</i>	Kye (Korean) <i>Cinnamomum zeylanicum</i>	Lafand (Arab.) <i>Lavandula angustifolia</i>	Lakši (Latv.) <i>Allium ursinum</i>
Kurkum (Arab.,Eston.,Hebr.) <i>Curcuma longa</i>	Kusumphul (Assam.) <i>Carthamus tinctorius</i>	Kyepi (Korean) <i>Cinnamomum zeylanicum</i>	Lafant (Welsh) <i>Lavandula angustifolia</i>	Laksis (Latv.) <i>Allium ursinum</i>
Kurkum (Pahlavi) <i>Crocus sativus</i>	Kusum-phul (Bengali) <i>Carthamus tinctorius</i>	Kyet-thun-ni (Burmes.) <i>Allium cepa</i>	La gen (Mand.) <i>Armoracia rusticana</i>	La-la phuda (Tibet.) <i>Trachyspermum copticum</i>
Kurkuma (Belar.,Bret.,Bulg.,Croat.,Czech,Dutch,Eston.,Finn.,Germ.,Hung.,Latv.,Lith.,Mong.,Pol.,Russ.,Serb.,Slovak,Sloven.,Ukr.) <i>Curcuma longa</i>	Kuş yemi (Turk.) <i>Carthamus tinctorius</i>	Kyminon (Old Greek) <i>Cuminum cyminum</i>	Lager (Swed.) <i>Laurus nobilis</i>	La liao (Mand.) <i>Persicaria hydropiper</i>
Kurkuma zedoarskaya (Ukr.) <i>Curcuma zedoaria</i>	Kuttelkraut (Germ.) <i>Thymus vulgaris</i>	Kyndel (Swed.) <i>Satureja hortensis</i>	Lagerbärsblad (Swed.) <i>Laurus nobilis</i>	Lal marchya (Gujrati) <i>Capsicum frutescens</i>
Kurkume (Yidd.) <i>Curcuma longa</i>	Küüslauk (Eston.) <i>Allium sativum</i>	Kyojagwa (Korean) <i>Eruca sativa</i>	Lagrits (Eston.) <i>Glycyrrhiza glabra</i>	Lal mirc (Urdu) <i>Capsicum frutescens</i>
Kurkumo (Esperanto) <i>Curcuma longa</i>	Ku xing ren (Mand.) <i>Prunus dulcis</i>	Kyo-jamu (Korean) <i>Armoracia rusticana</i>	Lagritsa-magusjuur (Eston.) <i>Glycyrrhiza glabra</i>	Lal Mirch (Punjabi) <i>Capsicum frutescens</i>
Kurkumovník zedoárový (Czech) <i>Curcuma zedoaria</i>	Kuyruklu biber (Turk.) <i>Piper cubeba</i>	Kyoja-naengi (Korean) <i>Wasabia japonica</i>	Lahsun (Urdu) <i>Allium sativum</i>	Lal mirch (Dogri,Hindi,Urdu) <i>Capsicum frutescens</i>
Kurkumy, kłaczce (Pol.) <i>Curcuma longa</i>	Kuzbar (Aram.) <i>Coriandrum sativum</i>	Kyselý lajm (Slovak) <i>Citrus aurantifolia</i>	La huong thao (Vietnam.) <i>Rosmarinus officinalis</i>	Lal mirchya (Marathi) <i>Capsicum frutescens</i>
Kurobu (Japan.) <i>Syzygium aromaticum</i>	Kuzbara (Aram.) <i>Coriandrum sativum</i>	Kyskhedstræ (Dan.) <i>Vitex agnus-castus</i>	Läikiv peiulill (Eston.) <i>Tagetes lucida</i>	Lal sarsu (Hindi) <i>Brassica nigra</i>
Kuro-garashi (Japan.) <i>Brassica nigra</i>	Kuzbarah (Arab.) <i>Coriandrum sativum</i>	Kyubebu (Korean) <i>Piper cubeba</i>	Laim (Greek,Hebr.) <i>Citrus aurantifolia</i>	Lāmāi (Roman.) <i>Citrus limon</i>
Kurtam (Hebr.) <i>Carthamus tinctorius</i>	Kuzhinaival (Tamil) <i>Myrtus communis</i>	Kyul-lamu (Korean) <i>Citrus sinensis</i>	Laimai (Lith.) <i>Citrus aurantifolia</i>	Lāmāie (Roman.) <i>Citrus limon</i>
Kurthike (Kannada) <i>Lepidium sativum</i>	Kvapioji citrinmirtė (Lith.) <i>Bacchusia citriodora</i>	Kyummel' (Russ.) <i>Cuminum cyminum</i>	Laimas, swing (Lith.) <i>Citrus aurantifolia</i>	Lāmāie verde (Roman.) <i>Citrus aurantifolia</i>
Kurtum (Turk.) <i>Carthamus tinctorius</i>	Kvapioji ferula (Lith.) <i>Ferula assa-foetida</i>	Laht gan (Canton.) <i>Armoracia rusticana</i>	Lai meng (Mand.) <i>Citrus aurantifolia</i>	Lāmāi mexican (Roman.) <i>Citrus aurantifolia</i>
Kurumulagu (Malayalam) <i>Piper nigrum</i>	Kvapioji garduoklė (Lith.) <i>Myrrhis odorata</i>	Laht jiu (Canton.) <i>Capsicum frutescens</i>	Laimilehed, kaffir (Eston.) <i>Citrus hystrix</i>	Lāmāi mici (Roman.) <i>Citrus aurantifolia</i>
Kurunbaa (Dhivehi) <i>Cocos nucifera</i>	Kvapioji murėja (Lith.) <i>Murraya koenigii</i>	Laakerilehti (Finn.) <i>Laurus nobilis</i>	Lai mu (Mand.) <i>Citrus aurantifolia</i>	Lāmāitā (Roman.) <i>Lippia citriodora</i>
Kurundu (Sinh.) <i>Cinnamomum zeylanicum</i>	Kvapioji pelkenė (Lith.) <i>Limnophila aromatica</i>	Laakerinlehti (Finn.) <i>Laurus nobilis</i>	Laiplai (Thai) <i>Capsicum annum</i>	Lambalääts, sinine (Eston.) <i>Trigonella caerulea</i>
Kusam (Hindi,Punjabi) <i>Carthamus tinctorius</i>	Kvapioji tongapupė (Lith.) <i>Dipteryx odorata</i>	Laakeripuu (Finn.) <i>Laurus nobilis</i>	Laiškinis česnakas (Lith.) <i>Allium schoenoprasum</i>	Lambalääts, kreeka (Eston.) <i>Trigonella foenum-graecum</i>
Kusbar (Hebr.) <i>Coriandrum sativum</i>	Kvapioji vanilė (Lith.) <i>Vanilla planifolia</i>	Laak saa yihp (Canton.) <i>Persicaria odoratum</i>	La jiao (Mand.) <i>Capsicum frutescens</i>	Lambalääts, põld- (Eston.) <i>Trigonella foenum-graecum</i>
Kusbarah (Arab.) <i>Coriandrum sativum</i>	Kvapioji vyšnia (Lith.) <i>Prunus mahaleb</i>	La-ana (Hebr.) <i>Artemisia absinthium</i>	Lajm (Russ.,Serb.) <i>Citrus aurantifolia</i>	Lambalääts, pöld- (Eston.) <i>Trigonella foenum-graecum</i>
Kuşburnu (Turk.) <i>Rosa canina</i>	Kvapioji zunda (Lith.) <i>Eryngium foetidum</i>	Labanga (Oriya) <i>Syzygium aromaticum</i>	Lajm nastoyaschij (Russ.) <i>Citrus aurantifolia</i>	Lam chiak (Thai) <i>Pandanus odoratissimus</i>
Kuşdili (Turk.) <i>Rosmarinus officinalis</i>	Kvapusis basilikas (Lith.) <i>Ocimum basilicum</i>	Labha (Newari) <i>Allium sativum</i>	Lakhod Garos (Armen.) <i>Apium graveolens</i>	Lamiet (Khmer) <i>Curcuma longa</i>
Kusillipia (Korean) <i>Xylopi aethiopica</i>	Kvapusis čilmedis (Lith.) <i>Peumus boldus</i>	Labhandar (Irish) <i>Lavandula angustifolia</i>	Lakko sompu (Kannada) <i>Pimpinella anisum</i>	Lampaka (Tagalog) <i>Nasturtium officinale</i>
Kustarnikovaya polyn' (Russ.) <i>Artemisia abrotanum</i>	Kvapusis gvazdikmedis (Lith.) <i>Syzygium aromaticum</i>	Labhras (Gael.,Irish) <i>Laurus nobilis</i>	Lakkrís (Icel.) <i>Glycyrrhiza glabra</i>	Lampes (Indones.) <i>Ocimum tenuiflorum</i>
Kustumburi (Sanskrit) <i>Coriandrum sativum</i>	Kvapusis imbierutis (Lith.) <i>Kaempferia galanga</i>	Läbik (Turkmen) <i>Papaver somniferum</i>	Lakrets (Yidd.) <i>Glycyrrhiza glabra</i>	Lan (Bodo) <i>Syzygium aromaticum</i>
Kustumburu (Telugu) <i>Coriandrum sativum</i>	Kvapusis mairūnas (Lith.) <i>Majorana hortensis</i>	La ca ri (Vietnam.) <i>Murraya koenigii</i>	Lakrica (Latv.) <i>Glycyrrhiza glabra</i>	Lana (Urdu) <i>Mentha piperita</i>
Kusube (Kannada) <i>Carthamus tinctorius</i>	Kvapusis muskatmedis (Lith.) <i>Myristica fragrans</i>	Lada (Malay) <i>Piper nigrum</i>	Lakrichnik (Russ.) <i>Glycyrrhiza glabra</i>	Lana (Hebr.) <i>Artemisia absinthium</i>
Kusum (Nepali) <i>Carthamus tinctorius</i>	Kvapusis pandanas (Lith.) <i>Pandanus odoratissimus</i>	Lada berekur (Malay) <i>Piper cubeba</i>	Lakrids (Dan.) <i>Glycyrrhiza glabra</i>	Lana (Aram.) <i>Artemisia absinthium</i>
Kusum (Oriya,Tibet.) <i>Carthamus tinctorius</i>	Kvapusis rozmarinas (Lith.) <i>Rosmarinus officinalis</i>	Lada hijau (Malay) <i>Piper nigrum</i>	Lakridsplante (Dan.) <i>Glycyrrhiza glabra</i>	Landleoeb (Dan.) <i>Tropaeolum majus</i>
Kusuma (Oriya,Tibet.) <i>Carthamus tinctorius</i>	Kvav (Aram.) <i>Piper cubeba</i>	Lada hitam (Malay) <i>Piper nigrum</i>	Lakrisrot (Norw.) <i>Glycyrrhiza glabra</i>	Lan fu mu (Mand.) <i>Rhus coriaria</i>
	Kviteli-kvavili (Georg.) <i>Carthamus tinctorius</i>	Lada merah (Malay) <i>Capsicum frutescens</i>	Lakrits (Swed.) <i>Glycyrrhiza glabra</i>	Lang (Chakma,Maith.) <i>Syzygium aromaticum</i>
		Ladan (Farsi) <i>Tropaeolum majus</i>	Lakritsa (Russ.) <i>Glycyrrhiza glabra</i>	Langer fefer (Yidd.) <i>Piper longum</i>

Langer Koriander (Germ.) <i>Eryngium foetidum</i>	Latinka (Bulg.) <i>Tropaeolum majus</i>	Lavandīna (Latv.) <i>Lavandula angustifolia</i>	Lawz (Arab.) <i>Prunus dulcis</i>	Lemwn (Welsh) <i>Citrus limon</i>
Langer Pfeffer (Germ.) <i>Piper longum</i>	Latka (Bengali) <i>Bixa orellana</i>	Lavando (Prov.) <i>Lavandula angustifolia</i>	Lawzah (Arab.) <i>Prunus dulcis</i>	Lengkuas (Malay) <i>Alpinia galanga</i>
Langkwass (Malay) <i>Alpinia galanga</i>	Lato ghans (Nepali) <i>Spilanthes acmella</i>	Lavandra (Malt.) <i>Lavandula angustifolia</i>	Lawz hulwa (Arab.) <i>Prunus dulcis</i> var. <i>dulcis</i>	Lengo (Chakhesang-Chokri Naga) <i>Z. acanthopodium</i>
Långpeppar (Swed.) <i>Piper longum</i>	Latyrapad (Khasi) <i>Cinnamomum tamala</i>	Lavandula (Bulg.,Maced.) <i>Lavandula angustifolia</i>	Lawz murr (Arab.) <i>Prunus dulcis</i> var. <i>amara</i>	Lengoewas (Dutch) <i>Alpinia galanga</i>
Languas galanga (bot.) <i>Alpinia galanga</i>	Lauh leih geuih (Canton.) <i>Borago officinalis</i>	Lavandula officinalis (bot.) <i>Lavandula angustifolia</i>	Laxot Karos (Armen.) <i>Apium graveolens</i>	Lepidion (Old Greek) <i>Lepidium sativum</i>
La nguyet que (Vietnam.) <i>Laurus nobilis</i>	Laukinis citrinmedis (Lith.) <i>Citrus hystrix</i>	Lavanga (Kannada,Sanskrit) <i>Syzygium aromaticum</i>	Lay-hnyin (Burmes.) <i>Syzygium aromaticum</i>	Lepido (Span.) <i>Lepidium sativum</i>
Langvang (Newari) <i>Syzygium aromaticum</i>	Laukur (Icel.) <i>Allium cepa</i>	Lavangalu (Telugu) <i>Syzygium aromaticum</i>	Laym (Hebr.,Yidd.) <i>Citrus aurantifolia</i>	Lepiodka pospolita (Pol.) <i>Ori-ganum vulgare</i>
Langvas (Sloven.) <i>Alpinia galanga</i>	Laun (Burmes.) <i>Ocimum tenuiflorum</i>	Lavangamu (Telugu) <i>Cinnamomum zeylanicum</i>	Lažni poper (Sloven.) <i>Schinus terebinthifolius</i>	Lesser galangale (Engl.) <i>Kaempferia galanga</i>
Langwerpige peper (Dutch) <i>Piper longum</i>	Laung (Dogri,Hindi,Punjabi) <i>Syzygium aromaticum</i>	Lavangapatta (Kannada) <i>Cinnamomum zeylanicum</i>	Lebu (Bengali,Bodo,Hmar) <i>Citrus aurantifolia</i>	Lesser ginger (Engl.) <i>Boesen-bergia pandurata</i>
Lanka (Oriya) <i>Capsicum frutescens</i>	Laur (Belar.) <i>Laurus nobilis</i>	Lavanga pattai (Tamil) <i>Cinnamomum zeylanicum</i>	Leeskputk, harilik (Eston.) <i>Levisticum officinale</i>	Lestyán (Hung.) <i>Levisticum officinale</i>
Lankamaricha (Oriya) <i>Capsicum frutescens</i>	Laurbærblad (Dan.) <i>Laurus nobilis</i>	Lavangappatta (Malayalam) <i>Cinnamomum zeylanicum</i>	Legústico (Galic.) <i>Levisticum officinale</i>	Leuhng geung (Canton.) <i>Alpinia galanga</i>
Lanksčioji (Lith.) <i>Cymbopogon flexuosus</i>	Laurbærblad, Indisk (Dan.) <i>Cinnamomum tamala</i>	Lavango (Tulu) <i>Syzygium aromaticum</i>	Leishabi (Manipuri) <i>Spilanthes acmella</i>	Leuhng mihn chi (Canton.) <i>Zanthoxylum nitidum</i>
Laos (Indones.) <i>Alpinia galanga</i>	Laurbærblad, indonesisk (Dan.) <i>Eugenia polyantha</i>	Lavani (Swahili) <i>Vanilla planifolia</i>	Lékořice (Czech) <i>Glycyrrhiza glabra</i>	Leurdä (Roman.) <i>Allium ursinum</i>
Lap seuhn geung (Canton.) <i>Boesenbergia pandurata</i>	Laurel (Engl.,Span.) <i>Laurus nobilis</i>	Lavanta (Sinh.) <i>Citrus limon</i>	Leman (Sinh.) <i>Citrus limon</i>	Leuştean (Roman.) <i>Levisticum officinale</i>
Lapu kârvele (Latv.) <i>Anthriscus cerefolium</i>	Laurier (Engl.,Span.) <i>Laurus nobilis</i>	Lavanta çiçeği (Turk.) <i>Lavandula angustifolia</i>	Leman gras (Bengali) <i>Cymbopogon citratus</i>	Leuşzean (Roman.) <i>Levisticum officinale</i>
Lapush (Alb.) <i>Borago officinalis</i>	Laurier (Prov.) <i>Laurus nobilis</i>	Lavas (Dutch) <i>Levisticum officinale</i>	Leman mint (Malayalam) <i>Melissa officinalis</i>	Levanda, tikroji (Lith.) <i>Lavandula angustifolia</i>
La que (Vietnam.) <i>Ocimum basilicum</i>	Laurierblad, Indonesisch (Dutch) <i>Eugenia polyantha</i>	Lavendel (Dan.,Dutch,Germ.,Norw.,Swed.) <i>Lavandula angustifolia</i>	Lemma (Oriya) <i>Citrus aurantifolia</i>	Levandul'a (Slovak) <i>Lavandula angustifolia</i>
Larando (Basque) <i>Citrus sinensis</i> var. <i>amara</i>	Laurierblad, indonesisk (Dan.) <i>Eugenia polyantha</i>	Lavender (Engl.,Hebr.) <i>Lavandula angustifolia</i>	Lemma gras (Bengali) <i>Cymbopogon citratus</i>	Levandul'a úzkolistá (Slovak) <i>Lavandula angustifolia</i>
Laranja (Basque,Port.) <i>Citrus sinensis</i>	Laurier des Indes (French) <i>Cinnamomum tamala</i>	Lavandin (Sloven.) <i>Lavandula angustifolia</i>	Lembo (Santali) <i>Citrus aurantifolia</i>	Levandule (Czech) <i>Lavandula angustifolia</i>
Laranja-amarga (Port.) <i>Citrus sinensis</i> ssp. <i>amara</i>	Laurier noble (French) <i>Laurus nobilis</i>	Lavendl (Yidd.) <i>Lavandula angustifolia</i>	Lembu (Oriya) <i>Citrus aurantifolia</i>	Levandule lekařská (Czech) <i>Lavandula angustifolia</i>
Laranja-azeda (Port.) <i>Citrus sinensis</i> ssp. <i>amara</i>	Lauro (Esp.) <i>Laurus nobilis</i>	Lavendo (Esp.) <i>Lavandula angustifolia</i>	Lemin (Tigr.) <i>Citrus aurantifolia</i>	Levanta (Greek) <i>Lavandula angustifolia</i>
Laranja-doce (Port.) <i>Citrus sinensis</i>	Lauro d'indonesia (Ital.) <i>Eugenia polyantha</i>	Lavor (Maced.) <i>Laurus nobilis</i>	Lemin (Tigr.) <i>Citrus aurantifolia</i>	Levãntičã (Roman.) <i>Lavandula angustifolia</i>
Larë (Alb.) <i>Laurus nobilis</i>	Lauro folio (Esp.) <i>Laurus nobilis</i>	Lavorov list (Maced.) <i>Laurus nobilis</i>	Lemni (Tigr.) <i>Citrus limon</i>	Levasticum (Lat.) <i>Levisticum officinale</i>
Lärilik meliïssa (Kazakh) <i>Melissa officinalis</i>	Lauro indiano (Ital.) <i>Cinnamomum tamala</i>	Lavorovo drvo (Maced.) <i>Laurus nobilis</i>	Lemnul dulce (Roman.) <i>Glycyrrhiza glabra</i>	Levendula (Hung.) <i>Lavandula angustifolia</i>
Laring (Malt.) <i>Citrus sinensis</i>	Lauro lapai (Latv.) <i>Laurus nobilis</i>	Lavr (Russ.,Ukr.) <i>Laurus nobilis</i>	Lemnul Domnului (Roman.) <i>Artemisia abrotanum</i>	Levistico (Ital.) <i>Levisticum officinale</i>
Lárviðarlauf (Icel.) <i>Laurus nobilis</i>	Lauro lapai, indiški (Lith.) <i>Cinnamomum tamala</i>	Lavr amerikanskij (Russ.) <i>Sassafras albidum</i>	Lemnul lui Avram (Roman.) <i>Vitex agnus-castus</i>	Levãntičã (Roman.) <i>Lavandula angustifolia</i>
Lárviður (Icel.) <i>Laurus nobilis</i>	Laurovy list (Belar.) <i>Laurus nobilis</i>	Lavr barg (Uzbek) <i>Laurus nobilis</i>	Lemon (Arab.,Bengali,Engl.) <i>Citrus limon</i>	Levasticum (Lat.) <i>Levisticum officinale</i>
Lasan (Gujrati,Punjabi) <i>Allium sativum</i>	Laurovy list, indanezijski (Belar.) <i>Eugenia polyantha</i>	Lavrovo durvo (Bulg.) <i>Laurus nobilis</i>	Lemon balm (Engl.) <i>Melissa officinalis</i>	Levendula (Hung.) <i>Lavandula angustifolia</i>
Laser Parthicum (Lat.) <i>Ferula assa-foetida</i>	Lauru lapeliai (Lith.) <i>Laurus nobilis</i>	Lavrovo durvo, Amerikan-sko (Bulg.) <i>Sassafras albidum</i>	Lemongras (Germ.) <i>Cymbopogon citratus</i>	Levistico (Galic.,Port.) <i>Levisticum officinale</i>
Laserpitium (Lat.) <i>Silphion</i>	Laurus (Lat.) <i>Laurus nobilis</i>	Lavrov list (Russ.) <i>Laurus nobilis</i>	Lemon grass (Engl.) <i>Cymbopogon citratus</i>	Levístico (Galic.,Port.) <i>Levisticum officinale</i>
La sha ye (Mand.) <i>Persicaria odoratum</i>	Lausié (Prov.) <i>Laurus nobilis</i>	Lavrov list, Indonezijskij (Russ.) <i>Eugenia polyantha</i>	Lemoni (Greek) <i>Citrus limon</i>	Levisticum (Lat.) <i>Levisticum officinale</i>
Lashun (Hindi) <i>Allium sativum</i>	Lava (Newari) <i>Allium sativum</i>	Lavrov list, Indonezijskij (Russ.) <i>Eugenia polyantha</i>	Lemon ironwood (Engl.) <i>Backhousia citriodora</i>	Levistiko (Esp.) <i>Levisticum officinale</i>
Lashuna (Kannada,Sanskrit) <i>Allium sativum</i>	Lavand (Bret.) <i>Lavandula angustifolia</i>	Lavrynovavch (Mong.) <i>Laurus nobilis</i>	Lemon myrtle (Engl.) <i>Backhousia citriodora</i>	Lëvorenërënxë (Alb.) <i>Citrus sinensis</i>
Lasun (Apatani,Maith.,Marathi,Nepali,Punjabi) <i>Allium sativum</i>	Lavanda (Alb.,Azeri,Belar.,Galic.,Georg.,Ital.,Maced.,Mong.,Russ.,Serb.,Span.,Ukr.) <i>Lavandula angustifolia</i>	Lavu (Newari) <i>Syzygium aromaticum</i>	Lemonochorto (Greek) <i>Cymbopogon citratus</i>	Levurda (Bulg.) <i>Allium ursinum</i>
Lasüing (Ao Naga) <i>Allium sativum</i>	Lavanda, ljekovita (Croat.) <i>Lavandula angustifolia</i>	Lawenda wąskolistna (Pol.) <i>Lavandula angustifolia</i>	Lemon-pepper, Indonesian (Engl.) <i>Zanthoxylum acanthopodium</i>	Lewż (Malt.) <i>Prunus dulcis</i>
Lat (Copt.) <i>Petroselinum crispum</i>	Lavanda, šaurlapu (Latv.) <i>Lavandula angustifolia</i>	Lawendeor (Thai) <i>Lavandula angustifolia</i>	Lemon-scented myrtle (Engl.) <i>Backhousia citriodora</i>	Ley nyim bwint (Burmes.) <i>Syzygium aromaticum</i>
La tia to (Vietnam.) <i>Perilla frutescens</i>	Lavande (French) <i>Lavandula angustifolia</i>	Lawng par (Mizo) <i>Syzygium aromaticum</i>	Lemon-scented verbena (Engl.) <i>Lippia citriodora</i>	Lia (Indones.) <i>Zingiber officinale</i>
Lâtin çiçeği (Turk.) <i>Tropaeolum majus</i>			Lemon verbena (Engl.) <i>Lippia citriodora</i>	Liang jiang (Mand.) <i>Alpinia galanga</i>
			Lemtyi (Sranan) <i>Citrus aurantifolia</i>	Liang mian zhen (Mand.) <i>Zanthoxylum nitidum</i>
			Lemu (Hausa) <i>Citrus aurantifolia</i>	Liath lus (Gael.) <i>Artemisia vulgaris</i>
			Lemun adalya barnati (Arab.) <i>Citrus bergamia</i>	Libatop (Hung.) <i>Chenopodium ambrosioides</i>

Libeček (Czech) <i>Levisticum officinale</i>	Limbu (Gujrati,Hindi,Mara-thi) <i>Citrus limon</i>	Limon gras (Hebr.) <i>Cymbopogon citratus</i>	Liquirizia (Ital.) <i>Glycyrrhiza glabra</i>	Loh fong ji (Canton.) <i>Tamarindus indica</i>
Libeček lékařský (Czech) <i>Levisticum officinale</i>	Lime (Dan.,Engl.,Hung.,Swed.) <i>Citrus aurantifolia</i>	Limoni (Alb.,Georg.) <i>Citrus limon</i>	Liquorice (Engl.) <i>Glycyrrhiza glabra</i>	Loh lahk (Canton.) <i>Ocimum basilicum</i>
Libsticka (Swed.) <i>Levisticum officinale</i>	Lime, wild (Engl.) <i>Citrus hystrix</i>	Limoni tesak (Armen.) <i>Citrus aurantifolia</i>	Lisaan Athaur (Arab.) <i>Borago officinalis</i>	Loh mohng ji (Canton.) <i>Tamarindus indica</i>
Libuntish (Aram.) <i>Rosmarinus officinalis</i>	Limene (Yidd.) <i>Citrus limon</i>	Limonit rehanit (Hebr.) <i>Cymbopogon citratus</i>	Lisac (Serb.) <i>Persicaria hydropiper</i>	Lõhnav dipteeriks (Eston.) <i>Dipteryx odorata</i>
Libustiqon (Aram.) <i>Levisticum officinale</i>	Limene, grine (Yidd.) <i>Citrus aurantifolia</i>	Limón mirto (Span.) <i>Backhousia citriodora</i>	Liśc laurowy (Pol.) <i>Laurus nobilis</i>	Lõhnav karusköömen (Eston.) <i>Trachyspermum copticum</i>
Lichořeřišnice větší (Czech) <i>Tropaeolum majus</i>	Limeo (Esperanto) <i>Citrus aurantifolia</i>	Limon nanesi (Turk.) <i>Melissa officinalis</i>	Lishi (Dz.,Tibet.) <i>Syzygium aromaticum</i>	Lõhnav kirsipuu (Eston.) <i>Prunus mahaleb</i>
Licorice (Engl.) <i>Glycyrrhiza glabra</i>	Limetã (Roman.) <i>Citrus aurantifolia</i>	Limonnik (Russ.) <i>Melissa officinalis</i>	Lish tsetsjijn chinzhüü (Mong.) <i>Pimenta dioica</i>	Lõhnav kollajuur (Eston.) <i>Curcuma longa</i>
Liebstöckel (Germ.) <i>Levisticum officinale</i>	Limeta (Croat.,Czech,Maced.,Serb.,Slovak) <i>Citrus aurantifolia</i>	Limonnoe sorgo (Russ.) <i>Cymbopogon citratus</i>	Lista ot kuri (Bulg.) <i>Murraya koenigii</i>	Lõhnav muskaadipuu (Eston.) <i>Myristica fragrans</i>
Ligagria (Greek) <i>Vitex agnuscactus</i>	Limetez (Bret.) <i>Citrus aurantifolia</i>	Limonondo (Basque) <i>Citrus sinensis</i>	List'ya karri (Russ.) <i>Murraya koenigii</i>	Lõhnav pandan (Eston.) <i>Pandanus amaryllifolius</i>
Ligurček (Slovak) <i>Levisticum officinale</i>	Limeti (Amhar.) <i>Citrus aurantifolia</i>	Limon o't (Uzbek) <i>Lippia citriodora</i>	Litunarkollur (Icel.) <i>Carthamus tinctorius</i>	Lõhnav pandan (Eston.) <i>Pandanus odoratissimus</i>
Ligurček lekársky (Slovak) <i>Levisticum officinale</i>	Limetka (Pol.) <i>Citrus aurantifolia</i>	Limon otu (Turk.) <i>Melissa officinalis</i>	Liubista (Belar.) <i>Levisticum officinale</i>	Lõhnav sumahh (Eston.) <i>Rhus coriaria</i>
Ligurčekové semeno (Slovak) <i>Trachyspermum copticum</i>	Limetta (Ital.) <i>Citrus aurantifolia</i>	Limonotu (Turk.) <i>Cymbopogon citratus</i>	Liubistik (Yidd.) <i>Levisticum officinale</i>	Lõhnav tonkapuu (Eston.) <i>Dipteryx odorata</i>
Ligústico (Span.) <i>Levisticum officinale</i>	Limette (French,Germ.) <i>Citrus aurantifolia</i>	Limonova treva (Bulg.) <i>Cymbopogon citratus</i>	Liu lan xiang (Mand.) <i>Mentha spicata</i>	Loih mou (Canton.) <i>Citrus aurantifolia</i>
Ligustico (Ital.) <i>Levisticum officinale</i>	Limette acide (French) <i>Citrus aurantifolia</i>	Limonska trava (Sloven.) <i>Cymbopogon citratus</i>	Liu li ju (Mand.) <i>Borago officinalis</i>	Loih mung (Canton.) <i>Citrus aurantifolia</i>
Ligusticum (Lat.) <i>Levisticum officinale</i>	Limetti (Finn.) <i>Citrus aurantifolia</i>	Limoo (Farsi) <i>Citrus aurantifolia</i>	Liu shen cao (Mand.) <i>Spilanthes acmella</i>	Lök (Swed.) <i>Allium cepa</i>
Ligustikon (Old Greek) <i>Levisticum officinale</i>	Limetti (Finn.) <i>Citrus limon</i>	Limoo (Farsi) <i>Citrus limon</i>	Livandë e vërtetë (Alb.) <i>Lavandula angustifolia</i>	Loko-loko (Tagalog) <i>Ocimum gratissimum</i>
Liivatee (Eston.) <i>Thymus vulgaris</i>	Limettier (French) <i>Citrus aurantifolia</i>	Limou (Farsi) <i>Citrus limon</i>	Livec'h (Bret.) <i>Levisticum officinale</i>	Lokrytsya (Ukr.) <i>Glycyrrhiza glabra</i>
Lila Alchi (Gujrati) <i>Elettaria cardamomum</i>	Limettier hérissé (French) <i>Citrus hystrix</i>	Limou torsh (Farsi) <i>Citrus aurantifolia</i>	Livèche (French) <i>Levisticum officinale</i>	Lolaqizg'aldoq (Uzbek) <i>Papaver somniferum</i>
Lila marchya (Gujrati) <i>Capsicum frutescens</i>	Limnofila, aromatna (Bulg.) <i>Limnophila aromatica</i>	Limu (Tajik) <i>Citrus limon</i>	Liymon (Kazakh) <i>Citrus limon</i>	Lombok (Indones.) <i>Capsicum frutescens</i>
Lille Galanga (Dan.) <i>Kaempferia galanga</i>	Limnofila pachnaça (Pol.) <i>Limnophila aromatica</i>	Limun (Croat.,Maced.,Serb.,Urdu) <i>Citrus limon</i>	Lizard tail, Chinese (Engl.) <i>Houttuynia cordata</i>	Lomi (Amhar.) <i>Citrus limon</i>
Lily, resurrection (Engl.) <i>Kaempferia galanga</i>	Limo (Lat.) <i>Citrus limon</i>	Limunka (Serb.) <i>Melissa officinalis</i>	Ljekovita kadulja (Croat.) <i>Salvia officinalis</i>	Lomiet (Khmer) <i>Curcuma longa</i>
Lima (Basque,Ital.,Pol.,Span.) <i>Citrus aurantifolia</i>	Limoe bedarr (Basque) <i>Melissa officinalis</i>	Limun-spориš, zeleni (Croat.) <i>Lippia citriodora</i>	Ljekovita lavanda (Croat.) <i>Lavandula angustifolia</i>	Long (Assam.,Chakma,Khasi) <i>Syzygium aromaticum</i>
Limã (Roman.) <i>Citrus aurantifolia</i>	Limoen (Dutch) <i>Citrus aurantifolia</i>	Limun trava (Serb.) <i>Cymbopogon citratus</i>	Ljekoviti ljupčac (Croat.) <i>Levisticum officinale</i>	Long ai (Mand.) <i>Artemisia dracunculus</i>
Lima ácida (Port.) <i>Citrus aurantifolia</i>	Limoenkruid (Dutch) <i>Artemisia abrotanum</i>	Limun verbena (Serb.) <i>Lippia citriodora</i>	Ljekoviti miloduh (Croat.) <i>Hyssopus officinalis</i>	Long coriander (Engl.) <i>Eryngium foetidum</i>
Lima cafre (Port.) <i>Citrus hystrix</i>	Limoi (Basque) <i>Citrus sinensis</i>	Linga (Tagalog) <i>Sesamum indicum</i>	Ljupčac (Serb.) <i>Levisticum officinale</i>	Long hao (Mand.) <i>Artemisia dracunculus</i>
Lima comum (Port.) <i>Citrus aurantifolia</i>	Limón (Span.) <i>Citrus limon</i>	Ling ling xiang dou (Mand.) <i>Dipteryx odorata</i>	Ljupčac, ljekoviti (Croat.) <i>Levisticum officinale</i>	Long mosola (Garo) <i>Syzygium aromaticum</i>
Limão (Port.) <i>Citrus limon</i>	Limon (Arab.,Azeri,Belar.,Bulg.,Hebr.,Russ.,Turk.,Turkmen,Uzbek) <i>Citrus limon</i>	Liocras (Irish) <i>Glycyrrhiza glabra</i>	Llaguera (Catalan) <i>Tropaeolum majus</i>	Long pepper (Engl.) <i>Piper longum</i>
Limão gelego (Port.) <i>Citrus aurantifolia</i>	Limon (French) <i>Citrus aurantifolia</i>	Líoma (Irish) <i>Citrus aurantifolia</i>	Llawryf (Welsh) <i>Laurus nobilis</i>	Lontai (Sranan) <i>Pimenta dioica</i>
Limau (Malay,Swahili) <i>Citrus limon</i>	Limon, sladkij (Russ.) <i>Citrus medica</i>	Liomaid (Gael.) <i>Citrus limon</i>	Llawryfoedd (Welsh) <i>Laurus nobilis</i>	Lonumedhu (Dhivehi) <i>Allium sativum</i>
Limau kesturi (Malay) <i>Citrus microcarpa</i>	Limon, tath (Turk.) <i>Citrus aurantifolia</i>	Liomaid uaine (Gael.) <i>Citrus aurantifolia</i>	Llimonera (Catalan) <i>Citrus limon</i>	Loorberipuu, harilik (Eston.) <i>Laurus nobilis</i>
Limau kesturi (Malay) <i>Citrus aurantifolia</i>	Límóna (Icel.) <i>Citrus aurantifolia</i>	Líomóid (Irish) <i>Citrus limon</i>	Llor (Catalan) <i>Laurus nobilis</i>	Løpstikke (Norw.) <i>Levisticum officinale</i>
Limau nipis (Malay) <i>Citrus aurantifolia</i>	Limona (Sloven.) <i>Citrus limon</i>	Liperi (Finn.) <i>Levisticum officinale</i>	Llorer (Catalan) <i>Laurus nobilis</i>	Loragiño (Basque) <i>Origanum vulgare</i>
Limau purut (Malay) <i>Citrus hystrix</i>	Limón agria (Span.) <i>Citrus aurantifolia</i>	Lipia limonit (Hebr.) <i>Lippia citriodora</i>	Lobelarr (Basque) <i>Papaver somniferum</i>	Lorbeer (Germ.) <i>Laurus nobilis</i>
Limb (Kashm.) <i>Citrus limon</i>	Limondo (Basque) <i>Citrus aurantifolia</i>	Lippia (Finn.) <i>Lippia citriodora</i>	Lober (Yidd.) <i>Laurus nobilis</i>	Lorbeerblätter, indische (Germ.) <i>Cinnamomum tamala</i>
Limba mielului (Roman.) <i>Borago officinalis</i>	Limone (Amhar.,Ital.) <i>Citrus limon</i>	Lippia trójlistna (Pol.) <i>Lippia citriodora</i>	Lobongo (Bengali) <i>Syzygium aromaticum</i>	Lorbeerblätter, indonesische (Germ.) <i>Eugenia polyantha</i>
Limbe (Kannada) <i>Citrus aurantifolia</i>	Limone (Germ.) <i>Citrus aurantifolia</i>	Lipstick tree (Engl.) <i>Bixa orellana</i>	Ločidlo (Czech) <i>Ferula assafoetida</i>	Lorbeerblätter, westindische (Germ.) <i>Pimenta dioica</i>
Limbeputi (Tulu) <i>Citrus aurantifolia</i>	Limoneta (Port.) <i>Lippia citriodora</i>	Lipstikka (Finn.) <i>Levisticum officinale</i>	Lofnarblóm (Icel.) <i>Lavandula angustifolia</i>	
		Liquiritiae radix (pharm.) <i>Glycyrrhiza glabra</i>	Løg (Dan.) <i>Allium cepa</i>	

- Lorber** (Yidd.) *Laurus nobilis*
Lorberblat (Yidd.) *Laurus nobilis*
Loze (Bret.) *Laurus nobilis*
Losani (Sumi Naga) *Cinnamomum zeylanicum*
Loson (Mao) *Allium sativum*
Lotier odorant (French) *Trigonella caerulea*
Loto domestico (Ital.) *Trigonella caerulea*
Louh dau syuh (Canton.) *Pandanus odoratissimus*
Louh meih chou (Canton.) *Salvia officinalis*
Louiza (Greek) *Lippia citriodora*
Lou le (Mand.) *Ocimum basilicum*
Loung (Manipuri,Urdu) *Syzygium aromaticum*
Loureiro (Galic.,Port.) *Laurus nobilis*
Louro (Port.) *Laurus nobilis*
Lovage (Engl.) *Levisticum officinale*
Lovaj (Hebr.) *Levisticum officinale*
Love-in-a-Mist (Engl.) *Nigella damascena*
Love Parsley (Engl.) *Levisticum officinale*
Lovor (Croat.,Serb.,Sloven.) *Laurus nobilis*
Lovorov list (Serb.) *Laurus nobilis*
Løvstikke (Dan.) *Levisticum officinale*
Lozi (Swahili) *Prunus dulcis*
Luam lows (Hmong) *Persicaria odoratum*
Lubbestok (Dutch) *Levisticum officinale*
Lubczyk ogrodowy (Pol.) *Levisticum officinale*
Lü bo he (Mand.) *Mentha spicata*
Luční kmín (Czech) *Carum carvi*
Lu dou shu (Mand.) *Pandanus odoratissimus*
Luhng ngaai (Canton.) *Artemisia dracunculoides*
Luibh an liugair (Gael.) *Levisticum officinale*
Luisa (Hebr.) *Lippia citriodora*
Luizah (Hebr.) *Lippia citriodora*
Luk (Maced.) *Allium sativum*
Luk (Belar.,Bulg.,Russ.) *Allium cepa*
Luk, beli (Serb.) *Allium sativum*
Luk, bijeli (Croat.) *Allium sativum*
Luk, češan (Serb.) *Allium sativum*
Luk, crni (Serb.) *Allium cepa*
Luk, crveni (Croat.) *Allium cepa*
Luk, medvedí (Serb.) *Allium ursinum*
Luk, medvedí (Croat.) *Allium ursinum*
Luk chan (Thai) *Myristica fragrans*
Luk chanthet (Thai) *Myristica fragrans*
Luk crveni (Serb.) *Allium cepa*
Luk krawan (Thai) *Amomum krervanh*
Luk makrut (Thai) *Citrus hystrix*
Luk mechi (Bulg.) *Allium ursinum*
Luk medvezhij (Russ.) *Allium ursinum*
Luk pak chi (Thai) *Coriandrum sativum*
Luk ra mat (Thai) *Zanthoxylum rhetsa*
Lukrecja gładka (Pol.) *Glycyrrhiza glabra*
Luk repchatyj (Russ.) *Allium cepa*
Luk rezanets (Russ.) *Allium schoenoprasum*
Luk sat (Thai) *Trigonella foenum-graecum*
Luk sibirski (Bulg.) *Allium schoenoprasum*
Luk skoroda (Russ.) *Allium schoenoprasum*
Luk vlasac (Croat.) *Allium schoenoprasum*
Luk vlašac (Serb.) *Allium schoenoprasum*
Lulëkuqe (Alb.) *Papaver somniferum*
Lule piperkë (Alb.) *Tropaeolum majus*
Lumi (Malt.) *Citrus limon*
Lunboa (Dhivehi) *Citrus aurantifolia*
Lungo, pepe (Ital.) *Piper longum*
Lunu (Sinh.) *Allium cepa*
Luo huang zi (Mand.) *Tamarindus indica*
Luo wang zi (Mand.) *Tamarindus indica*
Lup-Chew (Chinese.) *Capsicum frutescens*
Lupstājs (Latv.) *Levisticum officinale*
Lus a choire (Gael.) *Coriandrum sativum*
Lus an choire (Irish) *Coriandrum sativum*
Lus-an-fhògair (Gael.) *Persicaria hydropiper*
Lus an fhograidh (Gael.) *Nigella sativa*
Lus-an-liùgair (Gael.) *Levisticum officinale*
Lus-an-rìgh (Gael.) *Thymus vulgaris*
Lus an t'saiodh (Gael.) *Foeniculum vulgare*
Lusch (Germ.) *Levisticum officinale*
Lus dearg (Gael.) *Carum carvi*
Lusiton (Copt.) *Majorana hortensis*
Lus-marsalaidh (Gael.) *Majorana hortensis*
Lus-mhic-Rìgh-Bhreatainn (Gael.) *Thymus vulgaris*
Lus mín (Irish) *Anethum graveolens*
Lus-na-smàileag (Gael.) *Apium graveolens*
Lus na tuise (Gael.) *Lavandula angustifolia*
Lus-rìgh (Gael.) *Ocimum basilicum*
Luštrek (Sloven.) *Levisticum officinale*
Luststock (Germ.) *Levisticum officinale*
Lutikarohi (Eston.) *Myrica gale*
Lutni (Santali) *Brassica nigra*
Luu (Vietnam.) *Punica granatum*
Luya (Tagalog) *Zingiber officinale*
Luz (Arab.,Aram.) *Prunus dulcis*
Luz hulwa (Arab.) *Prunus dulcis* var. *dulcis*
Luz murr (Arab.) *Prunus dulcis* var. *amara*
Lwang (Nepali) *Syzygium aromaticum*
Lygagria (Greek) *Vitex agnuscatus*
Lymon (Ukr.) *Citrus limon*
Lyubistok (Russ.) *Levisticum officinale*
Lyubistok likars'kyj (Ukr.) *Levisticum officinale*
Lyubovnoe zelye (Russ.) *Levisticum officinale*
Lyubystok aptechnyj (Ukr.) *Levisticum officinale*
Maagwortel (Dutch) *Curcuma zedoaria*
Maankop (Dutch) *Papaver somniferum*
Maanzaad (Dutch) *Papaver somniferum*
Maasis (Eston.) *Myristica fragrans*
Mac (Roman.) *Papaver somniferum*
Mac de gradinã (Roman.) *Papaver somniferum*
Mace (Engl.,Ital.) *Myristica fragrans*
Mace, sweet (Engl.) *Tagetes lucida*
Machalepi (Greek) *Prunus mahaleb*
Machandel (Germ.) *Juniperus communis*
Macha palan (Maith.) *Pandanus odoratissimus*
Macheoraen (Thai) *Majorana hortensis*
Machha Turi (Garo) *Houttuynia cordata*
Machi (Chakhesang-Chokri Naga,Lotha Naga) *Capsicum frutescens*
Machimer (Nepali) *Murraya koenigii*
Ma chin (Khmer) *Cuminum cyminum*
Machu (Manipuri) *Curcuma longa*
Macia (Span.) *Myristica fragrans*
Maciás (Span.) *Myristica fragrans*
Macierzanka piaskowa (Pol.) *Thymus serpyllum*
Măciș damascen (Roman.) *Rosa damascena*
Macis (Croat.,French,Germ.,Lat.,Lith.,Port.,Span.) *Myristica fragrans*
Mačjarduška (Belar.) *Origanum vulgare*
Macskaméz (Hung.) *Melissa officinalis*
Macskapöcs paprika (Hung.) *Capsicum frutescens*
Mac somnifer (Roman.) *Papaver somniferum*
Mad (Marathi) *Cocos nucifera*
Mad (Lao) *Zanthoxylum alatum*
Mädarõigas (Eston.) *Armoracia rusticana*
Mädarõikaseemned (Eston.) *Armoracia rusticana*
Madeng (Khmer) *Alpinia galanga*
Madesi sauph (Nepali) *Foeniculum vulgare*
Madhalanarangam (Malayalam) *Punica granatum*
Madhubiija (Sanskrit) *Punica granatum*
Madhugam (Malayalam) *Glycyrrhiza glabra*
Madhura-Naranga (Malayalam) *Citrus sinensis*
Madhurika (Sanskrit) *Foeniculum vulgare*
Madhu svang (Newari) *Majorana hortensis*
Madhu svang (Newari) *Foeniculum vulgare*
Madhuuka (Sanskrit) *Glycyrrhiza glabra*
Madhuulii (Sanskrit) *Mangifera indica*
Madoodag (Armen.) *Glycyrrhiza glabra*
Madulai (Tamil) *Punica granatum*
Maduru (Sinh.) *Foeniculum vulgare*
Madurutala (Sinh.) *Ocimum tenuiflorum*
Mae-lae-doe (Thai) *Eryngium foetidum*
Maenglak (Thai) *Ocimum citriodorum*
Maezeraeu (Oss.) *Artemisia dracunculoides*
Magambu (Tamil) *Pimpinella anisum*
Magandhi (Sanskrit) *Piper longum*
Magdanos (Maced.) *Petroselinum crispum*
Magdanoz (Bulg.) *Petroselinum crispum*
Maggikraut (Germ.) *Levisticum officinale*
Maggiarana (Ital.) *Majorana hortensis*
Maggiplant (Dutch) *Levisticum officinale*
Magha (Punjabi) *Piper longum*
Maghadanos (Armen.) *Petroselinum crispum*
Maghatanos (Armen.) *Petroselinum crispum*
Mägheran (Roman.) *Majorana hortensis*
Mägheran sãlbatic (Roman.) *Origanum vulgare*
Măghiran (Roman.) *Majorana hortensis*
Maghiran (Roman.) *Majorana hortensis*
Magi-začín (Croat.) *Levisticum officinale*
Magone (Latv.) *Papaver somniferum*
Magraner (Catalan) *Punica granatum*
Magriva (Serb.) *Prunus mahaleb*
Magrood (Thai) *Citrus hystrix*
Magun (Eston.) *Papaver somniferum*
Magusjuur (Eston.) *Glycyrrhiza glabra*
Maguwato (Japan.) *Artemisia vulgaris*
Magyar pirošító (Hung.) *Carthamus tinctorius*
Ma-gyi-thi (Burmese.) *Tamarindus indica*
Mahaduru (Sinh.) *Foeniculum vulgare*
Ma ha hing (Lao) *Ferula assafoetida*
Mahahing (Thai) *Ferula assafoetida*
Mahaleb cherry (Engl.) *Prunus mahaleb*
Mahalebka (Czech,Slovak) *Prunus mahaleb*
Mahaleb-Kirsche (Germ.) *Prunus mahaleb*
Mahalev (Hebr.) *Prunus mahaleb*
Ma ha li ying tao (Mand.) *Prunus mahaleb*
Maharep (Korean) *Prunus mahaleb*
Maharibu (Japan.) *Prunus mahaleb*
Mahlab (Arab.) *Prunus mahaleb*
Mahlap (Armen.) *Prunus mahaleb*
Mahlep (Turk.) *Prunus mahaleb*
Mahulunboa (Dhivehi) *Prunus mahaleb*
Mah yeuk laahn (Canton.) *Majorana hortensis*

Mah yeuk laahn faa (Canton.) <i>Majorana hortensis</i>	Majoránna (Hung.) <i>Majorana hortensis</i>	Mak Muang (Lao) <i>Mangifera indica</i>	Malatron (Copt.) <i>Foeniculum vulgare</i>	Mandloň obecná (Czech) <i>Prunus dulcis</i>
Maide-milis (Gael.) <i>Glycyrrhiza glabra</i>	Majorano (Esperanto) <i>Majorana hortensis</i>	Mak nao (Lao) <i>Citrus aurantifolia</i>	Male (Newari) <i>Piper nigrum</i>	Mandorla amara (Ital.) <i>Prunus dulcis</i>
Maiden's ruin (Engl.) <i>Artemisia abrotanum</i>	Majorāns (Latv.) <i>Majorana hortensis</i>	Mak nao lat (Lao) <i>Citrus aurantifolia</i>	Malguetta poper (Sloven.) <i>Aframomum melegueta</i>	Mandorla dulce (Ital.) <i>Prunus dulcis</i>
Maigram (Germ.) <i>Majorana hortensis</i>	Majoran sadovyj (Ukr.) <i>Majorana hortensis</i>	Mak nao nyai (Lao) <i>Citrus limon</i>	Mali baha (Santali) <i>Ocimum thrysiflorum</i>	Mandula (Hung.) <i>Prunus dulcis</i>
Maih diht heung (Canton.) <i>Rosmarinus officinalis</i>	Majorán zahradní (Czech) <i>Majorana hortensis</i>	Mak nao si (Lao) <i>Citrus medica</i>	Mallajirige (Tulu) <i>Foeniculum vulgare</i>	Mang (Armen.) <i>Mangifera indica</i>
Maikon (Aram.) <i>Papaver somniferum</i>	Majorán záhradný (Slovak) <i>Majorana hortensis</i>	Mak Neng (Lao) <i>Elettaria cardamomum</i>	Malli (Malayalam) <i>Coriandrum sativum</i>	Manga (Belar.,Malayalam,Port.) <i>Mangifera indica</i>
Maítano (Greek) <i>Petroselinum crispum</i>	Majurano (Prov.) <i>Majorana hortensis</i>	Mak Neng Daeng (Lao) <i>Elettaria cardamomum</i>	Malli, afrikan (Malayalam) <i>Eryngium foetidum</i>	Mangae (Rongmei) <i>Tamarindus indica</i>
Maintanos (Greek) <i>Petroselinum crispum</i>	Majurano fero (Prov.) <i>Originum vulgare</i>	Mak Neng Khiao (Lao) <i>Elettaria cardamomum</i>	Malojillo (Span.) <i>Cymbopogon citratus</i>	Mangai (Tamil) <i>Mangifera indica</i>
Maiorana (Georg.,Lat.) <i>Majorana hortensis</i>	Mák (Czech,Hung.) <i>Papaver somniferum</i>	Mak Neng Kwantung (Lao) <i>Elettaria cardamomum</i>	Malört (Swed.) <i>Artemisia absinthium</i>	Mangai podi (Tamil) <i>Mangifera indica</i>
Maiorana hortensis (bot.) <i>Majorana hortensis</i>	Mak (Thai) <i>Eugenia polyantha</i>	Mak Neng Pa (Lao) <i>Elettaria cardamomum</i>	Malta (Newari) <i>Capsicum frutescens</i>	Manga podi (Malayalam) <i>Mangifera indica</i>
Mairan (Germ.) <i>Majorana hortensis</i>	Mak (Belar.,Croat.,Maced.,Serb.,Slovak) <i>Papaver somniferum</i>	Mak Neng Sayan (Lao) <i>Elettaria cardamomum</i>	Malum Punicum (Lat.) <i>Punica granatum</i>	Mangas, indinis (Lith.) <i>Mangifera indica</i>
Máirtí fiaín (Irish) <i>Majorana hortensis</i>	Mak, gradinski (Bulg.) <i>Papaver somniferum</i>	Ma kok (Thai) <i>Olea europaea</i>	Malurt (Dan.) <i>Artemisia absinthium</i>	Mangayi (Telugu) <i>Mangifera indica</i>
Mairūnas (Lith.) <i>Majorana hortensis</i>	Mak, opiev (Bulg.) <i>Papaver somniferum</i>	Mak olib (Lao) <i>Olea europaea</i>	Mambalam (Tamil) <i>Mangifera indica</i>	Mangel (Fris.) <i>Prunus dulcis</i>
Maitokumina (Finn.) <i>Cuminum cyminum</i>	Mak, opijnjy (Russ.) <i>Papaver somniferum</i>	Makovo seme (Bulg.) <i>Papaver somniferum</i>	Mambazham (Tamil) <i>Mangifera indica</i>	Mangga (Indones.,Malay) <i>Mangifera indica</i>
Mai ya (Chines.) <i>Vitex agnus-castus</i>	Mak, vrtni (Sloven.) <i>Papaver somniferum</i>	Mak pet (Lao) <i>Capsicum frutescens</i>	Mameadeku (Japan.) <i>Eugenia polyantha</i>	Mangge (Manipuri) <i>Tamarindus indica</i>
Majaran (Belar.) <i>Majorana hortensis</i>	Ma kaen (Thai) <i>Zanthoxylum limonella</i>	Mak pet nyai (Lao) <i>Capsicum annuum</i>	Mamidi (Telugu) <i>Mangifera indica</i>	Manggo (Korean) <i>Mangifera indica</i>
Majaron (Sloven.) <i>Majorana hortensis</i>	Makedonisi (Greek) <i>Petroselinum crispum</i>	Mak pet wan (Lao) <i>Capsicum annuum</i>	Mamidikaya podi (Telugu) <i>Mangifera indica</i>	Mang guo (Mand.) <i>Mangifera indica</i>
Majčina dušica (Croat.,Maced.,Serb.) <i>Thymus serpyllum</i>	Makhalebka (Bulg.) <i>Prunus mahaleb</i>	Mak phao (Lao) <i>Cocos nucifera</i>	Mamidipandu (Telugu) <i>Mangifera indica</i>	Mangke (Tangkhal) <i>Tamarindus indica</i>
Majdanoz (Alb.) <i>Petroselinum crispum</i>	Ma kham (Thai) <i>Tamarindus indica</i>	Mak phet kungsi (Lao) <i>Capsicum frutescens</i>	Ma muang (Thai) <i>Mangifera indica</i>	Mangko (Greek) <i>Mangifera indica</i>
Majdanozi (Alb.) <i>Petroselinum crispum</i>	Ma kham peak (Thai) <i>Tamarindus indica</i>	Mak phik thai (Lao) <i>Piper nigrum</i>	Mamula (Georg.) <i>Artemisia vulgaris</i>	Manglak (Thai) <i>Ocimum citriodorum</i>
Majdonos (Maced.) <i>Petroselinum crispum</i>	Ma khuan (Thai) <i>Zanthoxylum limonella</i>	Mak Pila (Lao) <i>Punica granatum</i>	Mananekh (Armen.) <i>Brassica nigra</i>	Mango (Basque,Bulg.,Czech,Dan.,Dutch,Engl.,Esperanto,Finn.,Georg.,Germ.,Hebr.,Ital.,Japan.,Norw.,Roman.,Russ.,Serb.,Slovak,Span.,Swed.,Yidd.) <i>Mangifera indica</i>
Majeranek, dziki (Pol.) <i>Originum vulgare</i>	Ma khuang (Thai) <i>Zanthoxylum limonella</i>	Makropipero (Greek) <i>Piper longum</i>	Mananex (Armen.) <i>Brassica nigra</i>	Mangó (Hung.,Icel.,Irish) <i>Mangifera indica</i>
Majeranek ogrodowy (Pol.) <i>Majorana hortensis</i>	Makidoneli (Georg.) <i>Petroselinum crispum</i>	Makrut (Thai) <i>Citrus hystrix</i>	Ma nao (Thai) <i>Citrus aurantifolia</i>	Mango indyjskie (Pol.) <i>Mangifera indica</i>
Majjige hullu (Kannada) <i>Cymbopogon citratus</i>	Makilgoxo (Basque) <i>Glycyrrhiza glabra</i>	Mák setý (Czech) <i>Papaver somniferum</i>	Manao farang (Thai) <i>Citrus limon</i>	Mangondo (Basque) <i>Mangifera indica</i>
Majoraan (Eston.) <i>Majorana hortensis</i>	Mäkimeirami (Finn.) <i>Originum vulgare</i>	Mak siaty (Slovak) <i>Papaver somniferum</i>	Manao kwai (Thai) <i>Citrus medica</i>	Mangopulber (Eston.) <i>Mangifera indica</i>
Majoram (Korean,Sinh.) <i>Majorana hortensis</i>	Mak kak (Thai) <i>Zanthoxylum alatum</i>	Mak snodijnjy (Ukr.) <i>Papaver somniferum</i>	Ma nao leung (Thai) <i>Citrus limon</i>	Mangopuu, india (Eston.) <i>Mangifera indica</i>
Majoramu (Japan.) <i>Majorana hortensis</i>	Mak khaen (Lao) <i>Zanthoxylum nitidum</i>	Mak snotvornjy (Russ.) <i>Papaver somniferum</i>	Mandab (Arab.) <i>Eruca sativa</i>	Mangovnik indický (Slovak) <i>Mangifera indica</i>
Majoran (Germ.,Maced.,Mong.,Russ.,Serb.,Ukr.) <i>Majorana hortensis</i>	Mak kham (Lao) <i>Tamarindus indica</i>	Malabari (Eston.) <i>Cinnamomum tamala</i>	Mandel (Dan.,Germ.,Swed.) <i>Prunus dulcis</i>	Mangrela (Maith.) <i>Nigella sativa</i>
Majorán (Czech,Slovak) <i>Majorana hortensis</i>	Mak khen (Lao) <i>Zanthoxylum nitidum</i>	Malabarskaya koritsa (Russ.) <i>Cinnamomum tamala</i>	Mandele (Latv.) <i>Prunus dulcis</i>	Mangue (French) <i>Mangifera indica</i>
Majorán, divý (Slovak) <i>Majorana hortensis</i>	Mak khuang (Lao) <i>Zanthoxylum nitidum</i>	Malabathron (Old Greek) <i>Cinnamomum tamala</i>	Mandelj (Sloven.) <i>Prunus dulcis</i>	Manguet (Span.) <i>Mangifera indica</i>
Majorán, obyčajný (Slovak) <i>Majorana hortensis</i>	Mak kiang (Lao) <i>Citrus sinensis</i>	Malabathrum (Lat.) <i>Cinnamomum tamala</i>	Mandl (Yidd.) <i>Prunus dulcis</i>	Manguier (French) <i>Mangifera indica</i>
Majoran, wilder (Germ.) <i>Originum vulgare</i>	Mak kiang hwan (Lao) <i>Citrus sinensis</i>	Malageta (Lith.) <i>Aframomum melegueta</i>	Mandl, bitere (Yidd.) <i>Prunus dulcis</i>	Mangwaro (Hausa) <i>Mangifera indica</i>
Majorana (Bulg.,Catalan) <i>Majorana hortensis</i>	Mak kiang noi (Lao) <i>Citrus sinensis</i>	Malagettapfeffer (Germ.) <i>Aframomum melegueta</i>	Mandl, zise (Yidd.) <i>Prunus dulcis</i>	Manigetto (Japan.) <i>Aframomum melegueta</i>
Majorāni, dārza (Latv.) <i>Majorana hortensis</i>	Mak kiang soewiyoe (Lao) <i>Citrus sinensis ssp. amara</i>	Malagueta (Span.) <i>Aframomum melegueta</i>	Mandl'a horká (Slovak) <i>Prunus dulcis</i>	Mani guetta (Ital.) <i>Aframomum melegueta</i>
Majoránka (Slovak) <i>Majorana hortensis</i>	Mak kihut (Lao) <i>Citrus hystrix</i>	Malaguetta (French) <i>Aframomum melegueta</i>	Mandl'a obyčajná (Slovak) <i>Prunus dulcis</i>	
	Mak lekarski (Pol.) <i>Papaver somniferum</i>	Malagvet (Russ.) <i>Aframomum melegueta</i>	Mandl'a sladká (Slovak) <i>Prunus dulcis</i>	
		Ma lar (Thai) <i>Zanthoxylum piperitum</i>	Mandle (Czech) <i>Prunus dulcis</i>	
		Malathi (Punjab) <i>Glycyrrhiza glabra</i>	Mandlipuu, harilik (Eston.) <i>Prunus dulcis</i>	

Maniguette (French) <i>Aframomum melegueta</i>	Maramiah (Arab.) <i>Salvia officinalis</i>	Marjolliorzh (Bret.) <i>Majorana hortensis</i>	Mastruz (Port.) <i>Chenopodium ambrosioides</i>	Maustekumina (Finn.) <i>Cuminum cyminum</i>
Manja (Arab.) <i>Mangifera indica</i>	Marants (Yidd.) <i>Citrus sinensis</i>	Marjoram (Engl.,Icel.) <i>Majorana hortensis</i>	Mastuerzo (Span.) <i>Lepidium sativum</i>	Mausteneilikka (Finn.) <i>Syzygium aromaticum</i>
Manjal (Malayalam,Tamil) <i>Curcuma longa</i>	Marants, bitere (Yidd.) <i>Citrus sinensis ssp. amara</i>	Marjoram, wild (Engl.) <i>Origanum vulgare</i>	Mäta kučerava (Slovak) <i>Mentha crispa</i>	Maustepippuri (Finn.) <i>Pimenta dioica</i>
Manjalu (Tulu) <i>Curcuma longa</i>	Märar (Roman.) <i>Anethum graveolens</i>	Marmahauz (Aram.) <i>Majorana hortensis</i>	Matalahuga (Span.) <i>Pimpinella anisum</i>	Mau vang nghe (Vietnam.) <i>Crocus sativus</i>
Manjano (Swahili) <i>Curcuma longa</i>	Märar dulce (Roman.) <i>Foeniculum vulgare</i>	Marmarak (Uzbek) <i>Salvia officinalis</i>	Máta peprná (Czech) <i>Mentha piperita</i>	Mavina hannu (Kannada) <i>Mangifera indica</i>
Manjeriçao (Port.) <i>Ocimum basilicum</i>	Marathi moggu (Kannada,Telugu) <i>Capparis spinosa</i>	Marmarii (Sanskrit) <i>Curcuma longa</i>	Mäta pieporná (Slovak) <i>Mentha piperita</i>	Mavina mara (Kannada) <i>Mangifera indica</i>
Manjerona (Port.) <i>Majorana hortensis</i>	Maratho (Greek) <i>Foeniculum vulgare</i>	Märurutki (Latv.) <i>Armoracia rusticana</i>	Ma-tek (Khmer) <i>Capsicum frutescens</i>	Mav naus (Hmong) <i>Citrus hystrix</i>
Manjo (Arab.) <i>Mangifera indica</i>	Marathon (Old Greek) <i>Foeniculum vulgare</i>	Marsan josh (Punjabi) <i>Majorana hortensis</i>	Mateřidouška úzkolistá (Czech) <i>Thymus serpyllum</i>	Mavritanskij perets (Russ.) <i>Xylopiya aethiopica</i>
Mank (Armen.) <i>Mangifera indica</i>	Marati (Nepali) <i>Spilanthes acmella</i>	Märsils (Latv.) <i>Thymus serpyllum</i>	Materina duřica (Sloven.) <i>Thymus vulgaris</i>	Mavu (Kannada,Malayalam) <i>Mangifera indica</i>
Mankracht (Dutch) <i>Levisticum officinale</i>	Marazollette (French) <i>Origanum vulgare</i>	Martorria (Basque) <i>Coriandrum sativum</i>	Materina duřica (Serb.) <i>Thymus serpyllum</i>	Mawar (Indones.) <i>Rosa damascena</i>
Manmon (Copt.) <i>Citrus sinensis</i>	Marcha (Mizo) <i>Capsicum frutescens</i>	Marts (Kashm.) <i>Piper nigrum</i>	Materina duřka (Slovak) <i>Thymus serpyllum</i>	Mayana (Turk.) <i>Foeniculum vulgare</i>
Mannenro (Japan.) <i>Rosmarinus officinalis</i>	Marchewnik anyżowy (Pol.) <i>Myrrhis odorata</i>	Martsa-wanga (Kashm.) <i>Capsicum frutescens</i>	Materina duřka obyčajná (Slovak) <i>Thymus vulgaris</i>	Mayangton (Manipuri) <i>Ocimum basilicum</i>
Manpalam (Malayalam) <i>Mangifera indica</i>	Marchya (Gujrati) <i>Capsicum frutescens</i>	Maruya (Oriya) <i>Ruta graveolens</i>	Materina duřka vajcovitá (Slovak) <i>Thymus pulegioides</i>	Maydanoz (Turk.) <i>Petroselinum crispum</i>
Manr sokh (Armen.) <i>Allium schoenoprasum</i>	Mardanca (Alb.) <i>Petroselinum crispum</i>	Marwa (Aram.) <i>Majorana hortensis</i>	Materka (Maced.) <i>Thymus vulgaris</i>	Maydanoz, frenk (Turk.) <i>Anthriscus cerefolium</i>
Manr sox (Armen.) <i>Allium schoenoprasum</i>	Mardaquoush (Arab.) <i>Majorana hortensis</i>	Marwa (Aram.) <i>Origanum vulgare</i>	Materinka (Ukr.) <i>Origanum vulgare</i>	Maydanozu, bal (Turk.) <i>Petroselinum crispum</i>
Manteli (Finn.) <i>Prunus dulcis</i>	Mardaquush (Arab.) <i>Majorana hortensis</i>	Marwamiya (Arab.) <i>Salvia officinalis</i>	Materinka zwichajna (Ukr.) <i>Origanum vulgare</i>	Maydanozu, deniz (Turk.) <i>Levisticum officinale</i>
Manting (Indones.) <i>Eugenia polyantha</i>	Mardgash (Aram.) <i>Majorana hortensis</i>	Marzangoosh (Pahlavi) <i>Majorana hortensis</i>	Mathalam (Malayalam) <i>Punica granatum</i>	Mayonara (Korean) <i>Majorana hortensis</i>
Man turi (Santali) <i>Brassica nigra</i>	Marduix (Catalan) <i>Majorana hortensis</i>	Marzanjush (Arab.) <i>Majorana hortensis</i>	Mathalanarakam (Malayalam) <i>Punica granatum</i>	Mayoram (Hebr.) <i>Majorana hortensis</i>
Mantzourana (Greek) <i>Majorana hortensis</i>	Marhanik (Czech) <i>Punica granatum</i>	Marzanon (Armen.) <i>Majorana hortensis</i>	Matičina (Maced.) <i>Melissa officinalis</i>	Mayoran (Hebr.,Yidd.) <i>Majorana hortensis</i>
Manul (Korean) <i>Allium sativum</i>	Mari (Gujrati) <i>Piper nigrum</i>	Marzeh (Farsi) <i>Satureja hortensis</i>	Matičnjak (Croat.,Serb.) <i>Melissa officinalis</i>	Mayran (Uzbek) <i>Majorana hortensis</i>
Manxurana (Alb.) <i>Majorana hortensis</i>	MarialluĀrsa (Catalan) <i>Lippia citriodora</i>	Masala-satar (Urdu) <i>Thymus vulgaris</i>	Matkarse (Norw.) <i>Lepidium sativum</i>	Mays (Hebr.) <i>Myristica fragrans</i>
Manya (Sranan) <i>Mangifera indica</i>	Mariam goli (Farsi) <i>Salvia officinalis</i>	Masalyachi velchi (Marathi) <i>Amomum subulatum</i>	Matkat (Konyak Naga) <i>Z. acanthopodium</i>	Ma yue lan (Mand.) <i>Majorana hortensis</i>
Mao la hua jiao (Mand.) <i>Zanthoxylum acanthopodium</i>	Mariarmo (Prov.) <i>Hyssopus officinalis</i>	Mashterka diva (Bulg.) <i>Thymus serpyllum</i>	Matochina (Bulg.) <i>Melissa officinalis</i>	Ma yue lan hua (Mand.) <i>Majorana hortensis</i>
Ma-om (Khmer) <i>Limnophila aromatica</i>	Marica (Sanskrit) <i>Piper nigrum</i>	Mashterka gradinska (Bulg.) <i>Thymus vulgaris</i>	Matochnyk (Ukr.) <i>Melissa officinalis</i>	Ma yu lan (Mand.) <i>Majorana hortensis</i>
Mapoula (Galic.) <i>Papaver somniferum</i>	Marich (Maith.,Nepali,Oriya) <i>Piper nigrum</i>	Masi (Icel.) <i>Myristica fragrans</i>	Matočina (Maced.,Serb.) <i>Melissa officinalis</i>	Mažoji nasturtė (Lith.) <i>Tropaeolum majus</i>
Maprao (Thai) <i>Cocos nucifera</i>	Marich (Chakma,Santali) <i>Capsicum frutescens</i>	Mäslin (Roman.) <i>Olea europaea</i>	Matoru (Japan.) <i>Myrtus communis</i>	Mažuran (Croat.,Serb.) <i>Majorana hortensis</i>
Maqdounis (Arab.) <i>Petroselinum crispum</i>	Marichiphala (Sanskrit) <i>Capsicum frutescens</i>	Mäslinā (Roman.) <i>Olea europaea</i>	Mátrafű (Hung.) <i>Artemisia vulgaris</i>	Mažuran, divlji (Serb.) <i>Origanum vulgare</i>
Maqdunis (Arab.) <i>Petroselinum crispum</i>	Marigold, Mexican (Engl.) <i>Tagetes lucida</i>	Masline (Yidd.) <i>Olea europaea</i>	Matsat (Lao) <i>Sinapis alba</i>	Mchezo (Swahili) <i>Capparis spinosa</i>
Maqdunis afranji (Arab.) <i>Anthriscus cerefolium</i>	Marimih (Arab.) <i>Salvia officinalis</i>	Maslinka (Maced.) <i>Olea europaea</i>	Matsat (Lao) <i>Brassica nigra</i>	Mchuzi (Swahili) <i>Murraya koenigii</i>
Maqdunis franji (Arab.) <i>Anthriscus cerefolium</i>	Marjol (Bret.) <i>Majorana hortensis</i>	Maslinovo drvo (Maced.) <i>Olea europaea</i>	Matutak (Armen.) <i>Glycyrrhiza glabra</i>	Mdalasini (Swahili) <i>Cinnamomum zeylanicum</i>
Maqsari (Kazakh) <i>Carthamus tinctorius</i>	Marjolaine (Dutch) <i>Majorana hortensis</i>	Maslinov zejtin (Maced.) <i>Olea europaea</i>	Matzourana (Greek) <i>Majorana hortensis</i>	Mdogvi (Georg.) <i>Brassica nigra</i>
Mar (Marathi) <i>Cocos nucifera</i>	Marjolaine bâtarde (French) <i>Origanum vulgare</i>	Maslyanyj kress (Russ.) <i>Spilanthes acmella</i>	Mauddh (Maith.) <i>Glycyrrhiza glabra</i>	Me (Vietnam.) <i>Sesamum indicum</i>
Maraba (Russ.) <i>Kaempferia galanga</i>	Marjolaine sauvage (Dutch, French) <i>Origanum vulgare</i>	Masoro (Hausa) <i>Piper nigrum</i>	Mauh gwai (Canton.) <i>Cinnamomum cassia</i>	Meacan-each (Gael.) <i>Armoracia rusticana</i>
Marac (Alb.) <i>Foeniculum vulgare</i>	Marjolein (Dutch) <i>Majorana hortensis</i>	Masoro (Hausa) <i>Piper clusii</i>	Mauri (Assam.,Bengali) <i>Foeniculum vulgare</i>	Meath chaltuinn (Gael.) <i>Artemisia abrotanum</i>
Maraja (Alb.) <i>Foeniculum vulgare</i>	Marjolein, wilde (Dutch) <i>Origanum vulgare</i>	Mastad (Hausa) <i>Brassica nigra</i>	Maurloki (Latv.) <i>Allium schoenoprasum</i>	Meboki (Japan.) <i>Ocimum basilicum</i>
Mar' ambrozievidnaya (Russ.) <i>Chenopodium ambrosioides</i>	Marjol-ki (Bret.) <i>Origanum vulgare</i>	Mastar (Thai) <i>Brassica nigra</i>	Maustekirveli (Finn.) <i>Anthriscus cerefolium</i>	
Marameeah (Arab.) <i>Salvia officinalis</i>		Mastruço (Port.) <i>Chenopodium ambrosioides</i>		

Me chua (Vietnam.) <i>Tamarindus indica</i>	Melea he Persike (Old Greek) <i>Citrus limon</i>	Melligueta (Korean) <i>Aframomum melegueta</i>	Meoguweotu (Korean) <i>Artemisia vulgaris</i>	Meth (Kashm.) <i>Trigonella foenum-graecum</i>
Medovka lekárska (Slovak) <i>Melissa officinalis</i>	Melegeta piper (Bulg.) <i>Aframomum melegueta</i>	Mellisa (Korean) <i>Melissa officinalis</i>	Meoguwitu (Korean) <i>Artemisia vulgaris</i>	Methi (Assam., Bengali, Dogri, Hindi, Maith., Marathi, Nepali, Oriya, Punjabi, Urdu) <i>Trigonella foenum-graecum</i>
Meduňka (Czech) <i>Melissa officinalis</i>	Melegeti aframon (Eston.) <i>Aframomum melegueta</i>	Melná sinepes (Latv.) <i>Brassica nigra</i>	Meogwi (Korean) <i>Zanthoxylum ailanthoides</i>	Methika (Sanskrit) <i>Trigonella foenum-graecum</i>
Medvedí cesnak (Slovak) <i>Allium ursinum</i>	Melegueta pepper (Engl.) <i>Aframomum melegueta</i>	Melnie pipari (Latv.) <i>Piper nigrum</i>	Meosutadu (Korean) <i>Sinapis alba</i>	Methiká (Czech) <i>Trigonella foenum-graecum</i>
Medvědí česnek (Czech) <i>Allium ursinum</i>	Meleguetapfeffer (Germ.) <i>Aframomum melegueta</i>	Melnšeklíte (Latv.) <i>Nigella sativa</i>	Meosutadu (Korean) <i>Brassica nigra</i>	Methini (Gujrati) <i>Trigonella foenum-graecum</i>
Medvedí luk (Serb.) <i>Allium ursinum</i>	Melilot, blue (Engl.) <i>Trigonella caerulea</i>	Melograno (Ital.) <i>Punica granatum</i>	Meotul (Korean) <i>Myrtus communis</i>	Methro (Gujrati) <i>Trigonella foenum-graecum</i>
Medvedji česen (Sloven.) <i>Allium ursinum</i>	Métilot bleu (French) <i>Trigonella caerulea</i>	Membrana de nucșoară (Roman.) <i>Myristica fragrans</i>	Mercanköşk (Turk.) <i>Majorana hortensis</i>	Meti (Tamil) <i>Trigonella foenum-graecum</i>
Medvehagyma (Hung.) <i>Allium ursinum</i>	Métilot d'Allemagne (French) <i>Trigonella caerulea</i>	Mempelam (Malay) <i>Mangifera indica</i>	Mërçelë (Alb.) <i>Myrtus communis</i>	Metishe (Chakhesang-Chokri Naga) <i>Z. acanthopodium</i>
Medvjedi luk (Croat.) <i>Allium ursinum</i>	Meliloto azul (Span.) <i>Trigonella caerulea</i>	Menasina kayi (Kannada) <i>Capsicum frutescens</i>	Merde du diable (French) <i>Ferula assa-foetida</i>	Metiwiri (Sranan) <i>Petroselinum crispum</i>
Meerrettich (Germ.) <i>Armoracia rusticana</i>	Meliloto azzurro (Ital.) <i>Trigonella caerulea</i>	Menasu (Kannada) <i>Piper nigrum</i>	Meredik (Dutch) <i>Armoracia rusticana</i>	Metlika, dišeča (Sloven.) <i>Chenopodium ambrosioides</i>
Meerrettich, japanischer (Germ.) <i>Wasabia japonica</i>	Melilotus caeruleus (bot.) <i>Trigonella caerulea</i>	Menda (Basque) <i>Mentha piperita</i>	Merian (Dan., Norw.) <i>Majorana hortensis</i>	Met ma kham (Thai) <i>Tamarindus indica</i>
Meetha neem (Hindi) <i>Murraya koenigii</i>	Melis (Dutch) <i>Melissa officinalis</i>	Mendaro (Basque) <i>Majorana hortensis</i>	Merica (Indones.) <i>Piper nigrum</i>	Met nga (Lao) <i>Sesamum indicum</i>
Megbedogboe (Ewe) <i>Aframomum melegueta</i>	Melisa (Alb., Serb.) <i>Melissa officinalis</i>	Mendër e butë (Alb.) <i>Mentha piperita</i>	Merica hijau (Indones.) <i>Piper nigrum</i>	Mëtra (Latv.) <i>Mentha piperita</i>
Megon (Armen.) <i>Papaver somniferum</i>	Melisa, ärstniecības (Latv.) <i>Melissa officinalis</i>	Mendër e rëndomtë (Alb.) <i>Mentha piperita</i>	Merica hitam (Indones.) <i>Piper nigrum</i>	Me tre (Vietnam.) <i>Alpinia globosea</i>
Megoni Good (Armen.) <i>Papaver somniferum</i>	Melisa, citrininė (Lith.) <i>Melissa officinalis</i>	Mendula (Croat.) <i>Prunus dulcis</i>	Merica putih (Indones.) <i>Piper nigrum</i>	Mette (Tulu) <i>Trigonella foenum-graecum</i>
Mehedi (Bengali) <i>Myrtus communis</i>	Melisa, vaistinė (Lith.) <i>Melissa officinalis</i>	Menta (Bulg., Galic..., Greek, Hebr., Hung., Lat., Serb., Span.) <i>Mentha piperita</i>	Merisinga potro (Oriya) <i>Murraya koenigii</i>	Metvica (Serb.) <i>Mentha piperita</i>
Mehul (Basque) <i>Foeniculum vulgare</i>	Melisa, zlata (Croat.) <i>Monarda didyma</i>	Mentă (Roman.) <i>Mentha piperita</i>	Merlik (Czech) <i>Chenopodium ambrosioides</i>	Metvica, paprena (Croat.) <i>Mentha piperita</i>
Meirami (Finn.) <i>Majorana hortensis</i>	Melisa lekarska (Pol.) <i>Melissa officinalis</i>	Menta, vietnámi (Hung.) <i>Persicaria odoratum</i>	Merlik vonný (Czech) <i>Chenopodium ambrosioides</i>	Metvica, pčelinja (Serb.) <i>Melissa officinalis</i>
Meisu (Korean) <i>Myristica fragrans</i>	Melisa likars'ka (Ukr.) <i>Melissa officinalis</i>	Menta harifa (Hebr.) <i>Mentha piperita</i>	Merosi (Angami Naga) <i>Mangifera indica</i>	Metvulja (Croat.) <i>Monarda didyma</i>
Mejorana (Span.) <i>Majorana hortensis</i>	Melisa limonna (Ukr.) <i>Melissa officinalis</i>	Menta pebrera (Catalan) <i>Mentha piperita</i>	Merqtux (Malt.) <i>Majorana hortensis</i>	Meurta (Bret.) <i>Myrtus communis</i>
Mejram (Swed.) <i>Majorana hortensis</i>	Melisa otu (Turk.) <i>Melissa officinalis</i>	Menta pepe (Ital.) <i>Mentha piperita</i>	Mersin (Turk.) <i>Myrtus communis</i>	Mexican coriander (Engl.) <i>Eryngium foetidum</i>
Mejram, vild (Swed.) <i>Origanum vulgare</i>	Melise (Yidd.) <i>Melissa officinalis</i>	Menta peperina (Ital.) <i>Mentha piperita</i>	Mërsina (Alb.) <i>Myrtus communis</i>	Mexicanischer Blattpfeffer (Germ.) <i>Piper auritum</i>
Mekhak (Tajik) <i>Syzygium aromaticum</i>	Meliso (Esperanto) <i>Melissa officinalis</i>	Menta piperita (Ital.) <i>Mentha piperita</i>	Mërsin e rëndomtë (Alb.) <i>Myrtus communis</i>	Mexicanischer Estragon (Germ.) <i>Tagetes lucida</i>
Mekon (Armen., Greek, Old Greek) <i>Papaver somniferum</i>	Meliss (Eston.) <i>Melissa officinalis</i>	Menta piperita (Ital.) <i>Mentha piperita</i>	Mersü (Ao Naga) <i>Capsicum frutescens</i>	Mexicanischer Koriander (Germ.) <i>Eryngium foetidum</i>
Mekon he opodes (Old Greek) <i>Papaver somniferum</i>	Melissa (Greek, Hebr., Ital., Port.) <i>Melissa officinalis</i>	Mentastrum (Lat.) <i>Mentha longifolia</i>	Merudhi (Alb.) <i>Petroselinum crispum</i>	Mexicanischer Safran (Germ.) <i>Carthamus tinctorius</i>
Mekoni Kut (Armen.) <i>Papaver somniferum</i>	Melissa limonnaya (Russ.) <i>Melissa officinalis</i>	Mente (Yidd.) <i>Mentha piperita</i>	Merugu (Kannada) <i>Mentha piperita</i>	Mexicanischer Tee (Germ.) <i>Chenopodium ambrosioides</i>
Meksika çayı (Turk.) <i>Chenopodium ambrosioides</i>	Melisse (Germ.) <i>Melissa officinalis</i>	Mente (Kannada, Tulu) <i>Trigonella foenum-graecum</i>	Merywen (Welsh) <i>Juniperus communis</i>	Mexicanischer Traubentee (Germ.) <i>Chenopodium ambrosioides</i>
Meksikanskaja kaľiandra (Belar.) <i>Eryngium foetidum</i>	Mélisse (French) <i>Melissa officinalis</i>	Menthe anglaise (French) <i>Mentha piperita</i>	Meshgengouz (Armen.) <i>Myristica fragrans</i>	Mexicanisches Pfefferblatt (Germ.) <i>Piper auritum</i>
Meksikanskij estragon (Russ.) <i>Tagetes lucida</i>	Mélisse, chinesische (Germ.) <i>Perilla frutescens</i>	Menthe poivrée (French) <i>Mentha piperita</i>	Mesiputk (Eston.) <i>Myrrhis odorata</i>	Mexicanisches Teekraut (Germ.) <i>Chenopodium ambrosioides</i>
Meksikanskij koriandr (Russ.) <i>Eryngium foetidum</i>	Mélisse des boutiques (French) <i>Melissa officinalis</i>	Menthi akulu (Telugu) <i>Trigonella foenum-graecum</i>	Mesir otu (Turk.) <i>Pimpinella anisum</i>	Mexican marigold (Engl.) <i>Tagetes lucida</i>
Meksikanski perechnyi list (Russ.) <i>Piper auritum</i>	Mélisse des boutiques (French) <i>Melissa officinalis</i>	Mentikura (Telugu) <i>Trigonella foenum-graecum</i>	Meškinis česnakas (Lith.) <i>Allium ursinum</i>	Mexican mint marigold (Engl.) <i>Tagetes lucida</i>
Melada (Malay) <i>Capparis spinosa</i>	Melissochorto (Greek) <i>Melissa officinalis</i>	Mento (Esperanto) <i>Mentha piperita</i>	Mesu (Japan.) <i>Myristica fragrans</i>	Mexican pepper leaves (Engl.) <i>Piper auritum</i>
Melanthion (Greek) <i>Nigella sativa</i>	Melissophyllon (Old Greek) <i>Melissa officinalis</i>	Mentol (Czech) <i>Mentha piperita</i>	Meta, poprova (Sloven.) <i>Mentha piperita</i>	Mexican saffron (Engl.) <i>Carthamus tinctorius</i>
Melea he Medike (Old Greek) <i>Citrus limon</i>	Melittaina (Old Greek) <i>Melissa officinalis</i>	Mentruz (Port.) <i>Chenopodium ambrosioides</i>	Metaio (Copt.) <i>Carthamus tinctorius</i>	
	Mellet karee (Thai) <i>Foeniculum vulgare</i>	Mentulu (Telugu) <i>Trigonella foenum-graecum</i>	Metélóhagyma (Hung.) <i>Allium schoenoprasum</i>	
	Mellet pak chi (Thai) <i>Coriandrum sativum</i>	Mentya (Kannada) <i>Trigonella foenum-graecum</i>		

Mexican tarragon (Engl.) <i>Tagetes lucida</i>	Milagu, karuppu (Tamil) <i>Piper nigrum</i>	Mirch, hari (Dogri,Hindi) <i>Ca-</i> <i>psicum frutescens</i>	Mirt limmony (Belar.) <i>Back-</i> <i>housia citriodora</i>	Mixaki (Georg.) <i>Syzygium</i> <i>aromaticum</i>
Mexican Tea (Engl.) <i>Chenopodium ambro-</i> <i>sioides</i>	Milagu, pacchai (Tamil) <i>Piper</i> <i>nigrum</i>	Mirch, kali (Dogri,Hindi) <i>Piper nigrum</i>	Mirt limonnyj (Russ.) <i>Back-</i> <i>housia citriodora</i>	Mixək (Azeri) <i>Syzygium aro-</i> <i>maticum</i>
Mexikansk dragon (Swed.) <i>Tagetes lucida</i>	Milagu, vellai (Tamil) <i>Piper</i> <i>nigrum</i>	Mirch, lal (Dogri,Hindi) <i>Ca-</i> <i>psicum frutescens</i>	Mirto (Esperanto,Galic.,Ital., Port.,Span.) <i>Myrtus com-</i> <i>munis</i>	Miya (Uzbek) <i>Glycyrrhiza</i> <i>glabra</i>
Mexikansk Esdragon (Dan.) <i>Tagetes lucida</i>	Milcë (Alb.) <i>Melissa officina-</i> <i>lis</i>	Mirch, mithi (Hindi) <i>Capsi-</i> <i>cum annuum</i>	Mirto, limón (Span.) <i>Back-</i> <i>housia citriodora</i>	Miyya (Kazakh) <i>Glycyrrhiza</i> <i>glabra</i>
Mexikansk koriander (Swed.) <i>Eryngium</i> <i>foetidum</i>	Milgroym (Yidd.) <i>Punica</i> <i>granatum</i>	Mirchai (Maith.) <i>Capsicum</i> <i>frutescens</i>	Mirto dal profumo di limone (Ital.) <i>Backhousia citri-</i> <i>odora</i>	Mjaðarlyng (Icel.) <i>Myrica</i> <i>gale</i>
Mexikansk Peber-blad (Dan.) <i>Piper auritum</i>	Miloduh (Serb.) <i>Levisticum</i> <i>officinale</i>	Mirchya (Marathi) <i>Capsicum</i> <i>frutescens</i>	Mirto de Brabante (Span.) <i>Myrica gale</i>	Mjata (Belar.) <i>Mentha piperita</i>
Mexikói borslevél (Hung.) <i>Piper auritum</i>	Miloduh, ljekoviti (Croat.) <i>Hyssopus officinalis</i>	Mire (Marathi) <i>Piper nigrum</i>	Mirto holandés (Span.) <i>Myrica gale</i>	Mnesitheos (Old Greek) <i>Ju-</i> <i>niperus communis</i>
Mexikói koriander (Hung.) <i>Eryngium foetidum</i>	Milseán miontais (Irish) <i>Men-</i> <i>tha piperita</i>	Mirhafaj (Hung.) <i>Chenopodium am-</i> <i>brosioides</i>	Mirt pospolity (Pol.) <i>Myrtus</i> <i>communis</i>	Mnišský pepř (Czech) <i>Vitex</i> <i>agnus-castus</i>
Meyan kökü (Turk.) <i>Gly-</i> <i>cyrhiza glabra</i>	Minari (Korean) <i>Petroselinum</i> <i>crispum</i>	Mirica (Ital.) <i>Myrica gale</i>	Mirtusz (Hung.) <i>Myrtus com-</i> <i>munis</i>	Mochigusa (Japan.) <i>Artemisia</i> <i>vulgaris</i>
Meyinha (Angami Naga, Chakhesang-Chokri Naga) <i>Mentha piperita</i>	Minchi (Sinh.) <i>Mentha</i> <i>piperita</i>	Mirido (Esperanto) <i>Myrrhis</i> <i>odorata</i>	Mirtuzsz, citrom illatú (Hung.) <i>Backhousia citri-</i> <i>odora</i>	Modhuri (Oriya) <i>Foeniculum</i> <i>vulgare</i>
Mezei kakukkfű (Hung.) <i>Thy-</i> <i>mus serpyllum</i>	Mindaľ (Russ.) <i>Prunus dulcis</i>	Mirikacerje (Hung.) <i>Myrica</i> <i>gale</i>	Mirudija (Maced.) <i>Anethum</i> <i>graveolens</i>	Mogheli (Telugu) <i>Pandanus</i> <i>odoratissimus</i>
Mézfű (Hung.) <i>Melissa officina-</i> <i>lis</i>	Mindaľ, horki (Belar.) <i>Prunus</i> <i>dulcis</i>	Mirika miznaft (Hebr.) <i>Myrica gale</i>	Mirus (Dhivehi) <i>Capsicum</i> <i>frutescens</i>	Mogil (Telugu) <i>Pandanus</i> <i>odoratissimus</i>
Mežłoks (Latv.) <i>Allium</i> <i>ursinum</i>	Mindaľ, salodki (Belar.) <i>Prunus dulcis</i>	Miřk celer (Czech) <i>Apium</i> <i>graveolens</i>	Mirzam josh (Hindi) <i>Majo-</i> <i>rana hortensis</i>	Mogranj (Serb.) <i>Punica grana-</i> <i>tum</i>
Mi (Newari) <i>Trigonella</i> <i>foenum-graecum</i>	Mindaľ, sladkij (Russ.) <i>Prunus dulcis</i>	Miris (Sinh.) <i>Piper nigrum</i>	Mirzan josh (Urdu) <i>Majorana</i> <i>hortensis</i>	Moguwtu (Korean) <i>Artemisia vulgaris</i>
Miadzedźaja cybulia (Belar.) <i>Allium ursinum</i>	Mint (Engl.) <i>Mentha piperita</i>	Mirisni pelin (Serb.) <i>Artemisia abrotanum</i>	Mirzanjush (Farsi) <i>Majorana</i> <i>hortensis</i>	Mogwi (Korean) <i>Zanthoxylum</i> <i>ailanthoides</i>
Midhe Jira (Chakma) <i>Foeniculum vulgare</i>	Mint, pepper- (Engl.) <i>Mentha</i> <i>piperita</i>	Miristiko floro (Esperanto) <i>Myristica fragrans</i>	Mise (Copt.) <i>Anethum grave-</i> <i>olens</i>	Mogyoróhagyma (Hung.) <i>Al-</i> <i>lium ascalonicum</i>
Mi die xiang (Mand.) <i>Rosmar-</i> <i>inus officinalis</i>	Mint, vietnamese (Engl.) <i>Per-</i> <i>sicaria odoratum</i>	Miristiko nukso (Esperanto) <i>Myristica fragrans</i>	Misr anason (Turk.) <i>Tra-</i> <i>chyspermum copticum</i>	Mohari (Marathi) <i>Brassica ni-</i> <i>gra</i>
Midori-hakka (Japan.) <i>Men-</i> <i>tha spicata</i>	Minta (Icel.) <i>Mentha piperita</i>	Miristiko semo (Esperanto) <i>Myristica fragrans</i>	Misk oto (Turk.) <i>Artemisia</i> <i>vulgaris</i>	Mohn (Germ.) <i>Papaver som-</i> <i>niferum</i>
Mielärea (Roman.) <i>Vitex</i> <i>agnus-castus</i>	Minthe (Old Greek) <i>Mentha</i> <i>piperita</i>	Mirisu (Japan.) <i>Myrrhis odor-</i> <i>ata</i>	Mismín (Irish) <i>Mentha</i> <i>piperita</i>	Mohrenpfeffer (Germ.) <i>Xy-</i> <i>lopi aethiopia</i>
Mieloi (Basque) <i>Foeniculum</i> <i>vulgare</i>	Minti (Hausa) <i>Mentha piperita</i>	Miriyala dravakamu (Telugu) <i>Mentha piperita</i>	Misticanza (Dan.) <i>Eruca</i> <i>sativa</i>	Molaku (Kannada) <i>Capsicum</i> <i>frutescens</i>
Mierik (Dutch) <i>Armoracia</i> <i>rusticana</i>	Mint marigold, Mexican (Engl.) <i>Tagetes lucida</i>	Miriyalu (Telugu) <i>Piper ni-</i> <i>grum</i>	Mit (Copt.) <i>Petroselinum</i> <i>crispum</i>	Molotru (Roman.) <i>Trigonella</i> <i>foenum-graecum</i>
Mierikswortel (Dutch) <i>Ar-</i> <i>moracia rusticana</i>	Minto (Japan.) <i>Mentha</i> <i>piperita</i>	Miriyamu (Telugu) <i>Piper ni-</i> <i>grum</i>	Mitai (Garo) <i>Mentha piperita</i>	Molotru albastru (Roman.) <i>Trigonella caerulea</i>
Mierikswortel, Japanese (Dutch) <i>Wasabia japo-</i> <i>nica</i>	Mints (Yidd.) <i>Mentha piperita</i>	Mirodija (Croat.,Serb.) <i>Ane-</i> <i>thum graveolens</i>	Mit (Copt.) <i>Apium graveolens</i>	Molotru comun (Roman.) <i>Trigonella foenum-</i> <i>graecum</i>
Mięta pieprzowa (Pol.) <i>Men-</i> <i>tha piperita</i>	Mints, englishe (Yidd.) <i>Men-</i> <i>tha piperita</i>	Mirodija, divlja (Serb.) <i>Foeniculum vulgare</i>	Mit (Copt.) <i>Apium graveolens</i>	Molurá (Roman.) <i>Foeniculum</i> <i>vulgare</i>
Migdal (Roman.) <i>Prunus dul-</i> <i>cis</i>	Mintu (Korean) <i>Mentha</i> <i>piperita</i>	Mirride odorosa (Ital.) <i>Myrrhis odorata</i>	Mithi (Assam.,Bodo) <i>Trigonella foenum-</i> <i>graecum</i>	Mølurt (Dan.) <i>Trigonella</i> <i>caerulea</i>
Migdală (Roman.) <i>Prunus dul-</i> <i>cis</i>	Mintys (Welsh) <i>Mentha</i> <i>piperita</i>	Mirris dushistaya (Russ.) <i>Myrrhis odorata</i>	Mithi guti (Assam.) <i>Trigonella</i> <i>foenum-graecum</i>	Mon (Yidd.) <i>Papaver som-</i> <i>niferum</i>
Migdał gorzki (Pol.) <i>Prunus</i> <i>dulcis var. amara</i>	Mintys y creigiau (Welsh) <i>Majorana hortensis</i>	Mirt (Belar.,Dutch,Roman., Yidd.) <i>Myrtus communis</i>	Mithi mich (Hindi) <i>Capsicum</i> <i>annuum</i>	Monard (Engl.) <i>Monarda</i> <i>didyma</i>
Migdalo (Esperanto) <i>Prunus</i> <i>dulcis</i>	Minyureopchangdae (Ko- <i>rean) Sisymbrium officina-</i> <i>nale</i>	Mirt, datskij (Russ.) <i>Myrica</i> <i>gale</i>	Mitho limdo (Gujrati) <i>Mur-</i> <i>raya koenigii</i>	Monarda (Dutch,Ital.,Port.) <i>Monarda didyma</i>
Migdał słodki (Pol.) <i>Prunus</i> <i>dulcis var. dulcis</i>	Minze (Germ.) <i>Mentha</i> <i>piperita</i>	Mirte (Dutch) <i>Myrtus commu-</i> <i>nis</i>	Mi ti (Tibet.) <i>Trigonella</i> <i>foenum-graecum</i>	Monarda, raudonoji (Lith.) <i>Melissa officinalis</i>
Migdały (Belar.) <i>Prunus dulcis</i>	Mionnt (Gael.) <i>Mentha</i> <i>piperita</i>	Mirtes (Latv.) <i>Myrtus commu-</i> <i>nis</i>	Mi tieh hsiang (Mand.) <i>Ros-</i> <i>marinus officinalis</i>	Monarde (Yidd.) <i>Monarda dy-</i> <i>dyma</i>
Migdał zwyczajny (Pol.) <i>Prunus dulcis</i>	Miontas (Irish) <i>Mentha</i> <i>piperita</i>	Mirta, tikroji (Lith.) <i>Myrtus</i> <i>communis</i>	Mit'mit'a (Amhar.) <i>Capsicum</i> <i>frutescens</i>	Monarde (Germ.) <i>Monarda</i> <i>didyma</i>
Migdolai (Lith.) <i>Prunus dulcis</i>	Miortal (Gael.) <i>Myrtus com-</i> <i>munis</i>	Mirte (Dutch) <i>Myrtus commu-</i> <i>nis</i>	Mitta sof (Newari) <i>Foenicu-</i> <i>lum vulgare</i>	Mönchspfeffer (Germ.) <i>Vitex</i> <i>agnus-castus</i>
Mikhak (Farsi) <i>Syzygium aro-</i> <i>maticum</i>	Miraamih (Arab.) <i>Salvia offi-</i> <i>cialis</i>	Mirtes (Latv.) <i>Myrtus commu-</i> <i>nis</i>	Mittha soph (Nepali) <i>Foenicu-</i> <i>lum vulgare</i>	Mondl (Yidd.) <i>Papaver som-</i> <i>niferum</i>
Mikhaki (Georg.) <i>Syzygium</i> <i>aromaticum</i>	Mirapakayalu (Telugu) <i>Ca-</i> <i>psicum frutescens</i>	Mirti (Georg.) <i>Myrtus com-</i> <i>munis</i>	Mittho-tel (Gujrati) <i>Sesamum</i> <i>indicum</i>	Mondor muli baha (Santali) <i>Ocimum thyrsoflorum</i>
Mikon i ipnoferos (Greek) <i>Pa-</i> <i>paver somniferum</i>	Mirch (Urdu) <i>Capsicum</i> <i>frutescens</i>	Mirtia (Greek) <i>Myrtus com-</i> <i>munis</i>	Miur belar (Basque) <i>Foenicu-</i> <i>lum vulgare</i>	Mong (Ao Naga) <i>Z. rhetsa</i>
Milagu (Tamil) <i>Piper nigrum</i>	Mirch, deshi (Hindi) <i>Capsi-</i> <i>cum annuum</i>	Mirtia kollodis (Greek) <i>Myrica gale</i>	Miweh Zireh (Farsi) <i>Carum</i> <i>carvi</i>	Mong gwo (Canton.) <i>Mangifera indica</i>
	Mirch, gol (Dogri,Hindi) <i>Piper</i> <i>nigrum</i>			Mong-Mong (Angami Naga) <i>Zanthoxylum piperitum</i>

Mongmong (Ao Naga) <i>Z. alatum</i>	Mostaza negra (Span.) <i>Brassica nigra</i>	Mruko (Swahili) <i>Capparis spinosa</i>	Murt (Turk.) <i>Myrtus communis</i>	Muskatnyj orekh (Russ.) <i>Myristica fragrans</i>
Mongnyin (Burmese.) <i>Lepidium sativum</i>	Mostaza silvestre (Span.) <i>Sinapis alba</i>	Mshkenkoysz (Armen.) <i>Myristica fragrans</i>	Mürt, harilik (Eston.) <i>Myrtus communis</i>	Muskato (Esperanto) <i>Myristica fragrans</i>
Mongret (Ao Naga) <i>Z. rhetsa</i>	Moster (Fris.) <i>Brassica nigra</i>	Mudukeyiya (Sinh.) <i>Pandanus odoratissimus</i>	Murta (Catalan,Lat.,Port.) <i>Myrtus communis</i>	Muškatovník voňavý (Slovak) <i>Myristica fragrans</i>
Monnikenpeper (Dutch) <i>Vitex agnus-castus</i>	Mosterd, witte (Dutch) <i>Sinapis alba</i>	Mugrela (Newari) <i>Nigella sativa</i>	Murtera (Catalan) <i>Myrtus communis</i>	Muškatový květ (Czech) <i>Myristica fragrans</i>
Mo noi (Thai) <i>Murraya koenigii</i>	Mosterd, zwarte (Dutch) <i>Brassica nigra</i>	Mugrelo (Nepali) <i>Nigella sativa</i>	Murtra (Catalan) <i>Myrtus communis</i>	Muškatový kvet (Slovak) <i>Myristica fragrans</i>
Monshaobi-manbi (Manipuri) <i>Chenopodium ambrosioides</i>	Mosterdkers (Dutch) <i>Lepidium sativum</i>	Mu gui (Mand.) <i>Cinnamomum cassia</i>	Murulauk (Eston.) <i>Allium schoenoprasum</i>	Muškatový ořech (Czech) <i>Myristica fragrans</i>
Mo-ok (Garo) <i>Spilanthes acmella</i>	Mosutadu (Korean) <i>Brassica nigra</i>	Mugwort (Engl.) <i>Artemisia vulgaris</i>	Muscade (French) <i>Myristica fragrans</i>	Muškatový orech (Slovak) <i>Myristica fragrans</i>
Moon (Eston.) <i>Papaver somniferum</i>	Mosutadu (Korean) <i>Sinapis alba</i>	Muhri (Santali) <i>Foeniculum vulgare</i>	Muscata (Gael.,Lat.) <i>Myristica fragrans</i>	Muskato žiedai (Lith.) <i>Myristica fragrans</i>
Mooniseemned (Eston.) <i>Papaver somniferum</i>	Mothi (Chakhesang-Chokri Naga) <i>Z. rhetsa</i>	Mui (Vietnam.) <i>Coriandrum sativum</i>	Mushkat (Yidd.) <i>Myristica fragrans</i>	Muskatrieksts (Latv.) <i>Myristica fragrans</i>
Moord (Farsi) <i>Myrtus communis</i>	Moti saunf (Hindi) <i>Foeniculum vulgare</i>	Muinean-Muire (Gael.) <i>Petroselinum crispum</i>	Mushkatnoys (Yidd.) <i>Myristica fragrans</i>	Muskotblomma (Swed.) <i>Myristica fragrans</i>
Moor pepper (Engl.) <i>Xylopiya aethiopica</i>	Mot loi gung (Vietnam.) <i>Alpinia galanga</i>	Mui tau (Vietnam.) <i>Eryngium foetidum</i>	Muskaadipuu, lõhnava (Eston.) <i>Myristica fragrans</i>	Muskotnöt (Swed.) <i>Myristica fragrans</i>
Morač (Serb.) <i>Foeniculum vulgare</i>	Motul (Korean) <i>Myrtus communis</i>	Mulagu (Malayalam) <i>Capsicum frutescens</i>	Muskaatnoot (Dutch) <i>Myristica fragrans</i>	Muskottikukka (Finn.) <i>Myristica fragrans</i>
Morach (Bulg.) <i>Foeniculum vulgare</i>	Mouh laht faa jiu (Canton.) <i>Zanthoxylum acanthopodium</i>	Mulagu, chuvanna (Malayalam) <i>Capsicum frutescens</i>	Muskaatõis (Eston.) <i>Myristica fragrans</i>	Muskottipähkinä (Finn.) <i>Myristica fragrans</i>
Morech ansai (Khmer) <i>Piper longum</i>	Mountain pepper (Engl.) <i>Tasmanian lanceolata</i>	Mulagu, kuru (Malayalam) <i>Piper nigrum</i>	Muskaatpähkel (Eston.) <i>Myristica fragrans</i>	Muskuscitroen (Dutch) <i>Citrus medica</i>
Morich (Chakma) <i>Capsicum frutescens</i>	Mouri (Bengali) <i>Foeniculum vulgare</i>	Mulagu, pacha (Malayalam) <i>Capsicum frutescens</i>	Muskadez (Bret.) <i>Myristica fragrans</i>	Musqat (Uzbek) <i>Myristica fragrans</i>
Moris (Assam.) <i>Capsicum frutescens</i>	Moustarda (Greek) <i>Sinapis alba</i>	Mulaku, kuru (Malayalam) <i>Piper nigrum</i>	Múskat (Icel.) <i>Myristica fragrans</i>	Mustakardemumma (Finn.) <i>Amomum subulatum</i>
Morok (Manipuri) <i>Capsicum frutescens</i>	Moutarde blanche (French) <i>Sinapis alba</i>	Mulethi (Dogri,Hindi) <i>Glycyrrhiza glabra</i>	Muškat (Sloven.) <i>Myristica fragrans</i>	Mustakumina (Finn.) <i>Nigella sativa</i>
Morrissà (Catalan) <i>Tropaeolum majus</i>	Moutarde de Chine (French) <i>Brassica nigra</i>	Mulhati (Urdu) <i>Glycyrrhiza glabra</i>	Muskat (Maced.,Yidd.) <i>Myristica fragrans</i>	Mustapippuri (Finn.) <i>Piper nigrum</i>
Morritort d'aigua (Catalan) <i>Nasturtium officinale</i>	Moutarde de l'Inde (French) <i>Brassica nigra</i>	Mul-laengi (Korean) <i>Nasturtium officinale</i>	Muskatas (Lith.) <i>Myristica fragrans</i>	Mustár (Hung.) <i>Brassica nigra</i>
Morritort d'indies (Catalan) <i>Tropaeolum majus</i>	Moutarde noire (French) <i>Brassica nigra</i>	Mullilam (Hindi) <i>Zanthoxylum rhetsa</i>	Muskatblomme (Dan.,Norw.) <i>Myristica fragrans</i>	Mustár, angol (Hung.) <i>Sinapis alba</i>
Morsko orevče (Maced.) <i>Armoracia rusticana</i>	Mouthi (Lotha Naga) <i>Z. rhetsa</i>	Mullukattari (Kannada) <i>Capparis spinosa</i>	Muskatblüte (Germ.) <i>Myristica fragrans</i>	Mustár, kerti (Hung.) <i>Sinapis alba</i>
Mõru kirburohi (Eston.) <i>Persicaria hydropiper</i>	Mózespecsenye (Hung.) <i>Allium cepa</i>	Mulo bij (Bengali) <i>Armoracia rusticana</i>	Múskathýöi (Icel.) <i>Myristica fragrans</i>	Mustár, sárga (Hung.) <i>Sinapis alba</i>
Mosambi (Marathi) <i>Citrus sinensis</i>	Mozhzhevel'nik (Russ.) <i>Juniperus communis</i>	Mumoe (Ewe) <i>Citrus aurantifolia</i>	Muskatmedis, kvapusis (Lith.) <i>Myristica fragrans</i>	Muštár alb (Roman.) <i>Sinapis alba</i>
Moscada (Span.) <i>Myristica fragrans</i>	Mravinac (Croat.) <i>Origanum vulgare</i>	Munardah (Arab.) <i>Monarda didyma</i>	Muškatni cvet (Sloven.) <i>Myristica fragrans</i>	Mustard, hedge (Engl.) <i>Chenopodium ambrosioides</i>
Moschokarfi (Greek) <i>Syzygium aromaticum</i>	Mrča (Serb.) <i>Myrtus communis</i>	Munchi (Tulu) <i>Capsicum frutescens</i>	Muškatni cvjetić (Croat.) <i>Myristica fragrans</i>	Muštanda (Belar.) <i>Brassica nigra</i>
Moschokarido (Greek) <i>Myristica fragrans</i>	Mrdeni (Armen.) <i>Myrtus communis</i>	Mungalill, suur (Eston.) <i>Tropaeolum majus</i>	Muškatni oraščić (Croat.) <i>Myristica fragrans</i>	Mustarde, shvartse (Yidd.) <i>Brassica nigra</i>
Moschositaro (Greek) <i>Trigonella foenum-graecum</i>	Mrea preu (Khmer) <i>Ocimum tenuiflorum</i>	Mungapipar, harilik (Eston.) <i>Vitex agnus-castus</i>	Muškatni orašček (Sloven.) <i>Myristica fragrans</i>	Mustarde, vayse (Yidd.) <i>Sinapis alba</i>
Mose-pors (Dan.) <i>Myrica gale</i>	Mrech (Khmer) <i>Piper nigrum</i>	Mungrelo (Nepali) <i>Nigella sativa</i>	Muskatnød (Dan.) <i>Myristica fragrans</i>	Mustard seed, black (Engl.) <i>Brassica nigra</i>
Moskatxa (Basque) <i>Ruta graveolens</i>	Mreteni (Swahili) <i>Juniperus communis</i>	Munkpeppar (Swed.) <i>Vitex agnus-castus</i>	Muskatnött (Norw.) <i>Myristica fragrans</i>	Mustard seed, brown (Engl.) <i>Brassica juncea</i>
Mostarda (Galic.,Port.) <i>Brassica nigra</i>	Mrihani (Swahili) <i>Ocimum basilicum</i>	Munudig (Bret.) <i>Thymus serpyllum</i>	Muskatnus (Yidd.) <i>Myristica fragrans</i>	Mustard seed, white (Engl.) <i>Sinapis alba</i>
Mostarda branca (Port.) <i>Sinapis alba</i>	Mrine e bardhe (Alb.) <i>Vitex agnus-castus</i>	Muong trong (Vietnam.) <i>Zanthoxylum avicennae</i>	Muskatnuß (Germ.) <i>Myristica fragrans</i>	Mustaröskorn (Icel.) <i>Brassica nigra</i>
Mostarda preta (Port.) <i>Brassica nigra</i>	Mrlík voňavý (Slovak) <i>Chenopodium ambrosioides</i>	Murch (Tajik,Uzbek) <i>Piper nigrum</i>	Muskatnyj arech (Belar.) <i>Myristica fragrans</i>	Mustaröskorn (Icel.) <i>Sinapis alba</i>
Mostassa blanca (Catalan) <i>Sinapis alba</i>	Mronge (Swahili) <i>Armoracia rusticana</i>	Murdid (Eston.) <i>Myrica gale</i>	Muskatnyi tsvet (Russ.) <i>Myristica fragrans</i>	Mustárfű (Hung.) <i>Brassica nigra</i>
Mostassa negra (Catalan) <i>Brassica nigra</i>	Mrteni (Armen.) <i>Myrtus communis</i>	Murēja, kvapiojii (Lith.) <i>Murraya koenigii</i>	Muskatnyj horikh (Ukr.) <i>Myristica fragrans</i>	Mustármag, barna (Hung.) <i>Brassica juncea</i>
Mostaza (Galic.) <i>Brassica nigra</i>	Mrti (Armen.) <i>Myrtus communis</i>	Murgh (Pashto) <i>Capsicum frutescens</i>	Muskatnyj kervel' (Russ.) <i>Myrrhis odorata</i>	Mustármag, feketé (Hung.) <i>Brassica nigra</i>
Mostaza de Indias (Span.) <i>Brassica nigra</i>	Mrtvina (Croat.) <i>Myrtus communis</i>	Muriq (Aram.) <i>Carthamus tinctorius</i>		Mustármag, zöld (Hung.) <i>Sinapis alba</i>

Muștar negru (Roman.) <i>Brassica nigra</i>	Myrte citron (French) <i>Backhousia citriodora</i>	Nag dun (Urdu) <i>Artemisia absinthium</i>	Nanyouzanshiyo (Japan.) <i>Murraya koenigii</i>	Narinch (Armen.) <i>Citrus sinensis</i>
Mustasiemen (Finn.) <i>Nigella sativa</i>	Myrte citronnée (French) <i>Backhousia citriodora</i>	Nagelj nove žbice (Sloven.) <i>Syzygium aromaticum</i>	Napy (Old Greek) <i>Brassica nigra</i>	Naringi (Gujrati) <i>Citrus sinensis</i>
Mustasinappi (Finn.) <i>Brassica nigra</i>	Myrte commun (French) <i>Myrtus communis</i>	Nagħniegħ (Malt.) <i>Mentha piperita</i>	Nar (Azeri, Bulg., Croat., Dogri, Turk.) <i>Punica granatum</i>	Narinjh (Armen.) <i>Citrus sinensis</i>
Must kapsasrohi (Eston.) <i>Brassica nigra</i>	Myrte des marais (French) <i>Myrica gale</i>	Nagkesar (Hindi) <i>Cinnamomum zeylanicum</i>	Nara (Serb.) <i>Punica granatum</i>	Narinjhis (Georg.) <i>Citrus sinensis</i>
Must kardemon (Eston.) <i>Amomum subulatum</i>	Myrten (Swed.) <i>Myrtus communis</i>	Nagri (Sranan) <i>Syzygium aromaticum</i>	Naragam (Malayalam) <i>Citrus sinensis</i>	Nariwal (Nepali) <i>Cocos nucifera</i>
Mustköömen (Eston.) <i>Nigella sativa</i>	Myrtia (Greek) <i>Myrtus communis</i>	Najazmä (Alb.) <i>Mentha piperita</i>	Naral (Marathi) <i>Cocos nucifera</i>	Nariyagam (Tamil) <i>Citrus sinensis</i>
Must pipar (Eston.) <i>Piper nigrum</i>	Myrtia kollodis (Greek) <i>Myrica gale</i>	Nakaniye (Sumi Naga) <i>Z. acanthopodium</i>	Naranča (Croat., Serb.) <i>Citrus sinensis</i>	Nariyal (Hindi, Maith.) <i>Cocos nucifera</i>
Muszkat (Pol.) <i>Myristica fragrans</i>	Myrti Rabanitini Herba (pharm.) <i>Myrica gale</i>	Nakenfröppumpa (Swed.) <i>Cucurbita pepo</i>	Naranča, gorka (Croat.) <i>Citrus sinensis</i> ssp. <i>amara</i>	Nariyel (Urdu) <i>Cocos nucifera</i>
Muthini (Chakhesang-Chokri Naga) <i>Z. rhetsa</i>	Myrtle (Engl.) <i>Myrtus communis</i>	Nakhtomi (Georg.) <i>Capparis spinosa</i>	Naranča, slatka (Croat.) <i>Citrus sinensis</i> ssp. <i>dulcis</i>	Narkol (Santali) <i>Cocos nucifera</i>
Muthise (Angami Naga) <i>Zanthoxylum piperitum</i>	Myrtle, bog (Engl.) <i>Myrica gale</i>	Nakhwah (Arab.) <i>Trachyspermum copticum</i>	Naranča gorka (Serb.) <i>Citrus sinensis</i> ssp. <i>amara</i>	Narkor (Santali) <i>Cocos nucifera</i>
Mutterzimt (Germ.) <i>Cinnamomum tamala</i>	Myrtle, lemon (Engl.) <i>Backhousia citriodora</i>	Nakya (Newari) <i>Cocos nucifera</i>	Narancs (Hung.) <i>Citrus sinensis</i>	Narokel (Bengali) <i>Cocos nucifera</i>
Mutwinda (Burmes.) <i>Myristica fragrans</i>	Myrtle, lemon scented (Engl.) <i>Backhousia citriodora</i>	Nalesham (Tibet.) <i>Piper nigrum</i>	Narandai (Tamil) <i>Citrus sinensis</i> ssp. <i>amara</i>	Narokol (Bengali) <i>Cocos nucifera</i>
Mvuje (Swahili) <i>Ferula assafoetida</i>	Myrtle pepper (Engl.) <i>Pimenta dioica</i>	Naligeram (Malayalam) <i>Cocos nucifera</i>	Narandam (Tamil) <i>Citrus sinensis</i> ssp. <i>amara</i>	Narpyz (Turkmen) <i>Mentha piperita</i>
Mwembe (Swahili) <i>Mangifera indica</i>	Myrtos (Old Greek) <i>Myrtus communis</i>	Nalika (Lao) <i>Cocos nucifera</i>	Narang (Aram., Garo) <i>Citrus sinensis</i>	Naruk (Korean) <i>Ocimum basilicum</i>
Mwstart du (Welsh) <i>Brassica nigra</i>	Myrtovník citrónový (Czech, Slovak) <i>Backhousia citriodora</i>	Nallajirakam (Malayalam) <i>Cuminum cyminum</i>	Naranga (Kannada, Oriya, Sanskrit) <i>Citrus sinensis</i>	Naruk-pul (Korean) <i>Ocimum basilicum</i>
Mwstart wen (Welsh) <i>Sinapis alba</i>	Myrtti (Finn.) <i>Myrtus communis</i>	Namida (Japan.) <i>Wasabia japonica</i>	Narangi (Hindi) <i>Citrus sinensis</i>	Narync (Turkmen) <i>Citrus sinensis</i>
Myata kholodna (Ukr.) <i>Mentha piperita</i>	Myrtwydden (Welsh) <i>Myrtus communis</i>	Namman khieo (Thai) <i>Myrtus communis</i>	Naranj (Urdu) <i>Citrus sinensis</i>	Näsasidrun (Eston.) <i>Citrus medica</i>
M'yata kholodna (Ukr.) <i>Mentha piperita</i>	Myyata hladka (Ukr.) <i>Mentha piperita</i>	Namnon (Copt.) <i>Cinnamomum zeylanicum</i>	Naranja (Span.) <i>Citrus aurantium</i> ssp. <i>amara</i>	Näsaviljaline sidrunipuu (Eston.) <i>Citrus medica</i>
Myata perechnaya (Russ.) <i>Mentha piperita</i>	Naahm gwa (Canton.) <i>Cucurbita pepo</i>	Namrei (Tangkhul) <i>Allium sativum</i>	Naranja amarga (Span.) <i>Citrus aurantium</i> ssp. <i>amara</i>	Nasıbaygöl (Kazakh) <i>Ocimum basilicum</i>
Myata pertseva (Ukr.) <i>Mentha piperita</i>	Naaringu (Dhivehi) <i>Citrus sinensis</i> ssp. <i>aurantium</i>	Namuu (Mong.) <i>Papaver somniferum</i>	Naranja china (Span.) <i>Citrus sinensis</i>	Nasiona kozieradki (Pol.) <i>Trigonella foenum-graecum</i>
Mygdal' (Ukr.) <i>Prunus dulcis</i>	Nabatu al-kabbusin (Arab.) <i>Tropaeolum majus</i>	Nana (Amhar., Arab., Aram., Hebr., Serb., Tigr.) <i>Mentha piperita</i>	Naranja dulce (Span.) <i>Citrus sinensis</i>	Nasiona selera (Pol.) <i>Apium graveolens</i>
Mynta (Icel.) <i>Mentha piperita</i>	Nachtöe-cham (Thai) <i>Tropaeolum majus</i>	Na'na' (Hebr.) <i>Mentha piperita</i>	Naranji (Telugu, Urdu) <i>Citrus sinensis</i>	Nasto-cham (Thai) <i>Tropaeolum majus</i>
Mynte, kinesisk (Dan.) <i>Perilla frutescens</i>	Nadgh (Arab.) <i>Satureja hortensis</i>	Nanah (Farsi) <i>Mentha piperita</i>	Narattai (Tamil) <i>Citrus sinensis</i> ssp. <i>amara</i>	Nastrinag (Aram.) <i>Rosa damascena</i>
Myoga (Japan.) <i>Zingiber mioga</i>	Nadiya (Oriya) <i>Cocos nucifera</i>	Nanahan (Turk.) <i>Pimpinella anisum</i>	Nardanga (Tamil) <i>Citrus hystrix</i>	Nasturcia (Span.) <i>Tropaeolum majus</i>
Myotke (Yidd.) <i>Mentha piperita</i>	Naemsæm-yeongaju (Korean) <i>Chenopodium ambrosioides</i> var. <i>anthelminticum</i>	Nanavah (Turk.) <i>Trachyspermum copticum</i>	Narduszaad (Dutch) <i>Nigella sativa</i>	Nasturcja (Pol.) <i>Tropaeolum majus</i>
Myrique (French) <i>Myrica gale</i>	Naemsæm-yongaju (Korean) <i>Chenopodium ambrosioides</i> var. <i>anthelminticum</i>	Nanavva (Farsi) <i>Trachyspermum copticum</i>	Nareng (Bodo) <i>Citrus sinensis</i>	Nasturcja (Pol.) <i>Tropaeolum majus</i>
Myrique baumier (French) <i>Myrica gale</i>	Naesto-chiyam (Thai) <i>Tropaeolum majus</i>	Nane (Yidd.) <i>Mentha longifolia</i>	Narenj (Farsi) <i>Citrus sinensis</i> var. <i>amara</i>	Nästurel (Roman.) <i>Nasturtium officinale</i>
Myrrh, garden (Engl.) <i>Myrrhis odorata</i>	Nagaaruka (Sanskrit) <i>Citrus sinensis</i>	Nanë (Azeri) <i>Mentha piperita</i>	Narenkhal (Bodo) <i>Cocos nucifera</i>	Nasturka (Belar.) <i>Tropaeolum majus</i>
Myrrhenkerbel (Germ.) <i>Myrrhis odorata</i>	Nagadamani (Sanskrit) <i>Artemisia vulgaris</i>	Nane (Maced., Turk.) <i>Mentha piperita</i>	Nargil (Aram., Farsi, Mong.) <i>Cocos nucifera</i>	Nasturt (Alb.) <i>Nasturtium officinale</i>
Myrrhinos (Old Greek) <i>Myrtus communis</i>	Naga Jolokiya (Assam.) <i>Capsicum chinense</i>	Nan gua (Mand.) <i>Cucurbita pepo</i>	Narial (Hindi, Mizo, Punjabi) <i>Cocos nucifera</i>	Nasturté (Lith.) <i>Tropaeolum majus</i>
Myrsine (Old Greek) <i>Myrtus communis</i>	Nagakeshara (Sanskrit) <i>Crocus sativus</i>	Nanha (Aram.) <i>Mentha piperita</i>	Nariel (Angami Naga, Gujrati) <i>Cocos nucifera</i>	Nasturté, mažoji (Lith.) <i>Tropaeolum majus</i>
Myrt (Russ., Ukr.) <i>Myrtus communis</i>	Nagara (Sanskrit) <i>Zingiber officinale</i>	Nankin-kanzo (Japan.) <i>Glycyrrhiza glabra</i>	Narihul (Chakma) <i>Cocos nucifera</i>	Nasturtie (Dan.) <i>Tropaeolum majus</i>
Myrta (Czech, Lat., Slovak) <i>Myrtus communis</i>	Nagarugam (Tamil) <i>Citrus sinensis</i>	Nankya (Newari) <i>Cocos nucifera</i>	Narikel (Garo) <i>Cocos nucifera</i>	Nasturtium (Engl.) <i>Tropaeolum majus</i>
Myrta obecná (Czech) <i>Myrtus communis</i>	Nagathali (Malayalam) <i>Ruta graveolens</i>	Nankyo (Japan.) <i>Alpinia galanga</i>	Narikela (Kannada, Sanskrit, Sinh.) <i>Cocos nucifera</i>	Nasturtium (Lat.) <i>Nasturtium officinale</i>
Myrta obyčajná (Slovak) <i>Myrtus communis</i>		Nan nan bin (Burmes.) <i>Coriandrum sativum</i>	Narikelamu (Telugu) <i>Cocos nucifera</i>	Nasturtsie (Yidd.) <i>Tropaeolum majus</i>
Myrte (Dan., French, Germ.) <i>Myrtus communis</i>		Nan nan zee (Burmes.) <i>Coriandrum sativum</i>	Narikol (Assam., Bodo) <i>Cocos nucifera</i>	Nasturtsiya (Russ., Ukr.) <i>Tropaeolum majus</i>
Myrte, Sumpf- (Germ.) <i>Myrica gale</i>		Nanwin (Burmes.) <i>Curcuma longa</i>	Narikul (Chakma) <i>Cocos nucifera</i>	Nasturtsiya likarska (Ukr.) <i>Lepidium sativum</i>
Myrte, Zitronen- (Germ.) <i>Backhousia citriodora</i>			Narinc (Azeri) <i>Citrus sinensis</i>	

Nasturzio (Ital.) <i>Tropaeolum majus</i>	Nelkenpfeffer (Germ.) <i>Pimenta dioica</i>	Ngai chanh (Vietnam.) <i>Artemisia abrotanum</i>	Niakhuri (Georg.) <i>Apium graveolens</i>	Ning meng cao (Mand.) <i>Cymbopogon citratus</i>
Nasturzio del Perù (Ital.) <i>Tropaeolum majus</i>	Nellajilakaira (Telugu) <i>Nigella sativa</i>	Ngai giam (Vietnam.) <i>Artemisia dracunculus</i>	Niaxuri (Georg.) <i>Apium graveolens</i>	Ning meng ma bian cao (Mand.) <i>Lippia citriodora</i>
Nasturzio Indiano (Ital.) <i>Tropaeolum majus</i>	Nellik (Norw.) <i>Syzygium aromaticum</i>	Ngaih jiu (Canton.) <i>Zanthoxylum bungeanum</i>	Nibu (Urdu) <i>Citrus aurantifolia</i>	Ning meng xiang mao (Mand.) <i>Cymbopogon citratus</i>
Nasutachumu (Japan.) <i>Tropaeolum majus</i>	Nellike (Dan.) <i>Syzygium aromaticum</i>	Ngai mau (Vietnam.) <i>Kaempferia rotunda</i>	Nibuwa (Nepali) <i>Citrus aurantifolia</i>	Ning meng xiang tao mui (Mand.) <i>Backhousia citriodora</i>
Nasuteochyumu (Korean) <i>Tropaeolum majus</i>	Nemamoluto (Turk.) <i>Thymus vulgaris</i>	Ngai thom (Vietnam.) <i>Artemisia dracunculus</i>	Nicu (Chakhesang-Chokri Naga) <i>Ocimum basilicum</i>	Ninh mong (Vietnam.) <i>Citrus limon</i>
Nasuteotium (Korean) <i>Tropaeolum majus</i>	Neman (Copt.) <i>Papaver somniferum</i>	Nga khi mon (Thai) <i>Perilla frutescens</i>	Nieco (Angami Naga) <i>Ocimum tenuiflorum</i>	Ninkela (Greek) <i>Nigella sativa</i>
Nat (Lao) <i>Artemisia vulgaris</i>	Nembo (Maith.) <i>Citrus aurantifolia</i>	Nga mon (Thai) <i>Perilla frutescens</i>	Niepokalanek pieprzowy (Pol.) <i>Vitex agnus-castus</i>	Ninniku (Japan.) <i>Allium sativum</i>
Natchattirajiragam (Tamil) <i>Pimpinella anisum</i>	Nemu (Assam.) <i>Citrus aurantifolia</i>	Nga truat (Vietnam.) <i>Curcuma zedoaria</i>	Nieszaad (Dutch) <i>Pimpinella anisum</i>	Nioi-adan (Japan.) <i>Pandanus amaryllifolius</i>
Native pepper (Engl.) <i>Tasmanian lanceolata</i>	Nemu-tenga (Assam.) <i>Citrus aurantifolia</i>	Ngauh ji (Canton.) <i>Origanum vulgare</i>	Niga-yomogi (Japan.) <i>Artemisia absinthium</i>	Nioi-takonoki (Japan.) <i>Pandanus amaryllifolius</i>
Natumequ (Japan.) <i>Myristica fragrans</i>	Nenexhiku (Alb.) <i>Mentha piperita</i>	Ngau jau sih loh (Canton.) <i>Anethum graveolens</i>	Nigela (Port.) <i>Nigella sativa</i>	Nionyn (Welsh) <i>Allium cepa</i>
Nauna (Pashto) <i>Mentha piperita</i>	Neng Kieng (Lao) <i>Boesenbergia pandurata</i>	Ngau sat chou (Canton.) <i>Hysosopus officinalis</i>	Nigele (Yidd.) <i>Nigella sativa</i>	Niori (Georg.) <i>Allium sativum</i>
Naunau (Burmes.) <i>Coriandrum sativum</i>	Neotumek (Korean) <i>Myristica fragrans</i>	Ngayok-kaung (Burmes.) <i>Piper nigrum</i>	Nigella (Engl.,Germ.,Ital.,Korean,Russ.) <i>Nigella sativa</i>	Nirulle (Kannada) <i>Allium cepa</i>
Navadna konopljika (Sloven.) <i>Vitex agnus-castus</i>	Nepal-Cardamom (Germ.) <i>Amomum subulatum</i>	Ngau-youk-kuan (Burmes.) <i>Piper nigrum</i>	Nigelle (Dutch,French) <i>Nigella sativa</i>	Nirulli (Telugu,Tulu) <i>Allium cepa</i>
Navadna kumina (Sloven.) <i>Carum carvi</i>	Nepal cardamom (Engl.) <i>Amomum subulatum</i>	Nga yut thee (Burmes.) <i>Capsicum frutescens</i>	Nigelo (Esperanto) <i>Nigella sativa</i>	Nisha (Sanskrit) <i>Curcuma longa</i>
Navadna rukvica (Sloven.) <i>Eruca sativa</i>	Nepali soph (Nepali) <i>Anethum graveolens</i>	Nget quoi koenig (Vietnam.) <i>Murraya koenigii</i>	Nigera (Japan.) <i>Nigella sativa</i>	Niu xi cao (Mand.) <i>Hyssopus officinalis</i>
Navadni pelin (Sloven.) <i>Artemisia vulgaris</i>	Nepal pepper (Engl.) <i>Zanthoxylum alatum</i>	Nghe (Vietnam.) <i>Curcuma longa</i>	Nigra kumino (Esperanto) <i>Bunium persicum</i>	Niu zhi (Mand.) <i>Origanum vulgare</i>
Navaghayang (Newari) <i>Mentha piperita</i>	Nepalpfeffer (Germ.) <i>Zanthoxylum alatum</i>	Nghe, qui (Vietnam.) <i>Crocus sativus</i>	Nigra pipro (Esperanto) <i>Piper nigrum</i>	Nkrabo (Ewe) <i>Zingiber officinale</i>
Naxtomi (Georg.) <i>Capparis spinosa</i>	Nerandža (Serb.) <i>Citrus sinensis</i>	Nghe den (Vietnam.) <i>Curcuma zedoaria</i>	Nigra sinapo (Esperanto) <i>Brassica nigra</i>	Nkrama (Ewe) <i>Zingiber officinale</i>
Nayi Miris (Sinh.) <i>Capsicum chinense</i>	Neratzi (Greek) <i>Citrus sinensis ssp. amara</i>	Nghe nuoc (Vietnam.) <i>Persicaria hydropiper</i>	Niguilla (Span.) <i>Nigella sativa</i>	Nkrawusa (Ewe) <i>Zingiber officinale</i>
Nayukon (Burmes.) <i>Piper nigrum</i>	Neratzia (Greek) <i>Citrus sinensis ssp. amara</i>	Nghe ram (Vietnam.) <i>Persicaria hydropiper</i>	Nihng mung (Canton.) <i>Citrus limon</i>	Noce moscata (Ital.) <i>Myristica fragrans</i>
Nazi (Swahili) <i>Cocos nucifera</i>	Nerënxë (Alb.) <i>Citrus sinensis</i>	Nghe tay (Vietnam.) <i>Crocus sativus</i>	Nihng mung chou (Canton.) <i>Cymbopogon citratus</i>	Noekiyu (Burmes.) <i>Glycyrrhiza glabra</i>
Nazu nyuu (Dagbani) <i>Piper clusii</i>	Nerokardamo (Greek) <i>Nasturtium officinale</i>	Ngo (Vietnam.) <i>Coriandrum sativum</i>	Nihng mung heung maauh (Canton.) <i>Cymbopogon citratus</i>	Nogoon gon'd (Mong.) <i>Anethum graveolens</i>
Ndimu (Swahili) <i>Citrus aurantifolia</i>	Neropiperia (Greek) <i>Persicaria hydropiper</i>	Ngo gai (Vietnam.) <i>Eryngium foetidum</i>	Nihng mung mah bin chou (Canton.) <i>Lippia citriodora</i>	Nogoon gon'd (Mong.) <i>Foeniculum vulgare</i>
Nebrina (Span.) <i>Juniperus communis</i>	Nerto (Prov.) <i>Myrtus communis</i>	Ngoh seuht (Canton.) <i>Curcuma zedoaria</i>	Nijera (Japan.) <i>Nigella sativa</i>	Nogoon songino (Mong.) <i>Allium schoenoprasum</i>
Negelen (Yidd.) <i>Syzygium aromaticum</i>	Netch Azmud (Amhar.) <i>Trachyspermum copticum</i>	Ngon sehk lau (Canton.) <i>Punica granatum</i>	Nikchamerim (Ao Naga) <i>Persicaria hydropiper</i>	Nogyia (Newari) <i>Mentha piperita</i>
Negerpfeffer (Germ.) <i>Xylopiya aethiopica</i>	Netch Senafich (Amhar.) <i>Sinapis alba</i>	Ngo ta (Vietnam.) <i>Coriandrum sativum</i>	Nikkei (Japan.) <i>Cinnamomum zeylanicum</i>	Nohoru (Assam.) <i>Allium sativum</i>
Negrilicã (Roman.) <i>Nigella sativa</i>	Netch Shinkurt (Amhar.) <i>Allium sativum</i>	Ngo tau (Vietnam.) <i>Eryngium foetidum</i>	Nikuzuku (Japan.) <i>Myristica fragrans</i>	Noitmig (Irish) <i>Myristica fragrans</i>
Negro pepper (Engl.) <i>Xylopiya aethiopica</i>	Netropamaphala (Sanskrit) <i>Prunus dulcis</i>	Ngo tay (Vietnam.) <i>Eryngium foetidum</i>	Nil thee (Burmes.) <i>Capsicum frutescens</i>	Noix de coco (French) <i>Cocos nucifera</i>
Negull (Icel.) <i>Syzygium aromaticum</i>	Neugewürz (Germ.) <i>Pimenta dioica</i>	Ngou lahk gong (Canton.) <i>Origanum vulgare</i>	Nimbaka (Sanskrit) <i>Citrus limon</i>	Noix de muscade (French) <i>Myristica fragrans</i>
Nei (Khasi) <i>Sesamum indicum</i>	Ney Milagai (Tamil) <i>Capsicum frutescens</i>	Ngou tinh thao (Vietnam.) <i>Houttuynia cordata</i>	Nimbe (Kannada) <i>Citrus aurantifolia</i>	Nokha (Lao) <i>Alpinia galanga</i>
Neidonkukka (Finn.) <i>Nigella sativa</i>	Nga (Lao,Thai) <i>Sesamum indicum</i>	Nguu hao (Thai) <i>Zanthoxylum nitidum</i>	Nimbeg (Mong.) <i>Citrus limon</i>	Nokogiri-korianda (Japan.) <i>Eryngium foetidum</i>
Neilikka (Finn.) <i>Syzygium aromaticum</i>	Ngaa (Thai) <i>Sesamum indicum</i>	Nha kat hon (Lao) <i>Nasturtium indicum</i>	Nimbu (Apatani) <i>Citrus aurantifolia</i>	Noor (Armen.) <i>Punica granatum</i>
Neiong (Khasi) <i>Sesamum indicum</i>	Ngaai chou (Canton.) <i>Artemisia vulgaris</i>	Nhin su bin (Burmes.) <i>Rosa damascena</i>	Nimbu karaji (Punjabi) <i>Citrus aurantifolia</i>	Noosh (Armen.) <i>Prunus dulcis</i>
Nejca e ujit (Alb.) <i>Persicaria hydropiper</i>	Ngaai hou (Canton.) <i>Artemisia dracunculus</i>	Nhuc dau khau (Vietnam.) <i>Myristica fragrans</i>	Nimmagaddi (Telugu) <i>Cymbopogon citratus</i>	Nootmuskaat (Dutch) <i>Myristica fragrans</i>
Nejlikor (Swed.) <i>Syzygium aromaticum</i>	Nga chien chin (Lao) <i>Perilla ocymoides</i>	Nhuc que (Vietnam.) <i>Cinnamomum zeylanicum</i>	Nimmakaya (Telugu) <i>Citrus aurantifolia</i>	Noroximh pat (Assam.) <i>Murraya koenigii</i>
Nelgipuu, harilik (Eston.) <i>Syzygium aromaticum</i>	Nga chieng (Lao) <i>Perilla ocymoides</i>	Nhu tia (Vietnam.) <i>Ocimum tenuiflorum</i>	Nimmappandu (Telugu) <i>Citrus limon</i>	Norsin (Bodo) <i>Murraya koenigii</i>
Nelk (Eston.) <i>Syzygium aromaticum</i>	Ngai ap xanh (Vietnam.) <i>Artemisia absinthium</i>		Ning meng (Mand.) <i>Citrus limon</i>	Notumek (Korean) <i>Myristica fragrans</i>
Nelke (Germ.) <i>Syzygium aromaticum</i>				Nou moscada (Catalan) <i>Myristica fragrans</i>

Novagya (Newari) <i>Mentha piperita</i>	Obyčajný majorán (Slovak) <i>Majorana hortensis</i>	Olewydden (Welsh) <i>Olea europaea</i>	Onion seed (Engl.) <i>Nigella sativa</i>	Orange, sweet (Engl.) <i>Citrus sinensis</i>
Nové koření (Czech) <i>Pimenta dioica</i>	Ocimum sanctum (bot.) <i>Ocimum tenuiflorum</i>	Oli (Malayalam) <i>Olea europaea</i>	Onitis (Old Greek) <i>Origanum onites</i>	Orange amère (French) <i>Citrus aurantium ssp. amara</i>
Nové korenje (Slovak) <i>Pimenta dioica</i>	Octovec (Sloven.) <i>Rhus coriaria</i>	Oliba (Basque) <i>Olea europaea</i>	Onunum (Fante,Twi) <i>Ocimum gratissimum</i>	Orange douce (French) <i>Citrus sinensis</i>
Nozenharen (Japan.) <i>Lepidium sativum</i>	Ocymus (Lat.) <i>Ocimum basilicum</i>	Olibh (Bengali) <i>Olea europaea</i>	Oopiumiunikko (Finn.) <i>Papaver somniferum</i>	Oranĝo (Esperanto) <i>Citrus sinensis</i>
Noz-moscada (Port.) <i>Myristica fragrans</i>	Oddhi (Telugu) <i>Ocimum tenuiflorum</i>	Ólifa (Icel.) <i>Olea europaea</i>	Oostindische kers (Dutch) <i>Tropaeolum majus</i>	Oranje (Amhar.) <i>Citrus sinensis</i>
Noz Moscada (Galic.) <i>Myristica fragrans</i>	Odsu (Dz.) <i>Coriandrum sativum</i>	Oliif (Fris.) <i>Olea europaea</i>	Op choey (Thai) <i>Cinnamomum zeylanicum</i>	Oranje-appel (Dutch) <i>Citrus aurantium ssp. amara</i>
Nucă de cocos (Roman.) <i>Cocos nucifera</i>	Odzahui (Ga-Dangme) <i>Zingiber officinale</i>	Oliiv (Eston.) <i>Olea europaea</i>	Op choey chawa (Thai) <i>Cinnamomum burmannii</i>	Orañjez c'hwerv (Bret.) <i>Citrus sinensis ssp. amara</i>
Nuc ao rau (Vietnam.) <i>Spilanthus acmella</i>	Oficina hisopo (Esperanto) <i>Hyssopus officinalis</i>	Õlipuu, euroopa (Eston.) <i>Olea europaea</i>	Op choey chin (Thai) <i>Cinnamomum cassia</i>	Orañjez dous (Bret.) <i>Citrus sinensis</i>
Nučimuskata (Malt.) <i>Myristica fragrans</i>	Oficina meliso (Esperanto) <i>Melissa officinalis</i>	O liu (Vietnam.) <i>Olea europaea</i>	Op choey Inadonisoey (Thai) <i>Cinnamomum burmannii</i>	Orañjezenn (Bret.) <i>Citrus sinensis</i>
Nuçsoarâ (Roman.) <i>Myristica fragrans</i>	Ognon (Bret.) <i>Allium cepa</i>	Oliv (Swed.) <i>Olea europaea</i>	Op choey Srilanka (Thai) <i>Cinnamomum zeylanicum</i>	Orazdiq (Kazakh) <i>Anethum graveolens</i>
Nuez moscada (Span.) <i>Myristica fragrans</i>	Ognonetez (Bret.) <i>Allium schoenoprasum</i>	Oliva (Amhar.,Czech,Ital.,Lat.,Russ.,Slovak,Span.) <i>Olea europaea</i>	Op choey tan (Thai) <i>Cinnamomum tamala</i>	Ordinara mirto (Esperanto) <i>Myrtus communis</i>
Numm-liivatee (Eston.) <i>Thymus serpyllum</i>	Ogórecznik lekarski (Pol.) <i>Borago officinalis</i>	Olíva (Hung.) <i>Olea europaea</i>	Op choey tet (Thai) <i>Cinnamomum zeylanicum</i>	Ordinara origano (Esperanto) <i>Origanum vulgare</i>
Nunum (Fante,Twi) <i>Ocimum gratissimum</i>	Ogrščica, črna (Sloven.) <i>Brassica nigra</i>	Oliva európska (Slovak) <i>Olea europaea</i>	Op choey yuan (Thai) <i>Cinnamomum loureiroi</i>	Ördögbors (Hung.) <i>Capsicum frutescens</i>
Nur (Armen.) <i>Punica granatum</i>	Oğul otu (Turk.) <i>Melissa officinalis</i>	Olīvas (Latv.) <i>Olea europaea</i>	Opiev mak (Bulg.) <i>Papaver somniferum</i>	Ördögyökér (Hung.) <i>Ferula assa-foetida</i>
Nuran (Aram.) <i>Piper nigrum</i>	Ogurechnaya trava (Russ.) <i>Borago officinalis</i>	Olive (Amhar.,Engl.,French,Germ.,Yidd.) <i>Olea europaea</i>	Opiumvallmo (Swed.) <i>Papaver somniferum</i>	Oregan (Engl.) <i>Origanum vulgare</i>
Nury (Oss.) <i>Allium sativum</i>	Ogurechnik aptechnyj (Russ.) <i>Borago officinalis</i>	Oliveira (Port.) <i>Olea europaea</i>	Opijnj mak (Russ.) <i>Papaver somniferum</i>	Oregano (Amhar.,Basque,Dan.,Engl.,Germ.,Hebr.,Japan.,Korean,Pol.,Roman.,Slovak,Swed.) <i>Origanum vulgare</i>
Nush (Armen.) <i>Prunus dulcis</i>	Ohyang (Korean) <i>Illicium verum</i>	Oliven (Dan.) <i>Olea europaea</i>	Opiummohn (Germ.) <i>Papaver somniferum</i>	Orégano (Port.,Span.) <i>Origanum vulgare</i>
Nushi (Georg.) <i>Prunus dulcis</i>	Oignon (French) <i>Allium cepa</i>	Olivera (Catalan) <i>Olea europaea</i>	Opiumny mak (Belar.) <i>Papaver somniferum</i>	Oregano (Icel.) <i>Origanum vulgare</i>
Nushihidak (Manipuri) <i>Ocimum basilicum</i>	Oiniún (Irish) <i>Allium cepa</i>	Oliveo (Esperanto) <i>Olea europaea</i>	Opium poppy (Engl.) <i>Papaver somniferum</i>	Oregánó (Hung.) <i>Origanum vulgare</i>
Nutmeg (Engl.) <i>Myristica fragrans</i>	Oisos (Old Greek) <i>Vitex agnus-castus</i>	Olivovník európsky (Slovak) <i>Olea europaea</i>	Opiumvalmue (Norw.) <i>Papaver somniferum</i>	Oregánó (Czech) <i>Origanum vulgare</i>
Nutmeg flower (Engl.) <i>Nigella sativa</i>	Oka chettu (Telugu) <i>Mentha piperita</i>	Olivovník evropský (Czech) <i>Olea europaea</i>	Oq gorchitsa (Uzbek) <i>Sinapis alba</i>	Oreganoa (Georg.) <i>Origanum vulgare</i>
Nuvvulu (Telugu) <i>Sesamum indicum</i>	Okanto (Twi) <i>Zanthoxylum xanthoxyloides</i>	Oliwka (Pol.) <i>Olea europaea</i>	Oq xantal (Uzbek) <i>Sinapis alba</i>	Orégano-semente (Port.) <i>Trachyspermum copticum</i>
Nyamsa (Dagbani) <i>Citrus aurantifolia</i>	Oke (Copt.) <i>Sesamum indicum</i>	Oljka (Sloven.) <i>Olea europaea</i>	Oragan (Gael.) <i>Origanum vulgare</i>	Orégão (Port.) <i>Origanum vulgare</i>
Nyiepuu (Angami Naga) <i>Rosa damascena</i>	Okhrakhushi (Georg.) <i>Petroselinum crispum</i>	Oljna buča (Sloven.) <i>Cucurbita pepo</i>	Oragán (Irish) <i>Origanum vulgare</i>	Oregãos (Port.) <i>Origanum vulgare</i>
Nyiur (Malay) <i>Cocos nucifera</i>	Okimon (Old Greek) <i>Ocimum basilicum</i>	Öljysiemenkurpitsa (Finn.) <i>Cucurbita pepo</i>	Orageno (Hindi) <i>Origanum vulgare</i>	Oren (Welsh) <i>Citrus sinensis</i>
Nytmeg (Welsh) <i>Myristica fragrans</i>	Okohan (Lotha Naga) <i>Z. acanthopodium</i>	Ölkürbis (Germ.) <i>Cucurbita pepo</i>	Orains (Gael.) <i>Citrus sinensis</i>	Orenga (Catalan) <i>Origanum vulgare</i>
Oabaiy (Dhivehi) <i>Trigonella foenum-graecum</i>	Okropi (Georg.) <i>Anethum graveolens</i>	Ollibu (Korean) <i>Olea europaea</i>	Oráiste (Irish) <i>Citrus sinensis</i>	Orenji (Japan.,Korean) <i>Citrus sinensis</i>
Oabath (Dhivehi) <i>Trigonella foenum-graecum</i>	Oku (Malay) <i>Ocimum tenuiflorum</i>	Ölmohn (Germ.) <i>Papaver somniferum</i>	Oranchu (Malayalam) <i>Citrus sinensis</i>	Oribu (Japan.) <i>Olea europaea</i>
Oastre (Catalan) <i>Olea europaea</i>	Ola (Gael.) <i>Olea europaea</i>	Olod (Chakma) <i>Curcuma longa</i>	Oranda-garashi (Japan.) <i>Nasturtium officinale</i>	Orientalke kumina (Sloven.) <i>Cuminum cyminum</i>
Ob choey (Thai) <i>Cinnamomum zeylanicum</i>	Olajbogyó (Hung.) <i>Olea europaea</i>	Ológ (Irish) <i>Olea europaea</i>	Oranda-hakka (Japan.) <i>Mentha spicata</i>	Origan (French,Gael.,Yidd.) <i>Origanum vulgare</i>
Ob choey chawa (Thai) <i>Cinnamomum burmannii</i>	Olajzön (Hung.) <i>Carthamus tinctorius</i>	Olomankilisi (Hausa) <i>Citrus aurantifolia</i>	Oranda-senniiti (Japan.) <i>Spilanthus acmella</i>	Origano (Croat.,Esperanto,Maced.,Serb.,Sloven.) <i>Origanum vulgare</i>
Ob choey chin (Thai) <i>Cinnamomum cassia</i>	Olajtök (Hung.) <i>Cucurbita pepo</i>	Olsapai (Thai) <i>Pimenta dioica</i>	Orange (Engl.,French,Germ.) <i>Citrus sinensis</i>	Origanon (Aram.,Greek,Old Greek) <i>Origanum vulgare</i>
Ob choey Inadonisoey (Thai) <i>Cinnamomum burmannii</i>	Ölbaum (Germ.) <i>Olea europaea</i>	Olsupaisu (Korean) <i>Pimenta dioica</i>	Orange, bergamot (Engl.) <i>Citrus aurantium ssp. bergamia</i>	Origano rigamo (Ital.) <i>Origanum vulgare</i>
Ob choey Srilanka (Thai) <i>Cinnamomum zeylanicum</i>	Old Man (Engl.) <i>Artemisia abrotanum</i>	Olyva (Ukr.) <i>Olea europaea</i>	Orange, bitter (Engl.) <i>Citrus aurantium ssp. amara</i>	Origanum maiorana (bot.) <i>Majorana hortensis</i>
Ob choey tan (Thai) <i>Cinnamomum tamala</i>	Old Man (Engl.) <i>Rosmarinus officinalis</i>	Oma (Kannada,Tulu) <i>Trachyspermum copticum</i>	Orange, sour (Engl.) <i>Citrus aurantium ssp. amara</i>	Origanum (Lat.) <i>Origanum vulgare</i>
Ob choey tet (Thai) <i>Cinnamomum zeylanicum</i>	Old Woman (Engl.) <i>Artemisia absinthium</i>	Omam (Malayalam,Tamil) <i>Trachyspermum copticum</i>		
Ob choey yuan (Thai) <i>Cinnamomum loureiroi</i>	Olea (Lat.) <i>Olea europaea</i>	Omamu (Telugu) <i>Trachyspermum copticum</i>		
Ober (Yidd.) <i>Laurus nobilis</i>	Oleevu (Malayalam) <i>Olea europaea</i>	Ondu bageya irulli (Kannada) <i>Allium cepa</i>		
Obsey (Lao) <i>Cinnamomum zeylanicum</i>	Oleum Olivarum (pharm.) <i>Olea europaea</i>	Ongkoti (Ao Naga) <i>Mangifera indica</i>		
		Onieon (Korean) <i>Allium cepa</i>		
		Onion (Engl.,Japan.) <i>Allium cepa</i>		

Orikano (Lao,Thai) <i>Origanum vulgare</i>	Paccha-mulagu (Malayalam) <i>Capsicum frutescens</i>	Pakha (Korean) <i>Mentha arvensis</i> var. <i>piperascens</i>	Palczatka cytrynowa (Pol.) <i>Cymbopogon citratus</i>	Pandánusz víz (Hung.) <i>Pandanus odoratissimus</i>
Orlean (Dutch) <i>Bixa orellana</i>	Pachai milagai (Tamil) <i>Capsicum frutescens</i>	Pakhnyachka (Ukr.) <i>Mentha piperita</i>	Palczatka pojęta (Pol.) <i>Cymbopogon flexuosus</i>	Pandan wangi (Indones., Malay) <i>Pandanus amaryllifolius</i>
Orleani (Finn.) <i>Bixa orellana</i>	Pachcha (Malayalam) <i>Ocimum basilicum</i>	Pak hom (Thai) <i>Coriandrum sativum</i>	Palina abrotanová (Slovak) <i>Artemisia abrotanum</i>	Paneli (Indones.) <i>Vanilla planifolia</i>
Orlean-drvo (Serb.) <i>Bixa orellana</i>	Pachimi (Thai) <i>Persicaria hydropiper</i>	Pak hom ho (Chines.) <i>Mentha piperita</i>	Palina abrotská (Slovak) <i>Artemisia abrotanum</i>	Panicaut fétide (French) <i>Eryngium foetidum</i>
Orleánfa (Hung.) <i>Bixa orellana</i>	Pa chio (Chines.) <i>Pimpinella anisum</i>	Pak hom pekantho (Lao) <i>Eryngium foetidum</i>	Palina dračia (Slovak) <i>Artemisia dracuncululus</i>	Panili (Indones.) <i>Vanilla planifolia</i>
Orleanstrauch (Germ.) <i>Bixa orellana</i>	Pachnotka zwyczajna (Pol.) <i>Perilla frutescens</i>	Pak hom pom (Lao) <i>Coriandrum sativum</i>	Palina obyčajná (Slovak) <i>Artemisia vulgaris</i>	Panilla (Korean) <i>Vanilla planifolia</i>
Òr-mheas (Gael.) <i>Citrus sinensis</i>	Pačiolis (Lith.) <i>Foeniculum vulgare</i>	Pak hom thet (Lao) <i>Eryngium foetidum</i>	Palina pravá (Slovak) <i>Artemisia vulgaris</i>	Pani sag (Nepali) <i>Nasturtium officinale</i>
Orozuz (Span.) <i>Glycyrrhiza glabra</i>	Padagoji (Burmes.) <i>Alpinia galanga</i>	Pakhon (Manipuri) <i>Anethum graveolens</i>	Palina pravá (Slovak) <i>Artemisia absinthium</i>	Pankolis, paprastasis (Lith.) <i>Foeniculum vulgare</i>
Òr ubhal (Gael.) <i>Citrus sinensis</i>	Padam (Tamil) <i>Prunus dulcis</i>	Pak Itou (Lao) <i>Ocimum citriodorum</i>	Pálivá paprika (Czech) <i>Capsicum frutescens</i>	Panlat (Burmes.) <i>Elettaria cardamomum</i>
Oruga (Span.) <i>Eruca sativa</i>	Padang cinnamon (Engl.) <i>Cinnamomum burmannii</i>	Pak itu (Thai) <i>Ocimum citriodorum</i>	Palluvedanacheti (Malayalam) <i>Spilanthes acmella</i>	Panmodhuri (Oriya) <i>Foeniculum vulgare</i>
Orusupaisu (Japan.) <i>Pimenta dioica</i>	Padang-Zimt (Germ.) <i>Cinnamomum burmannii</i>	Pakkat-nam (Thai) <i>Lepidium sativum</i>	Palma kokosowa (Pol.) <i>Cocos nucifera</i>	Panmuhri (Santali) <i>Foeniculum vulgare</i>
Orvosí citromfű (Hung.) <i>Melissa officinalis</i>	Paddekruid (Dutch) <i>Hyssopus officinalis</i>	Pak kayang (Thai) <i>Limnophila aromatica</i>	Paltmiron (Aram.) <i>Coriandrum sativum</i>	Panniru (Kannada) <i>Rosa damascena</i>
Orvosí zsálya (Hung.) <i>Salvia officinalis</i>	Paddy herb (Engl.) <i>Limnophila aromatica</i>	Pak khaotong (Thai) <i>Houttuynia cordata</i>	Palu (Newari) <i>Zingiber officinale</i>	Panpung levél (Hung.) <i>Pandanus amaryllifolius</i>
Oshu-yomogi (Japan.) <i>Artemisia vulgaris</i>	Pa de gaw gyi (Burmes.) <i>Alpinia galanga</i>	Pak khaotong (Lao) <i>Houttuynia cordata</i>	Pałyń (Belar.) <i>Artemisia vulgaris</i>	Panpung víz (Hung.) <i>Pandanus odoratissimus</i>
Osjenač (Serb.) <i>Artemisia absinthium</i>	Padiyan (Tamil) <i>Illicium verum</i>	Pak Khayaeng (Lao) <i>Limnophila aromatica</i>	Pałyn (Belar.) <i>Artemisia vulgaris</i>	Panshuka (Hindi,Urdu) <i>Pandanus odoratissimus</i>
Osongcho (Korean) <i>Houttuynia cordata</i>	Paegji (Latv.) <i>Juniperus communis</i>	Pak khraat haewan (Thai) <i>Spilanthes acmella</i>	Palyń (Belar.) <i>Artemisia vulgaris</i>	Papağanyemi (Turk.) <i>Carthamus tinctorius</i>
Ossopo (Ital.) <i>Hyssopus officinalis</i>	Paekkaeji (Korean) <i>Sinapis alba</i>	Pak krat (Thai) <i>Spilanthes acmella</i>	Pałyń gorki (Belar.) <i>Artemisia absinthium</i>	Pa pao (Thai) <i>Persicaria odoratum</i>
Ostakúmen (Icel.) <i>Cuminum cyminum</i>	Paektugu (Korean) <i>Amomum krervanh</i>	Pak Ler Li (Lao) <i>Apium graveolens</i>	Pałyń gorki (Belar.) <i>Artemisia absinthium</i>	Papar (Croat.,Serb.) <i>Piper nigrum</i>
Ostryž dlugi (Pol.) <i>Curcuma longa</i>	Paengnihyang (Korean) <i>Thymus vulgaris</i>	Pak nam (Lao) <i>Nasturtium officinale</i>	Palyń horki (Belar.) <i>Artemisia vulgaris</i>	Papar, američki (Croat.) <i>Schinus terebinthifolius</i>
Ostukhudus (Farsi) <i>Lavandula angustifolia</i>	Paipin (Gael.) <i>Papaver somniferum</i>	Pak nastoe-cham (Thai) <i>Tropaeolum majus</i>	Pamajorán obyčajný (Slovak) <i>Origanum vulgare</i>	Papar, bijeli (Croat.) <i>Piper nigrum</i>
Oswego tea (Engl.) <i>Monarda didyma</i>	Pairseil (Gael.) <i>Petroselinum crispum</i>	Pak pai (Thai) <i>Persicaria odoratum</i>	Panae-wo-ning (Thai) <i>Pandanus amaryllifolius</i>	Papar, crni (Croat.) <i>Piper nigrum</i>
Oswego thee (Dutch) <i>Monarda didyma</i>	Paisü (Angami Naga) <i>Allium cepa</i>	Pak phai nam (Thai) <i>Persicaria hydropiper</i>	Pandan (Dutch,Indones., Span.,Tagalog) <i>Pandanus amaryllifolius</i>	Papar, vodeni (Croat.) <i>Persicaria hydropiper</i>
Ot (Vietnam.) <i>Capsicum frutescens</i>	Pai tou k'ou (Mand.) <i>Elettaria cardamomum</i>	Pak pheng poi (Lao) <i>Nasturtium officinale</i>	Pandan, lõhnav (Eston.) <i>Pandanus amaryllifolius</i>	Papar, zeleni (Croat.) <i>Piper nigrum</i>
Otepuli (Tulu) <i>Tamarindus indica</i>	Pajūrinis sotvaras (Lith.) <i>Myrica gale</i>	Pak phet (Thai) <i>Spilanthes acmella</i>	Pandan, lõhnav (Eston.) <i>Pandanus odoratissimus</i>	Papar, papaver (Lat.) <i>Papaver somniferum</i>
Ouert (Copt.) <i>Rosa damascena</i>	Paka (Newari) <i>Brassica nigra</i>	Pak saloeli (Lao) <i>Apium graveolens</i>	Pandanas, amarilinis (Lith.) <i>Pandanus odoratissimus</i>	Papavero (Ital.) <i>Papaver somniferum</i>
Óulivié (Prov.) <i>Olea europaea</i>	Pakarmul (Bengali) <i>Persicaria hydropiper</i>	Pak sanloeri (Lao) <i>Apium graveolens</i>	Pandano (Ital.,Port.,Span.) <i>Pandanus amaryllifolius</i>	Papavero sonnifero (Ital.) <i>Papaver somniferum</i>
Ou qin (Mand.) <i>Petroselinum crispum</i>	Pak bua (Lao) <i>Allium cepa</i>	Pak si (Lao) <i>Anethum graveolens</i>	Pandano (Ital.,Port.,Span.) <i>Pandanus odoratissimus</i>	Papavosemo (Esperanto) <i>Papaver somniferum</i>
Ourego (Galic.) <i>Origanum vulgare</i>	Pak bua lapha (Lao) <i>Ocimum basilicum</i>	Pak si falang (Lao) <i>Petroselinum crispum</i>	Pandanus (French) <i>Pandanus odoratissimus</i>	Papi (Amhar.,Japan.) <i>Papaver somniferum</i>
Ou zhou shi luo (Mand.) <i>Anethum graveolens</i>	Pak bua soelod (Lao) <i>Allium ascalonicum</i>	Pak si noi (Lao) <i>Foeniculum vulgare</i>	Pandanus aromatnejshij (Russ.) <i>Pandanus odoratissimus</i>	Papoila (Port.) <i>Papaver somniferum</i>
Ova (Marathi) <i>Trachyspermum copticum</i>	Pak chi (Thai) <i>Coriandrum sativum</i>	Pak Si Sang (Lao) <i>Apium graveolens</i>	Pandanus fascicularis (bot.) <i>Pandanus odoratissimus</i>	Papoula (Port.) <i>Papaver somniferum</i>
Owoce schimusowe (Pol.) <i>Schinus terebinthifolius</i>	Pak chi duanha (Thai) <i>Foeniculum vulgare</i>	Pak thiam (Lao) <i>Allium sativum</i>	Pandanus latifolius (bot.) <i>Pandanus amaryllifolius</i>	Paprac (Serb.) <i>Persicaria hydropiper</i>
Oxraxushi (Georg.) <i>Petroselinum crispum</i>	Pak chi farang (Thai) <i>Eryngium foetidum</i>	Pak tumhu (Thai) <i>Spilanthes acmella</i>	Pandanus levél (Hung.) <i>Pandanus amaryllifolius</i>	Paprastasis čibrelis (Lith.) <i>Thymus serpyllum</i>
Ožepék (Sloven.) <i>Hyssopus officinalis</i>	Pak chi farang (Thai) <i>Petroselinum crispum</i>	Pala (Burmes.) <i>Elettaria cardamomum</i>	Pandanus odorus (bot.) <i>Pandanus amaryllifolius</i>	Paprastasis erškétis (Lith.) <i>Rosa canina</i>
Ozowoo (Mao) <i>Brassica nigra</i>	Pak chi lao (Thai) <i>Eryngium foetidum</i>	Pala (Indones.) <i>Myristica fragrans</i>	Pandanus odoratissimus (Lith.) <i>Punica granatum</i>	Paprastasis granatmedis (Lith.) <i>Punica granatum</i>
Ožragé, vaistiné (Lith.) <i>Trigonella foenum-graecum</i>	Pak chi lao (Thai) <i>Anethum graveolens</i>	Palandu (Sanskrit) <i>Allium cepa</i>		
Pabi (Welsh) <i>Papaver somniferum</i>	Pak chi long (Thai) <i>Foeniculum vulgare</i>	Palangasp (Aram.) <i>Artemisia vulgaris</i>		
Pacca kurumulagu (Malayalam) <i>Piper nigrum</i>	Pak chi met (Thai) <i>Coriandrum sativum</i>			
Pacchai milagu (Tamil) <i>Piper nigrum</i>				

Paprastasis kadagys (Lith.) <i>Juniperus communis</i>	Paradijskorreels (Dutch) <i>Aframomum melegueta</i>	Pavot somnifère (French) <i>Papaver somniferum</i>	Pebroun (Prov.) <i>Capsicum frutescens</i>	Pelini i rëndomtë (Alb.) <i>Artemisia vulgaris</i>
Paprastasis kmynas (Lith.) <i>Carum carvi</i>	Parakarse (Dan.) <i>Spilanthes acmella</i>	Payga tsen (Dz.) <i>Brassica nigra</i>	Pedda jilakarra (Telugu) <i>Foeniculum vulgare</i>	Pelin i zi (Alb.) <i>Artemisia vulgaris</i>
Paprastasis krapai (Lith.) <i>Anethum graveolens</i>	Parakrasse (Swed.) <i>Spilanthes acmella</i>	Pazhitnik grecheskij (Russ.) <i>Trigonella foenum-graecum</i>	Pega (Dz.) <i>Brassica nigra</i>	Pelin negru (Roman.) <i>Artemisia vulgaris</i>
Paprastasis pankolis (Lith.) <i>Foeniculum vulgare</i>	Parakrassi (Finn.) <i>Spilanthes acmella</i>	Pazhitnik sennoj (Russ.) <i>Trigonella foenum-graecum</i>	Pegam (Hebr.) <i>Ruta graveolens</i>	Pelinotu (Turk.) <i>Artemisia absinthium</i>
Paprastasis raudonėlis (Lith.) <i>Origanum vulgare</i>	Parakresse (Germ.) <i>Spilanthes acmella</i>	Pažitka (Czech) <i>Allium schoenoprasum</i>	Peganon (Old Greek) <i>Ruta graveolens</i>	Pelin tarkanj (Serb.) <i>Artemisia dracunculus</i>
Paprastasis saldymedis (Lith.) <i>Glycyrrhiza glabra</i>	Parakuresu (Korean) <i>Spilanthes acmella</i>	Pažitka (Slovak) <i>Allium schoenoprasum</i>	Peggan (Aram.) <i>Ruta graveolens</i>	Pelkenė, kvapioji (Lith.) <i>Limnophila aromatica</i>
Paprena metvica (Croat.) <i>Mentha piperita</i>	Parappi (Copt.) <i>Piper nigrum</i>	Pažitka (Slovak) <i>Allium schoenoprasum</i>	Pehme skiinus (Eston.) <i>Schinus molle</i>	Pelpel (Aram.) <i>Piper nigrum</i>
Papreni lisac (Serb.) <i>Persicaria hydropiper</i>	Parastās raudenes (Latv.) <i>Satureja hortensis</i>	Pažitnik blakitny (Belar.) <i>Trigonella caerulea</i>	Pehtran (Sloven.) <i>Artemisia dracunculus</i>	Pelnyas (Lith.) <i>Artemisia absinthium</i>
Paprica (Ital.) <i>Capsicum annum</i>	Parasztbors (Hung.) <i>Nigella sativa</i>	Pažitnik grečaski (Belar.) <i>Trigonella foenum-graecum</i>	Pei (Korean) <i>Laurus nobilis</i>	Pelyněk (Czech) <i>Artemisia absinthium</i>
Paprika (Croat., Czech, Dan., Dutch, Engl., Eston., Farsi, Finn., Germ., Greek, Hung., Latv., Lith., Serb., Slovak, Sloven., Span., Swed.) <i>Capsicum annum</i>	Paratuinkers (Dutch) <i>Spilanthes acmella</i>	Pčelarnik (Maced.) <i>Melissa officinalis</i>	Peijil (Korean) <i>Ocimum basilicum</i>	Pelyněk brotan (Czech) <i>Artemisia abrotanum</i>
Paprika, crvena (Serb.) <i>Capsicum annum</i>	Parfum-vaynshl (Yidd.) <i>Prunus mahaleb</i>	Pčelinjak (Serb.) <i>Melissa officinalis</i>	Peiresilh (Prov.) <i>Petroselinum crispum</i>	Pelyněk černobýl (Czech) <i>Artemisia vulgaris</i>
Paprika, kajenska (Croat.) <i>Capsicum frutescens</i>	Parsle (Hindi) <i>Petroselinum crispum</i>	Pčelinja metvica (Serb.) <i>Melissa officinalis</i>	Pei rorel (Korean) <i>Laurus nobilis</i>	Pelyněk kozalec (Czech) <i>Artemisia dracunculus</i>
Paprika, macskakpőcs (Hung.) <i>Capsicum frutescens</i>	Parsley (English) <i>Coriandrum sativum</i>	Pčelnik (Maced.) <i>Melissa officinalis</i>	Peirsil (Irish) <i>Petroselinum crispum</i>	Pelyněk pravý (Czech) <i>Artemisia absinthium</i>
Paprika, pálivá (Czech) <i>Capsicum frutescens</i>	Parsley, French (English) <i>Anthriscus cerefolium</i>	Pcheliak (Bulg.) <i>Melissa officinalis</i>	Pej (Chakma) <i>Allium cepa</i>	Pembibiber (Turk.) <i>Schinus terebinthifolius</i>
Paprika, prášková (Czech) <i>Capsicum annum</i>	Parsley, Indian (English) <i>Coriandrum sativum</i>	Peaj (Santali) <i>Allium cepa</i>	Pejil (Korean) <i>Ocimum basilicum</i>	Pementa Branca (Galic.) <i>Piper nigrum</i>
Paprika, sladká (Czech) <i>Capsicum annum</i>	Parsley, Jerusalem (English) <i>Chenopodium ambrosioides</i>	Pearsal (Gael.) <i>Petroselinum crispum</i>	Pe ka (Indones.) <i>Illicium verum</i>	Pementa de Sichuán (Galic.) <i>Zanthoxylum piperitum</i>
Paprika de Hongrie (French) <i>Capsicum annum</i>	Paroppu (Tamil) <i>Prunus dulcis</i>	Peber (Dan.) <i>Piper nigrum</i>	Pekak (Indones.) <i>Illicium verum</i>	Pementa de Xamaica (Galic.) <i>Pimenta dioica</i>
Paprika-kořen (Czech) <i>Capsicum annum</i>	Paseri (Japan.) <i>Petroselinum crispum</i>	Peber, hvid (Dan.) <i>Piper nigrum</i>	Pelaga (Malay) <i>Amomum kepulaga</i>	Pementa Negra (Galic.) <i>Piper nigrum</i>
Paprika metuka (Hebr.) <i>Capsicum annum</i>	Pasil (Korean) <i>Ocimum basilicum</i>	Peber, rød (Dan.) <i>Schinus terebinthifolius</i>	Pelen (Serb.) <i>Artemisia absinthium</i>	Pementa Rosa (Galic.) <i>Schinus terebinthifolius</i>
Paprika ročná (Slovak) <i>Capsicum annum</i>	Pasinstoi (Copt.) <i>Mentha piperita</i>	Peber, Sechuan (Dan.) <i>Zanthoxylum piperitum</i>	Pelen, crni (Serb.) <i>Artemisia vulgaris</i>	Pementa vermella (Galic.) <i>Schinus terebinthifolius</i>
Paprika sladká (Slovak) <i>Capsicum annum</i>	Pasionara (Span.) <i>Nigella sativa</i>	Peber, sort (Dan.) <i>Piper nigrum</i>	Pelen, divlji (Serb.) <i>Artemisia vulgaris</i>	Pementela (Galic.) <i>Persicaria hydropiper</i>
Paprika štíplavá (Slovak) <i>Capsicum annum</i>	Pasli (Thai) <i>Petroselinum crispum</i>	Peber, blad, mexikansk (Dan.) <i>Piper auritum</i>	Peletrünai (Lith.) <i>Artemisia dracunculus</i>	Pementón (Galic.) <i>Capsicum annum</i>
Paprike (Yidd.) <i>Capsicum annum</i>	Passerage cultivée (French) <i>Lepidium sativum</i>	Pebermynte (Dan.) <i>Mentha piperita</i>	Pelevoué (French) <i>Origanum vulgare</i>	Penantazi (Burmes.) <i>Trigonella foenum-graecum</i>
Papriko (Esperanto) <i>Capsicum annum</i>	Pasulli (Korean) <i>Petroselinum crispum</i>	Peberrod (Dan.) <i>Armoracia rusticana</i>	Pelin (Alb., Bulg., Serb.) <i>Artemisia absinthium</i>	Penevoué (French) <i>Origanum vulgare</i>
Paprikuduft (Icel.) <i>Capsicum annum</i>	Pasupu (Telugu) <i>Curcuma longa</i>	Peberrod, japansk (Dan.) <i>Wasabia japonica</i>	Pelin (alb) (Roman.) <i>Artemisia absinthium</i>	Penigurik (Korean) <i>Trigonella foenum-graecum</i>
Papriqa charipa (Hebr.) <i>Capsicum frutescens</i>	Patli saunf (Hindi) <i>Pimpinella anisum</i>	Pebr du (Bret.) <i>Piper nigrum</i>	Pelin, acı (Turk.) <i>Artemisia absinthium</i>	Penimirpushpam (Malayalam) <i>Rosa damascena</i>
Papriqa metuqa (Hebr.) <i>Capsicum annum</i>	Patrak (Maith.) <i>Cinnamomum tamala</i>	Pebre (Catalan, Prov.) <i>Piper nigrum</i>	Pelin, adi (Turk.) <i>Artemisia vulgaris</i>	Penjilang (Malay) <i>Coriandrum sativum</i>
Papryka (Pol.) <i>Capsicum annum</i>	Patraka (Kannada) <i>Cinnamomum tamala</i>	Pebre bord (Catalan) <i>Vitex agnus-castus</i>	Pelin, bijeli (Croat.) <i>Artemisia absinthium</i>	Penn-chalotez (Bret.) <i>Allium ascalonicum</i>
Papryka owocowa (Pol.) <i>Capsicum frutescens</i>	Patrauka (Belar.) <i>Petroselinum crispum</i>	Pebre d'aigo (Prov.) <i>Persicaria hydropiper</i>	Pelin, crni (Croat.) <i>Artemisia vulgaris</i>	Pennel (Korean) <i>Foeniculum vulgare</i>
Papryka rocna (Pol.) <i>Capsicum annum</i>	Pätrunjel (Roman.) <i>Petroselinum crispum</i>	Pebre d'asé (Prov.) <i>Satureja hortensis</i>	Pelin, gorski (Croat.) <i>Artemisia absinthium</i>	Penyaj (Bengali) <i>Allium cepa</i>
Papurika (Japan., Korean) <i>Capsicum annum</i>	Patta (Angami Naga) <i>Cinnamomum tamala</i>	Pebre del Perú (Catalan) <i>Schinus molle</i>	Pelin, mirisni (Serb.) <i>Artemisia abrotanum</i>	Pepaminto (Japan.) <i>Mentha piperita</i>
Paracress (Engl.) <i>Spilanthes acmella</i>	Patta akulu (Telugu) <i>Cinnamomum tamala</i>	Pebrella (Catalan) <i>Thymus piperella</i>	Pelin, navadni (Sloven.) <i>Artemisia vulgaris</i>	Pepe bianco (Ital.) <i>Piper nigrum</i>
Paradicsommag (Hung.) <i>Aframomum melegueta</i>	Pavot à opium (French) <i>Papaver somniferum</i>	Pebre negre (Catalan) <i>Piper nigrum</i>	Pelin, obični (Croat.) <i>Artemisia vulgaris</i>	Pepe d'acqua (Ital.) <i>Persicaria hydropiper</i>
Paradieskörner (Germ.) <i>Aframomum melegueta</i>	Pavot des jardins (French) <i>Papaver somniferum</i>	Pebr glas (Bret.) <i>Piper nigrum</i>	Pelin, pravi (Sloven.) <i>Artemisia absinthium</i>	Pepe di Caienne (Ital.) <i>Capsicum frutescens</i>
		Pebr gwenn (Bret.) <i>Piper nigrum</i>	Pelina, divljeg brsta (Serb.) <i>Artemisia vulgaris</i>	Pepe di Giamaica (Ital.) <i>Pimenta dioica</i>
		Pebrino (Prov.) <i>Capsicum frutescens</i>	Pelinaritça (Roman.) <i>Artemisia vulgaris</i>	Pepe lungo (Ital.) <i>Piper longum</i>
		Pebrotera (Catalan) <i>Capsicum annum</i>	Pelin božje drvce (Serb.) <i>Artemisia abrotanum</i>	Pepe nero (Ital.) <i>Piper nigrum</i>
			Pelin gradinski (Bulg.) <i>Artemisia abrotanum</i>	Pepeo (Korean) <i>Piper nigrum</i>

Pepeo bullaek (Korean) <i>Piper nigrum</i>	Pepper, cubeb (false) (Engl.) <i>Piper clusii</i>	Pepř, bílý (Czech) <i>Piper nigrum</i>	Perets, kajenskij (Russ.) <i>Capsicum frutescens</i>	Perllys (Welsh) <i>Petroselinum crispum</i>
Pepeo-mintu (Korean) <i>Mentha piperita</i>	Pepper, green (Engl.) <i>Piper nigrum</i>	Pepř, černý (Czech) <i>Piper nigrum</i>	Perets, koloskovyj (Russ.) <i>Piper officinarum</i>	Pero hom (Thai) <i>Kaempferia galanga</i>
Pepe Peruviano, falso (Ital.) <i>Schinus molle</i>	Pepper, Guinea (Engl.) <i>Aframomum melegueta</i>	Pepř, čínský (Czech) <i>Zanthoxylum piperitum</i>	Perets, kumba (Russ.) <i>Xylopiya aethiopica</i>	Perretxilleze (Basque) <i>Apium graveolens</i>
Peper (Dutch) <i>Piper nigrum</i>	Pepper, Guinea (Engl.) <i>Piper clusii</i>	Pepř, hřebíčkový (Czech) <i>Pimenta dioica</i>	Perets, mavritanskij (Russ.) <i>Xylopiya aethiopica</i>	Perrexil (Basque) <i>Petroselinum crispum</i>
Peper, spaanse (Dutch) <i>Capsicum frutescens</i>	Pepper, Jaborandi (Engl.) <i>Piper longum</i>	Pepř, Jamajský (Czech) <i>Pimenta dioica</i>	Perets, Sychuanskij (Russ.) <i>Zanthoxylum piperitum</i>	Perrexila (Basque) <i>Petroselinum crispum</i>
Peper, witte (Dutch) <i>Piper nigrum</i>	Pepper, Jamaica (Engl.) <i>Pimenta dioica</i>	Pepř, mnišský (Czech) <i>Vitex agnus-castus</i>	Perets, Tasmanijskij (Russ.) <i>Tasmannia lanceolata</i>	Persa (Ital.) <i>Majorana hortensis</i>
Peper, zwarte (Dutch) <i>Piper nigrum</i>	Pepper, Japanese (Engl.) <i>Zanthoxylum piperitum</i>	Pepř, růžový (Czech) <i>Schinus terebinthifolius</i>	Perets', vodyanyj (Ukr.) <i>Persicaria hydropiper</i>	Persamelo (Tigr.) <i>Petroselinum crispum</i>
Peperi (Old Greek) <i>Piper nigrum</i>	Pepper, Jawanese (Engl.) <i>Piper cubeba</i>	Pepř, zelený (Czech) <i>Piper nigrum</i>	Perets, yamajskij (Russ.) <i>Pimenta dioica</i>	Persemolo (Greek) <i>Petroselinum crispum</i>
Peperkruid (Dutch) <i>Satureja hortensis</i>	Pepper, Kani (Engl.) <i>Xylopiya aethiopica</i>	Pepř cayenský (Czech) <i>Capsicum frutescens</i>	Perets, yaponskij (Russ.) <i>Zanthoxylum piperitum</i>	Persicária (Port.) <i>Persicaria hydropiper</i>
Pepermunt (Dutch) <i>Mentha piperita</i>	Pepper, long (Engl.) <i>Piper longum</i>	Pepř cubéba (Czech) <i>Piper cubeba</i>	Perets, yavanskij (Russ.) <i>Piper cubeba</i>	Persicaria Picante (Span.) <i>Persicaria hydropiper</i>
Peperoncino (Ital.) <i>Capsicum frutescens</i>	Pepper, melegueta (Engl.) <i>Aframomum melegueta</i>	Pepř cubébový (Czech) <i>Piper cubeba</i>	Perets, zelyonyj (Russ.) <i>Piper nigrum</i>	Persil (French) <i>Petroselinum crispum</i>
Peperone (Ital.) <i>Capsicum annum</i>	Pepper, moor (Engl.) <i>Xylopiya aethiopica</i>	Pepř dlouhý (Czech) <i>Piper longum</i>	Perets' bila (Ukr.) <i>Piper nigrum</i>	Persil arabe (French) <i>Coriandrum sativum</i>
Peperone (Ital.) <i>Capsicum frutescens</i>	Pepper, mountain (Engl.) <i>Tasmannia lanceolata</i>	Pepré (Sranan) <i>Piper nigrum</i>	Perets' chornyj (Ukr.) <i>Piper nigrum</i>	Persilja (Finn.,Swed.) <i>Petroselinum crispum</i>
Peperoni (Tigr.) <i>Capsicum annum</i>	Pepper, native (Engl.) <i>Tasmannia lanceolata</i>	Peprina (Malt.) <i>Papaver somniferum</i>	Perets' dovyhj (Ukr.) <i>Piper longum</i>	Persille (Dan.,Norw.) <i>Petroselinum crispum</i>
Pepe rosa (Ital.) <i>Schinus terebinthifolius</i>	Pepper, Peruvian (Engl.) <i>Schinus molle</i>	Pepř japonský (Czech) <i>Zanthoxylum piperitum</i>	Perets dushistyj (Russ.) <i>Pimenta dioica</i>	Persin (Croat.,Serb.) <i>Petroselinum crispum</i>
Pepe rosso piccante (Ital.) <i>Capsicum frutescens</i>	Pepper, pink (Engl.) <i>Schinus terebinthifolius</i>	Pepř malaguetský (Czech) <i>Aframomum melegueta</i>	Perets gvozdichnyj (Russ.) <i>Pimenta dioica</i>	Persinis gumbakmynis (Lith.) <i>Bunium persicum</i>
Pepe verde (Ital.) <i>Piper nigrum</i>	Pepper, pod (Engl.) <i>Capsicum annum</i>	Pepros (Copt.) <i>Piper nigrum</i>	Perets krasnyj (Russ.) <i>Capsicum annum</i>	Perská hořčice rokovník (Czech) <i>Eruca sativa</i>
Pepo (Korean) <i>Piper nigrum</i>	Pepper, red (Engl.) <i>Capsicum frutescens</i>	Peprovník (Slovak) <i>Piper nigrum</i>	Perets kubebe (Russ.) <i>Piper cubeba</i>	Persli (Welsh) <i>Petroselinum crispum</i>
Pepo-mintu (Korean) <i>Mentha piperita</i>	Pepper, sacred (Engl.) <i>Piper auritum</i>	Pepř secuánský (Czech) <i>Zanthoxylum piperitum</i>	Perets rozovyj (Russ.) <i>Schinus terebinthifolius</i>	Persun (Croat.,Serb.) <i>Petroselinum crispum</i>
Peppa (Japan.) <i>Piper nigrum</i>	Pepper, Senegal (Engl.) <i>Xylopiya aethiopica</i>	Perac (Belar.) <i>Piper nigrum</i>	Perets vodyanoj (Russ.) <i>Persicaria hydropiper</i>	Peruaanse peperboom (Dutch) <i>Schinus molle</i>
Peppar (Swed.) <i>Piper nigrum</i>	Pepper, Sichuan (Engl.) <i>Zanthoxylum piperitum</i>	Perac, bely (Belar.) <i>Piper nigrum</i>	Perets' zelenyj (Ukr.) <i>Piper nigrum</i>	Peruanischer Pfeffer (Germ.) <i>Schinus molle</i>
Pepparmynta (Swed.) <i>Mentha piperita</i>	Pepper, sweet (Engl.) <i>Capsicum annum</i>	Perac, černý (Belar.) <i>Piper nigrum</i>	Perexil (Galic.) <i>Petroselinum crispum</i>	Perugamotu (Korean) <i>Monarda didyma</i>
Pepparrot (Swed.) <i>Armoracia rusticana</i>	Pepper, tailed (Engl.) <i>Piper cubeba</i>	Perac, iavanski (Belar.) <i>Piper cubeba</i>	Perfumed cherry (Engl.) <i>Prunus mahaleb</i>	Perui bors (Hung.) <i>Schinus molle</i>
Peppeort-mint (Thai) <i>Mentha piperita</i>	Pepper, Tasmanian (Engl.) <i>Tasmannia lanceolata</i>	Perac, kajenski (Belar.) <i>Capsicum frutescens</i>	Pergamonto (Greek) <i>Citrus bergamia</i>	Perujski poper (Sloven.) <i>Schinus terebinthifolius</i>
Pepper (Engl.,Norw.) <i>Piper nigrum</i>	Pepper, water (Engl.) <i>Persicaria hydropiper</i>	Perac, syčuański (Belar.) <i>Zanthoxylum piperitum</i>	Pergamutā (Roman.) <i>Citrus bergamia</i>	Perumjeerakam (Malayalam) <i>Foeniculum vulgare</i>
Pepper, alligator (Engl.) <i>Aframomum melegueta</i>	Pepper, white (Engl.) <i>Piper nigrum</i>	Perac, zialiony (Belar.) <i>Piper nigrum</i>	Pericarpium Aurantii (pharm.) <i>Citrus sinensis</i>	Perungayam (Tamil) <i>Ferula assa-foetida</i>
Pepper, anise (Engl.) <i>Zanthoxylum piperitum</i>	Pepper grass (Engl.) <i>Lepidium sativum</i>	Perechnyj list, Meksikanski (Russ.) <i>Piper auritum</i>	Pericarpium Bergamottae (pharm.) <i>Citrus aurantium ssp. bergamia</i>	Perunjiragam (Tamil) <i>Foeniculum vulgare</i>
Pepper, Ashanti (Engl.) <i>Piper clusii</i>	Pepper leaves, Mexican (Engl.) <i>Piper auritum</i>	Pereg (Hebr.) <i>Papaver somniferum</i>	Pericarpium Citri (pharm.) <i>Citrus limon</i>	Perunkayam (Malayalam) <i>Ferula assa-foetida</i>
Pepper, Balinese (Engl.) <i>Piper retrofractum</i>	Peppermint (Engl.) <i>Mentha piperita</i>	Perejil (Span.) <i>Petroselinum crispum</i>	Pericon (Engl.) <i>Tagetes lucida</i>	Perunkayan (Sinh.) <i>Ferula assa-foetida</i>
Pepper, bell (Engl.) <i>Capsicum annum</i>	Peppermynte (Norw.) <i>Mentha piperita</i>	Pereminde (Swahili) <i>Mentha piperita</i>	Pericón (Span.) <i>Tagetes lucida</i>	Peruvian pepper tree (Engl.) <i>Schinus molle</i>
Pepper, Bengal (Engl.) <i>Piper longum</i>	Pepper rosé (Engl.) <i>Schinus terebinthifolius</i>	Pereniariu-korianda (Japan.) <i>Eryngium foetidum</i>	Perifollo (Span.) <i>Anthriscus cerefolium</i>	Peslen (Turk.) <i>Ocimum basilicum</i>
Pepper, black (Engl.) <i>Piper nigrum</i>	Pepperrot (Norw.) <i>Armoracia rusticana</i>	Pereszlén (Hung.) <i>Satureja hortensis</i>	Perila (Bulg.,Port.) <i>Perilla frutescens</i>	Pesual (Garo) <i>Brassica nigra</i>
Pepper, Brazil (Engl.) <i>Schinus terebinthifolius</i>	Pepper tree, African (Engl.) <i>Xylopiya aethiopica</i>	Pereszlén (Hung.) <i>Lepidium sativum</i>	Perila křovitá (Czech) <i>Perilla frutescens</i>	Petak (Konyak Naga) <i>Z. rhetsa</i>
Pepper, Burro (Engl.) <i>Xylopiya aromatica</i>	Pepper tree, Californian (Engl.) <i>Schinus terebinthifolius</i>	Perets (Russ.) <i>Piper nigrum</i>	Perilé (Lith.) <i>Perilla frutescens</i>	Peterseli (Indones.) <i>Petroselinum crispum</i>
Pepper, Cayenne (Engl.) <i>Capsicum frutescens</i>	Pepper tree, Peruvian (Engl.) <i>Schinus molle</i>	Perets' (Ukr.) Piper nigrum	Perile (Yidd.) <i>Perilla frutescens</i>	Peterselie (Dutch) <i>Petroselinum crispum</i>
Pepper, Chinese (Engl.) <i>Zanthoxylum piperitum</i>	Pepř (Czech) <i>Piper nigrum</i>	Perets, belyj (Russ.) <i>Piper nigrum</i>	Perilla (Engl.,Germ.,Russ.) <i>Perilla frutescens</i>	Petersell (Eston.) <i>Petroselinum crispum</i>
Pepper, Clusius (Engl.) <i>Piper clusii</i>		Perets, chyornyj (Russ.) <i>Piper nigrum</i>	Perisilh (Bret.) <i>Petroselinum crispum</i>	Petersil (Germ.) <i>Petroselinum crispum</i>
Pepper, Clusius (Engl.) <i>Piper clusii</i>		Perets, dikij (Russ.) <i>Piper cubeba</i>		
Pepper, cubeb (Engl.) <i>Piper cubeba</i>		Perets, dlinskyj (Russ.) <i>Piper longum</i>		

Peter sili (Urdu) <i>Petroselinum crispum</i>	Pfeffer, Anis- (Germ.) <i>Zanthoxylum piperitum</i>	Pfeffer, Senegal- (Germ.) <i>Xylopiya aethiopia</i>	Phak Nastoe-cham (Thai) <i>Tropaeolum majus</i>	Phrik thai (Thai) <i>Piper nigrum</i>
Pëtersilji, dārza (Latv.) <i>Petroselinum crispum</i>	Pfeffer, Aschanti- (Germ.) <i>Piper clusii</i>	Pfeffer, Sichuan- (Germ.) <i>Zanthoxylum piperitum</i>	Phakpai (Manipuri) <i>Persicaria odoratum</i>	Phrik yueak (Thai) <i>Capsicum annum</i>
Petersilie (Germ.) <i>Petroselinum crispum</i>	Pfeffer, australischer (Germ.) <i>Tasmania lanceolata</i>	Pfeffer, Stiel- (Germ.) <i>Piper cubeba</i>	Phak pet (Thai) <i>Spilanthes acmella</i>	Phudino (Gujrati) <i>Mentha piperita</i>
Petersilie, chinesische (Germ.) <i>Coriandrum sativum</i>	Pfeffer, balinesischer (Germ.) <i>Piper retrofractum</i>	Pfeffer, tasmanischer (Germ.) <i>Tasmania lanceolata</i>	Phak phai (Thai) <i>Persicaria odoratum</i>	Phuji (Chakma) <i>Anethum graveolens</i>
Petersilie, französische (Germ.) <i>Anthriscus cerefolium</i>	Pfeffer, bengalischer (Germ.) <i>Piper longum</i>	Pfeffer, Wasser- (Germ.) <i>Persicaria hydropiper</i>	Phak phai nam (Thai) <i>Persicaria hydropiper</i>	Piaj (Apatani,Punjabi,Santali) <i>Allium cepa</i>
Petersilie, indische (Germ.) <i>Coriandrum sativum</i>	Pfeffer, Berg- (Germ.) <i>Tasmania lanceolata</i>	Pfeffer, weißer (Germ.) <i>Piper nigrum</i>	Phak pheo (Lao) <i>Persicaria odoratum</i>	Piaja (Oriya) <i>Allium cepa</i>
Petersilj (Sloven.) <i>Petroselinum crispum</i>	Pfeffer, Berg- (Germ.) <i>Zanthoxylum piperitum</i>	Pfeffer, Zitronen- (indonesischer) (Germ.) <i>Zanthoxylum acanthopodium</i>	Phak phew (Lao) <i>Persicaria odoratum</i>	Pianj (Bengali) <i>Allium cepa</i>
Peterwurz (Germ.) <i>Petroselinum crispum</i>	Pfeffer, Blatt- (mexicanischer) (Germ.) <i>Piper auritum</i>	Pfefferbaum, afrikanischer (Germ.) <i>Xylopiya aethiopia</i>	Phak tumhu (Thai) <i>Spilanthes acmella</i>	Pianj koli (Bengali) <i>Allium schoenoprasum</i>
Peterzili (Amhar.) <i>Petroselinum crispum</i>	Pfeffer, brasilianischer (Germ.) <i>Schinus terebinthifolius</i>	Pfefferkraut (Germ.) <i>Satureja hortensis</i>	Pha la (Thai) <i>Amomum xanthioides</i>	Pias (Farsi,Mao) <i>Allium cepa</i>
Petits doigts (French) <i>Bixa orellana</i>	Pfeffer, Burro- (Germ.) <i>Xylopiya aromatica</i>	Pfefferminze (Germ.) <i>Mentha piperita</i>	Phalazee (Burmes.) <i>Elettaria cardamomum</i>	Piat (Khasi) <i>Allium cepa</i>
Petits doigts (French) <i>Boesenbergia pandurata</i>	Pfeffer, Cayenne- (Germ.) <i>Capsicum frutescens</i>	Pghpegh (Armen.) <i>Piper nigrum</i>	Phar (Nepali) <i>Juniperus communis</i>	Piatrushka (Belar.) <i>Petroselinum crispum</i>
Petražolė (Lith.) <i>Petroselinum crispum</i>	Pfeffer, Chili- (Germ.) <i>Capsicum frutescens</i>	Phachimi (Thai) <i>Persicaria hydropiper</i>	Pharongkor (Tangkhum) <i>Cinnamomum zeylanicum</i>	Piaz (Farsi,Hindi,Nepali,Punjabi) <i>Allium cepa</i>
Petreshke (Yidd.) <i>Petroselinum crispum</i>	Pfeffer, chinesischer (Germ.) <i>Zanthoxylum piperitum</i>	Phadigom (Manipuri) <i>Coriandrum sativum</i>	Phasli (Thai) <i>Petroselinum crispum</i>	Piazcheh (Farsi) <i>Allium cepa</i>
Petrezselyem (Hung.) <i>Petroselinum crispum</i>	Pfeffer, Clusius- (Germ.) <i>Piper clusii</i>	Phadigom, Awa (Manipuri) <i>Eryngium foetidum</i>	Phatkom (Tangkhum) <i>Coriandrum sativum</i>	Pidin (Lao) <i>Zingiber officinale</i>
Petrishke (Yidd.) <i>Petroselinum crispum</i>	Pfeffer, grüner (Germ.) <i>Piper nigrum</i>	Phae (Thai) <i>Eugenia polyantha</i>	Phat thu (Vietnam.) <i>Citrus limon</i>	Piepor dlhý (Slovak) <i>Piper longum</i>
Petrishke-kervl (Yidd.) <i>Anthriscus cerefolium</i>	Pfeffer, Guinea- (Germ.) <i>Piper clusii</i>	Phak bua hua nyai (Lao) <i>Allium cepa</i>	Phidugun (Mao) <i>Coriandrum sativum</i>	Piepor kuběbový (Slovak) <i>Piper cubeba</i>
Petroselinon (Old Greek) <i>Petroselinum crispum</i>	Pfeffer, Guinea- (Germ.) <i>Aframomum melegueta</i>	Phakchi (Thai) <i>Coriandrum sativum</i>	Phik (Lao) <i>Capsicum frutescens</i>	Pieprz (Pol.) <i>Piper nigrum</i>
Petroselinum (Lat.) <i>Petroselinum crispum</i>	Pfeffer, Jamaica- (Germ.) <i>Pimenta dioica</i>	Phakchi duanha (Thai) <i>Foeniculum vulgare</i>	Phik noi (Lao) <i>Piper nigrum</i>	Pieprz aschanti (Pol.) <i>Piper clusii</i>
Petrosele (Esperanto) <i>Petroselinum crispum</i>	Pfeffer, japanischer (Germ.) <i>Zanthoxylum piperitum</i>	Phakchi farang (Thai) <i>Petroselinum crispum</i>	Phik thai (Lao) <i>Piper nigrum</i>	Pieprz dlugi (Pol.) <i>Piper longum</i>
Petrosilenum (Lat.) <i>Petroselinum crispum</i>	Pfeffer, jawanischer (Germ.) <i>Piper cubeba</i>	Phakchi farang (Thai) <i>Eryngium foetidum</i>	Philphil (Farsi) <i>Piper nigrum</i>	Pieprz kubeba (Pol.) <i>Piper cubeba</i>
Petrosilia (Hebr.) <i>Petroselinum crispum</i>	Pfeffer, Kani- (Germ.) <i>Xylopiya aethiopia</i>	Phakchi lao (Thai) <i>Eryngium foetidum</i>	Philphil (Farsi) <i>Capsicum frutescens</i>	Pieprz malagetta (Pol.) <i>Aframomum melegueta</i>
Petrozilia (Hebr.) <i>Petroselinum crispum</i>	Pfeffer, Kissi- (Germ.) <i>Piper cubeba</i>	Phakchi lao (Thai) <i>Anethum graveolens</i>	Phipros (Copt.) <i>Piper nigrum</i>	Pieprz murzyński (Pol.) <i>Xylopiya aethiopia</i>
Petrushka (Georg.,Russ.,Turkmen) <i>Petroselinum crispum</i>	Pfeffer, Kubeben- (Germ.) <i>Piper cubeba</i>	Phakchi long (Thai) <i>Foeniculum vulgare</i>	Phirphion (Copt.) <i>Carum carvi</i>	Pieprzowiec roczny (Pol.) <i>Capsicum annum</i>
Petrushka horodnya (Ukr.) <i>Petroselinum crispum</i>	Pfeffer, Kubeben- (falscher) (Germ.) <i>Piper clusii</i>	Phakchi met (Thai) <i>Coriandrum sativum</i>	Phka cann (Khmer) <i>Illicium verum</i>	Pieprz syczuański (Pol.) <i>Zanthoxylum piperitum</i>
Petruška (Turkmen) <i>Petroselinum crispum</i>	Pfeffer, langer (Germ.) <i>Piper longum</i>	Phak hom (Thai) <i>Coriandrum sativum</i>	Phlasli (Lao) <i>Petroselinum crispum</i>	Pieprzycia siewna (Pol.) <i>Lepidium sativum</i>
Petržel (Czech) <i>Petroselinum crispum</i>	Pfeffer, Melegueta- (Germ.) <i>Aframomum melegueta</i>	Phak hom lap (Lao) <i>Mentha piperita</i>	Pho ba ril bu (Tibet.) <i>Piper nigrum</i>	Pieprzyk (Pol.) <i>Satureja hortensis</i>
Petrželka (Czech) <i>Petroselinum crispum</i>	Pfeffer, Mohren- (Germ.) <i>Xylopiya aethiopia</i>	Phak hom thet (Lao) <i>Eryngium foetidum</i>	Pholkexor (Assam.) <i>Cocos nucifera</i>	Pieprz zóttodrzew (Pol.) <i>Zanthoxylum piperitum</i>
Petržel kadeřavá (Czech) <i>Petroselinum crispum</i>	Pfeffer, Nelken- (Germ.) <i>Pimenta dioica</i>	Phak itu (Thai) <i>Ocimum citriodorum</i>	Pho lo ling (Tibet.) <i>Mentha piperita</i>	Pietruszka zwyczajna (Pol.) <i>Petroselinum crispum</i>
Petržel zahrádní (Czech) <i>Petroselinum crispum</i>	Pfeffer, nepalesischer (Germ.) <i>Zanthoxylum alatum</i>	Phak kan kam (Lao) <i>Mentha piperita</i>	Phong karee (Thai) <i>Foeniculum vulgare</i>	Pigweed, sweet (Engl.) <i>Chenopodium ambrosioides</i>
Petržlen (Slovak) <i>Petroselinum crispum</i>	Pfeffer, peruanischer (Germ.) <i>Schinus molle</i>	Phak kat nam (Thai) <i>Lepidium sativum</i>	Phortokhali (Georg.) <i>Citrus sinensis</i>	Pikk kollajuur (Eston.) <i>Curcuma longa</i>
Petržlen záhradný (Slovak) <i>Petroselinum crispum</i>	Pfeffer, rosa (Germ.) <i>Schinus terebinthifolius</i>	Phak kayang (Thai) <i>Limnophila aromatica</i>	Phrik chifa (Thai) <i>Capsicum frutescens</i>	Pikk pipar (Eston.) <i>Piper longum</i>
Pétúrsselja (Icel.) <i>Petroselinum crispum</i>	Pfeffer, roter (Germ.) <i>Capsicum frutescens</i>	Phak khaotong (Thai) <i>Houttuynia cordata</i>	Phrik daeng (Thai) <i>Capsicum frutescens</i>	Pikromigdalo (Greek) <i>Prunus dulcis</i> var. <i>amara</i>
Peucedanum graveolens (bot.) <i>Anethum graveolens</i>	Pfeffer, Schwanz- (Germ.) <i>Piper cubeba</i>	Phak khrat haewan (Thai) <i>Spilanthes acmella</i>	Phrik haeng phallek (Thai) <i>Capsicum frutescens</i>	Pikromygdalo (Greek) <i>Prunus dulcis</i> var. <i>amara</i>
Peure (Prov.) <i>Piper nigrum</i>	Pfeffer, schwarzer (Germ.) <i>Piper nigrum</i>	Phak krat (Thai) <i>Spilanthes acmella</i>	Phrik hang (Thai) <i>Piper cubeba</i>	Pila (Aram.) <i>Trigonella foenum-graecum</i>
Pewansi (Konyak Naga) <i>Tamarindus indica</i>			Phrik hang (Thai) <i>Piper longum</i>	Pila rai (Hindi) <i>Sinapis alba</i>
			Phrik khee nu (Thai) <i>Capsicum frutescens</i>	Pilbal (Korean) <i>Piper longum</i>
			Phrik lueang (Thai) <i>Capsicum annum</i>	Pilchingga (Korean) <i>Piper cubeba</i>
			Phrik om (Thai) <i>Zanthoxylum rhetsa</i>	Pilipili (Swahili) <i>Piper nigrum</i>
				Pilipili hoho (Swahili) <i>Capsicum annum</i>
				Pilipili hoho (Swahili) <i>Capsicum frutescens</i>
				Pilpel (Hebr.) <i>Piper nigrum</i>

Pilpel adom (Hebr.) <i>Capsicum frutescens</i>	Pimenta-preta (Port.) <i>Piper nigrum</i>	Pimiento dulce (Span.) <i>Capsicum annuum</i>	Piparmētras (Latv.) <i>Mentha piperita</i>	Piperka (Bulg.,Croat.,Maced.) <i>Capsicum annuum</i>
Pilpel angli (Hebr.) <i>Pimenta dioica</i>	Pimenta-rosa (Port.) <i>Schinus terebinthifolius</i>	Pimiento morrón (Span.) <i>Capsicum annuum</i>	Piparmint (Hindi) <i>Mentha piperita</i>	Pipermina (Basque) <i>Capsicum frutescens</i>
Pilpel arok (Hebr.) <i>Piper longum</i>	Pimentas, kekinis (Lith.) <i>Pimenta dioica</i>	Pimpali (Marathi) <i>Piper longum</i>	Piparminta (Icel.) <i>Mentha piperita</i>	Piper negru (Roman.) <i>Piper nigrum</i>
Pilpel harifa (Hebr.) <i>Capsicum frutescens</i>	Pimentas, vaisiai (Lith.) <i>Pimenta dioica</i>	Pindosin (Burmes.) <i>Murraya koenigii</i>	Piparminttu (Finn.) <i>Mentha piperita</i>	Piperoriza (Greek) <i>Zingiber officinale</i>
Pilpel lavan (Hebr.) <i>Piper nigrum</i>	Pimenta síria (Port.) <i>Pimenta dioica</i>	Pinggeo-rutu (Korean) <i>Boesenbergia pandurata</i>	Piparmünt (Eston.) <i>Mentha piperita</i>	Piper peruvian (Roman.) <i>Schinus molle</i>
Pilpel matok (Hebr.) <i>Capsicum annuum</i>	Pimenta Szechuan (Port.) <i>Zanthoxylum piperitum</i>	Pink pepper (Engl.) <i>Schinus terebinthifolius</i>	Piparrohi (Eston.) <i>Satureja hortensis</i>	Piperrautsa (Basque) <i>Capsicum annuum</i>
Pilpel shahor (Hebr.) <i>Piper nigrum</i>	Pimenta-verde (Port.) <i>Piper nigrum</i>	Pingo-rutu (Korean) <i>Boesenbergia pandurata</i>	Piparrót (Icel.) <i>Armoracia rusticana</i>	Piper rošu chinezesc (Roman.) <i>Zanthoxylum piperitum</i>
Pilpel yarok (Hebr.) <i>Piper nigrum</i>	Piment des abeilles (French) <i>Melissa officinalis</i>	Pintenoagā (Roman.) <i>Carthamus tinctorius</i>	Piper (Alb.,Basque,Bulg.,Fris.,Lat.,Maced.,Roman.) <i>Piper nigrum</i>	Piper roz (Roman.) <i>Schinus terebinthifolius</i>
Pilpil (Farsi) <i>Capsicum frutescens</i>	Piment des Ruches (French) <i>Melissa officinalis</i>	Pinzainpinzin (Burmes.) <i>Ocimum basilicum</i>	Piper (Maced.) <i>Capsicum annuum</i>	Piperrozov (Bulg.) <i>Schinus terebinthifolius</i>
Pilpili (Georg.) <i>Piper nigrum</i>	Piment doux (French) <i>Capsicum annuum</i>	Piobar (Gael.,Irish) <i>Piper nigrum</i>	Piper, cherven (Bulg.) <i>Capsicum annuum</i>	Piper sanctum (bot.) <i>Piper auritum</i>
Pilpilun bakut (Hebr.) <i>Schinus terebinthifolius</i>	Piment doux d'Espagne (French) <i>Capsicum annuum</i>	Piobar dubh (Gael.) <i>Piper nigrum</i>	Piper, dulgiyat (Bulg.) <i>Piper longum</i>	Piperul broastei (Roman.) <i>Persicaria hydropiper</i>
Pilpilun damui-aley (Hebr.) <i>Schinus molle</i>	Pimenteira (Port.) <i>Spilanthes acmella</i>	Piobar geal (Gael.) <i>Piper nigrum</i>	Piper, Kitajski (Bulg.) <i>Zanthoxylum piperitum</i>	Piphli (Oriya) <i>Piper longum</i>
Pimang (Korean) <i>Capsicum annuum</i>	Pimenteiro silvestre (Port.) <i>Vitex agnus-castus</i>	Piobar glas (Gael.) <i>Piper nigrum</i>	Piper, Melegeta (Bulg.) <i>Aframomum melegueta</i>	Pipi (Newari) <i>Piper longum</i>
Pimant brout (Bret.) <i>Capsicum frutescens</i>	Piment enragé (French) <i>Capsicum frutescens</i>	Piole (Yidd.) <i>Artemisia vulgaris</i>	Piper, Sechuanski (Bulg.) <i>Zanthoxylum piperitum</i>	Pipil (Bengali) <i>Piper longum</i>
Pimant dous (Bret.) <i>Capsicum annuum</i>	Piment fort (French) <i>Capsicum frutescens</i>	Piołun (Pol.) <i>Artemisia absinthium</i>	Piper alb (Roman.) <i>Piper nigrum</i>	Pi-pi ling (Tibet.) <i>Piper longum</i>
Pimendipuu, harilik (Eston.) <i>Pimenta dioica</i>	Piment Jamaïque (French) <i>Pimenta dioica</i>	Pipal (Maith.) <i>Piper longum</i>	Piper american (Roman.) <i>Schinus terebinthifolius</i>	Pipirai (Lith.) <i>Piper nigrum</i>
Piment (Croat.,Dutch,Eston.,French,Germ.,Serb.,Sloven.,Ukr.,Yidd.) <i>Pimenta dioica</i>	Piment noir de Guinée (French) <i>Xylopiya aethiopia</i>	Pipali (Oriya,Punjabi) <i>Piper longum</i>	Piper beltz, jamaikako (Basque) <i>Pimenta dioica</i>	Pipirai, baltieji (Lith.) <i>Piper nigrum</i>
Pimenta (Greek,Lith.) <i>Pimenta dioica</i>	Pimento (Engl.,Esperanto,Greek,Hung.,Ital.) <i>Pimenta dioica</i>	Pipar (Icel.) <i>Piper nigrum</i>	Piperbeltza (Basque) <i>Piper nigrum</i>	Pipirai, kajeno (Lith.) <i>Capsicum frutescens</i>
Pimenta (Port.) <i>Piper nigrum</i>	Pimento (Engl.) <i>Capsicum annuum</i>	Pipar, cayenne'i (Eston.) <i>Capsicum frutescens</i>	Piper brazilian (Roman.) <i>Schinus terebinthifolius</i>	Pipirai, kubebos (Lith.) <i>Piper cubeba</i>
Pimenta-branca (Port.) <i>Piper nigrum</i>	Pimento (Engl.) <i>Capsicum annuum</i>	Pipar, grænn (Icel.) <i>Piper nigrum</i>	Piper cheren (Bulg.) <i>Piper nigrum</i>	Pipirai, raudonieji (Lith.) <i>Schinus terebinthifolius</i>
Pimenta-da-áfrica (Port.) <i>Xylopiya aethiopia</i>	Pimento-oiseau (French) <i>Capsicum frutescens</i>	Pipar, hvítur (Icel.) <i>Piper nigrum</i>	Piper chinezesc (Roman.) <i>Zanthoxylum piperitum</i>	Pipirai, tasmanijos (Lith.) <i>Tasmannia lanceolata</i>
Pimenta-da-índia (Port.) <i>Piper nigrum</i>	Pimentón (Span.) <i>Capsicum annuum</i>	Pipar, must (Eston.) <i>Piper nigrum</i>	Piper de baltā (Roman.) <i>Persicaria hydropiper</i>	Pipirai, zalieji (Lith.) <i>Piper nigrum</i>
Pimenta-da-jamaica (Port.) <i>Pimenta dioica</i>	Pimentovník pravý (Czech) <i>Pimenta dioica</i>	Pipar, pikk (Eston.) <i>Piper longum</i>	Piper de Cubebe (Roman.) <i>Piper cubeba</i>	Pipiras, ausytasis (Lith.) <i>Piper auritum</i>
Pimenta de caiena (Port.) <i>Capsicum frutescens</i>	Piment royal (French) <i>Myrica gale</i>	Pipar, roheline (Eston.) <i>Piper nigrum</i>	Piper de Guineea (Roman.) <i>Aframomum melegueta</i>	Pipiras, indonezinis (Lith.) <i>Piper officinarum</i>
Pimenta-de-rabo (Port.) <i>Piper guineense</i>	Piments (Latv.) <i>Pimenta dioica</i>	Pipar, svartur (Icel.) <i>Piper nigrum</i>	Piper de Jamaica (Roman.) <i>Pimenta dioica</i>	Pipiriné mēta (Lith.) <i>Mentha piperita</i>
Pimenta-de-são-tomé (Port.) <i>Piper guineense</i>	Pimienta acuática (Span.) <i>Persicaria hydropiper</i>	Pipar, valge (Eston.) <i>Piper nigrum</i>	Piper de Sichuan (Roman.) <i>Zanthoxylum piperitum</i>	Pipiriné uosrūtė (Lith.) <i>Zanthoxylum piperitum</i>
Pimenta-do-congo (Port.) <i>Xylopiya aethiopia</i>	Pimienta blanca (Span.) <i>Piper nigrum</i>	Pipari (Latv.) <i>Piper nigrum</i>	Pipereni zurna (Bulg.) <i>Piper nigrum</i>	Pipirkrienis, japoninis (Lith.) <i>Wasabia japonica</i>
Pimenta-do-reino (Port.) <i>Piper nigrum</i>	Pimienta de Cayena (Span.) <i>Capsicum frutescens</i>	Pipari, čili (Latv.) <i>Capsicum frutescens</i>	Piperi (Greek) <i>Piper nigrum</i>	Pipirmētė (Lith.) <i>Mentha piperita</i>
Pimenta dvudomnaya (Russ.) <i>Pimenta dioica</i>	Pimienta de Malagueta (Span.) <i>Aframomum melegueta</i>	Pipari, jamaikas (Latv.) <i>Pimenta dioica</i>	Piperia (Greek) <i>Capsicum annuum</i>	Pipirnė sėjamoji (Lith.) <i>Lepidium sativum</i>
Pimenta Guiné (Port.) <i>Aframomum melegueta</i>	Pimienta gorda (Span.) <i>Pimenta dioica</i>	Pipari, kajēnas (Latv.) <i>Capsicum frutescens</i>	Piperi aspro (Greek) <i>Piper nigrum</i>	Pipla (Nepali,Newari) <i>Piper longum</i>
Pimenta longa (Port.) <i>Piper hispidinervium</i>	Pimienta negra (Span.) <i>Piper nigrum</i>	Pipari, melnie (Latv.) <i>Piper nigrum</i>	Piperiche (Bulg.) <i>Persicaria hydropiper</i>	Pipoli (Assam.) <i>Piper longum</i>
Pimenta-negra (Port.) <i>Piper nigrum</i>	Pimienta picante (Span.) <i>Capsicum frutescens</i>	Pipari, rozā (Latv.) <i>Schinus terebinthifolius</i>	Piperi Iamaikis (Greek) <i>Pimenta dioica</i>	Pippali (Sanskrit) <i>Piper longum</i>
Piment annuel (French) <i>Capsicum annuum</i>	Pimienta Roja (Span.) <i>Schinus terebinthifolius</i>	Pipari, smaržīgie (Latv.) <i>Pimenta dioica</i>	Piperi kagien (Greek) <i>Capsicum frutescens</i>	Pippalli (Malayalam) <i>Piper longum</i>
Pimentão (Port.) <i>Capsicum frutescens</i>	Pimienta Rosa (Span.) <i>Schinus terebinthifolius</i>	Pipari, žalje (Latv.) <i>Piper nigrum</i>	Piperi mauro (Greek) <i>Piper nigrum</i>	Pippallu (Telugu) <i>Piper longum</i>
Pimentão doce (Port.) <i>Capsicum annuum</i>	Pimiento de Jamaica (Span.) <i>Pimenta dioica</i>	Pipari, zājie (Latv.) <i>Piper nigrum</i>	Piperi melenketa (Greek) <i>Aframomum melegueta</i>	Pippli (Dogri,Hindi) <i>Piper longum</i>
Pimenta officinalis (bot.) <i>Pimenta dioica</i>		Piparjuuri (Finn.) <i>Armoracia rusticana</i>	Piperita (Span.) <i>Mentha piperita</i>	Pippuri (Finn.) <i>Piper nigrum</i>
				Pippuri, setsuanin (Finn.) <i>Zanthoxylum piperitum</i>

Pippuriroutapuu (Finn.) <i>Zanthoxylum piperitum</i>	Piyaz (Kazakh) <i>Allium cepa</i>	Poivre rouge (French) <i>Capsicum frutescens</i>	Pomeranč (Czech) <i>Citrus sinensis</i>	Portocal (Roman.) <i>Citrus sinensis</i>
Pipra-koldpuu (Eston.) <i>Zanthoxylum piperitum</i>	Pjer'ts (Mong.) <i>Piper nigrum</i>	Poivrette (French) <i>Nigella sativa</i>	Pomeranets (Russ.) <i>Citrus sinensis ssp. amara</i>	Portocală (Roman.) <i>Citrus sinensis</i>
Pipro (Esperanto) <i>Piper nigrum</i>	Plamátka (Czech) <i>Spilanthes acmella</i>	Poivre vert (French) <i>Piper nigrum</i>	Pomeranssi (Finn.) <i>Citrus aurantium ssp. amara</i>	Portokal (Bulg.,Maced.) <i>Citrus sinensis</i>
Pipro, blanka (Esperanto) <i>Piper nigrum</i>	Plavas ķimene (Latv.) <i>Carum carvi</i>	Poivrier d'Amérique (French) <i>Schinus terebinthifolius</i>	Pomerantsipuu (Eston.) <i>Citrus aurantium ssp. amara</i>	Portokali (Greek) <i>Citrus sinensis</i>
Pipro, čina (Esperanto) <i>Zanthoxylum piperitum</i>	Ploksiadiyglė uosrūtė (Lith.) <i>Zanthoxylum simulans</i>	Pokok Jeraju Gunung (Malay) <i>Eryngium foetidum</i>	Pomeranze (Germ.) <i>Citrus aurantium ssp. amara</i>	Portokalli (Alb.) <i>Citrus sinensis</i>
Pipro, kajena (Esperanto) <i>Capsicum frutescens</i>	Plu khao (Thai) <i>Houttuynia cordata</i>	Pokok kuku lang (Malay) <i>Zanthoxylum nitidum</i>	Pomgranad (Welsh) <i>Punica granatum</i>	Portoxali (Georg.) <i>Citrus sinensis</i>
Pipro, nigra (Esperanto) <i>Piper nigrum</i>	Pluu-kao (Thai) <i>Houttuynia cordata</i>	Pokok pala (Malay) <i>Myristica fragrans</i>	Pomorança (Serb.) <i>Citrus sinensis</i>	Post (Bengali,Punjabi,Urdu) <i>Papaver somniferum</i>
Pipro, verda (Esperanto) <i>Piper nigrum</i>	Poch kak lavhak (Khmer) <i>Illicium verum</i>	Pol (Sinh.) <i>Cocos nucifera</i>	Pomorandža (Serb.) <i>Citrus sinensis</i>	Posta (Hindi,Oriya,Santali) <i>Papaver somniferum</i>
Pipramento (Esperanto) <i>Mentha piperita</i>	Pock kak (Khmer) <i>Myristica fragrans</i>	Pöld-lambalääts (Eston.) <i>Trigonella foenum-graecum</i>	Ponchirade (French) <i>Melissa officinalis</i>	Postak (Oriya) <i>Papaver somniferum</i>
Pipul (Bengali,Urdu) <i>Piper longum</i>	Podina (Hindi,Oriya,Santali) <i>Mentha piperita</i>	Pöld-mustköömen (Eston.) <i>Nigella sativa</i>	Poncire commun (French) <i>Citrus medica</i>	Postakkai (Tamil) <i>Papaver somniferum</i>
Pirhe ghans (Nepali) <i>Cymbopogon citratus</i>	Podolgovati poper (Sloven.) <i>Piper longum</i>	Pöld-võõrkapsas (Eston.) <i>Eruca sativa</i>	Pongchul (Korean) <i>Curcuma zedoaria</i>	Post dana (Hindi) <i>Papaver somniferum</i>
Piripiri (Port.) <i>Capsicum frutescens</i>	Pod pepper (Engl.) <i>Capsicum annum</i>	Polgasa (Sinh.) <i>Cocos nucifera</i>	Pongmo (Konyak Naga) <i>Cinnamomum zeylanicum</i>	Postukaya (Telugu) <i>Papaver somniferum</i>
Pirixel (Galic..) <i>Petroselinum crispum</i>	Poduna (Assam.) <i>Mentha piperita</i>	Poligono pepe d'acqua (Ital.) <i>Pescaria hydropiper</i>	Poondu (Malayalam) <i>Allium sativum</i>	Potaippul (Tamil) <i>Cymbopogon citratus</i>
Piriyani ilai (Tamil) <i>Pimenta dioica</i>	Pogamos (Korean) <i>Citrus aurantium var. bergamia</i>	Polin (Yidd.) <i>Artemisia vulgaris</i>	Poper (Sloven.) <i>Piper nigrum</i>	Potočarka (Croat.,Maced.,Serb.) <i>Nasturtium officinale</i>
Piros bors (Hung.) <i>Schinus terebinthifolius</i>	Po ho (Mand.) <i>Mentha arvensis var. piperascens</i>	Polto (Korean) <i>Peumus boldus</i>	Poper, ameriški (Sloven.) <i>Schinus terebinthifolius</i>	Potocharka (Ukr.) <i>Lepidium sativum</i>
Pirosító, magyar (Hung.) <i>Carthamus tinctorius</i>	Pohok (Malay) <i>Mentha piperita</i>	Polto ripu (Korean) <i>Peumus boldus</i>	Poper, beli (Sloven.) <i>Piper nigrum</i>	Potočnica lekárska (Slovak) <i>Nasturtium officinale</i>
Piros paprika (Hung.) <i>Capsicum annum</i>	Poikak (Thai) <i>Illicium verum</i>	Polyeidos (Old Greek) <i>Allium cepa</i>	Poper, črni (Sloven.) <i>Piper nigrum</i>	Potočnice (Czech) <i>Nasturtium officinale</i>
Pirshushkha (Georg.) <i>Armoracia rusticana</i>	Poipín (Irish) <i>Papaver somniferum</i>	Polygonum hydropiper (bot.) <i>Pescaria hydropiper</i>	Poper, kajenski (Sloven.) <i>Capsicum frutescens</i>	Potocirado (Prov.) <i>Melissa officinalis</i>
Pirshushxa (Georg.) <i>Armoracia rusticana</i>	Poivre à queue (French) <i>Piper cubeba</i>	Polygonum odoratum (bot.) <i>Pescaria odoratum</i>	Poper, lažni (Sloven.) <i>Schinus terebinthifolius</i>	Pouk (Copt.) <i>Origanum vulgare</i>
Pirul (Span.) <i>Schinus terebinthifolius</i>	Poivre aromatique (French) <i>Pimenta dioica</i>	Polyn, biterer (Yidd.) <i>Artemisia absinthium</i>	Poper, malguetta (Sloven.) <i>Aframomum melegueta</i>	Poy baharati (Turk.) <i>Trigonella foenum-graecum</i>
Pirunpaska (Finn.) <i>Ferula assa-foetida</i>	Poivre blanc (French) <i>Piper nigrum</i>	Polyn', kustarnikovaya (Russ.) <i>Artemisia abrotanum</i>	Poper, perujski (Sloven.) <i>Schinus terebinthifolius</i>	Prášková paprika (Czech) <i>Capsicum annum</i>
Pirunpihka (Finn.) <i>Ferula assa-foetida</i>	Poivre d'eau (French) <i>Pescaria hydropiper</i>	Polyn' Bozhe derevo (Russ.) <i>Artemisia abrotanum</i>	Poper, podolgovati (Sloven.) <i>Piper longum</i>	Pras sva (Khmer) <i>Alpinia galanga</i>
Pisi hui (Thai) <i>Capsicum frutescens</i>	Poivre de Bourbon (French) <i>Schinus terebinthifolius</i>	Polyn' estragonnaya (Russ.) <i>Artemisia dracunculus</i>	Poper, zeleni (Sloven.) <i>Piper nigrum</i>	Pravá růže bulharská (Czech) <i>Rosa damascena</i>
Piskavica (Croat.,Serb.) <i>Trigonella foenum-graecum</i>	Poivre de Cayenne (French) <i>Capsicum frutescens</i>	Polyn' gor'kaya (Russ.) <i>Artemisia absinthium</i>	Poper kubeba (Sloven.) <i>Piper cubeba</i>	Pravi pelin (Sloven.) <i>Artemisia absinthium</i>
Piskavica (Slovak) <i>Trigonella foenum-graecum</i>	Poivre de Guinée (French) <i>Aframomum melegueta</i>	Polyn hirkyj (Ukr.) <i>Artemisia absinthium</i>	Poppy (Engl.) <i>Papaver somniferum</i>	Prezemolo (Ital.) <i>Petroselinum crispum</i>
Piskavice řecké seno (Czech) <i>Trigonella foenum-graecum</i>	Poivre de Java (French) <i>Piper cubeba</i>	Polyn lechbnaya (Russ.) <i>Artemisia abrotanum</i>	Poprasta drese (Sloven.) <i>Pescaria hydropiper</i>	Prickelblume (Germ.) <i>Spilanthes acmella</i>
Pitkäpipuri (Finn.) <i>Piper longum</i>	Poivre de la Jamaïque (French) <i>Pimenta dioica</i>	Polyn obyknovennaya (Russ.) <i>Artemisia vulgaris</i>	Poprova meta (Sloven.) <i>Mentha piperita</i>	Prickelknöpfchen (Germ.) <i>Spilanthes acmella</i>
Pitna (Georg.) <i>Mentha piperita</i>	Poivre de Sénégal (French) <i>Xylopiya aethiopica</i>	Polyn zvyhajnyj (Ukr.) <i>Artemisia vulgaris</i>	Porech (Bulg.) <i>Borago officinalis</i>	Prickly ash (Engl.) <i>Zanthoxylum piperitum</i>
Pito amondu (Korean) <i>Prunus dulcis var. amara</i>	Poivre des moines (French) <i>Vitex agnus-castus</i>	Pomadnoe derevo (Russ.) <i>Bixa orellana</i>	Porru tipula (Basque) <i>Allium schoenoprasum</i>	Prik chifa (Thai) <i>Capsicum frutescens</i>
Pitoma nana (Serb.) <i>Mentha piperita</i>	Poivre du Kissi (French) <i>Piper clusii</i>	Pomagránait (Irish) <i>Punica granatum</i>	Pors (Norw.,Swed.) <i>Myrica gale</i>	Prik daeng (Thai) <i>Capsicum frutescens</i>
Pito orenji (Korean) <i>Citrus aurantium</i>	Poivre du Setchuan (French) <i>Zanthoxylum piperitum</i>	Pomaranča, grenka (Sloven.) <i>Citrus sinensis ssp. amara</i>	Pórsáfrány (Hung.) <i>Carthamus tinctorius</i>	Prik haeng pallek (Thai) <i>Capsicum frutescens</i>
Pitosilinon (Aram.) <i>Petroselinum crispum</i>	Poivre du Sichuan (French) <i>Zanthoxylum piperitum</i>	Pomaranča, sladka (Sloven.) <i>Citrus sinensis</i>	Porse (Dan.) <i>Myrica gale</i>	Prik hang (Thai) <i>Piper cubeba</i>
Piyaj (Assam,Chakhesang-Chokri Naga) <i>Allium cepa</i>	Poivre indigène (French) <i>Tasmanian lanceolata</i>	Pomaranč (Slovak) <i>Citrus sinensis ssp. dulcis</i>	Pors (Eston.) <i>Myrica gale</i>	Prik hang (Thai) <i>Piper cubeba</i>
Piyan (Turk.) <i>Glycyrrhiza glabra</i>	Poivre long (French) <i>Piper longum</i>	Pomaranč sladký (Slovak) <i>Citrus sinensis ssp. dulcis</i>	Portağal (Azeri) <i>Citrus sinensis</i>	
Piyanj (Assam.) <i>Allium cepa</i>	Poivre Mexicaine (French) <i>Piper auritum</i>	Pomaranča gorzka (Pol.) <i>Citrus sinensis ssp. amara</i>	Po'rtahol (Uzbek) <i>Citrus sinensis</i>	
Piyoz (Tajik,Uzbek) <i>Allium cepa</i>	Poivre noir (French) <i>Piper nigrum</i>	Pomarańcza słodka (Pol.) <i>Citrus sinensis</i>	Portekhal (Farsi) <i>Citrus sinensis</i>	
	Poivre rosé (French) <i>Schinus terebinthifolius</i>	Pomegranate (Engl.) <i>Punica granatum</i>		

Prik khi nu (Lao) <i>Capsicum frutescens</i>	Pullaek pepeo (Korean) <i>Piper nigrum</i>	Qaqacho (Georg.) <i>Papaver somniferum</i>	Qontxora (Oss.) <i>Anethum graveolens</i>	Rábano rústico (Span.) <i>Armoracia rusticana</i>
Prik ki nu (Thai) <i>Capsicum frutescens</i>	Pulpa Tamarindorum (pharm.) <i>Tamarindus indica</i>	Qaqachos tesli (Georg.) <i>Papaver somniferum</i>	Qoqus (Hebr.) <i>Cocos nucifera</i>	Rabaumalad (Eston.) <i>Myrica gale</i>
Prik lueang (Thai) <i>Capsicum annuum</i>	Pum hub (Hmong) <i>Mentha piperita</i>	Qarafs (Uzbek) <i>Apium graveolens</i>	Qora gorchitsa (Uzbek) <i>Brassica nigra</i>	Rabeji (Korean) <i>Levisticum officinale</i>
Prik om (Thai) <i>Zanthoxylum rhetsa</i>	Pumpkin seeds (Engl.) <i>Cucurbita pepo</i>	Qarfah (Arab.) <i>Cinnamomum zeylanicum</i>	Qoranit (Hebr.) <i>Thymus vulgaris</i>	Rabell (Catalan) <i>Olea europaea</i>
Prik thai (Thai) <i>Piper nigrum</i>	Pumum granatum (Lat.) <i>Punica granatum</i>	Qart (Aram.) <i>Trigonella foenum-graecum</i>	Qora xantal (Uzbek) <i>Brassica nigra</i>	Rabenda (Japan.) <i>Lavandula angustifolia</i>
Prik yueak (Thai) <i>Capsicum annuum</i>	Punaise mâle (French) <i>Coriandrum sativum</i>	Qasia (Hebr.) <i>Cinnamomum cassia</i>	Qouj (Copt.) <i>Carthamus tinctorius</i>	Rabendeo (Korean) <i>Lavandula angustifolia</i>
Prila (Hebr.) <i>Perilla frutescens</i>	Punapipar (Eston.) <i>Capsicum frutescens</i>	Qassia (Hebr.) <i>Cinnamomum cassia</i>	Qouq (Copt.) <i>Carthamus tinctorius</i>	Rabendo (Korean) <i>Lavandula angustifolia</i>
Primmemou (Copt.) <i>Artemisia vulgaris</i>	Pune (Eston.) <i>Origanum vulgare</i>	Qatarraq (Aram.) <i>Prunus dulcis</i>	Qronfol (Malt.) <i>Syzygium aromaticum</i>	Rabo de Alacrán (Span.) <i>Borago officinalis</i>
Pring sratoab (Khmer) <i>Eugenia polyantha</i>	Pune, harilik (Eston.) <i>Origanum vulgare</i>	Qenamom (Aram.) <i>Cinnamomum zeylanicum</i>	Qua Thanh Yen (Vietnam.) <i>Citrus medica</i>	Racao (Span.) <i>Eryngium foetidum</i>
Pro hom (Thai) <i>Kaempferia galanga</i>	Puneh (Farsi) <i>Mentha longifolia</i>	Qenfer (Tigr.) <i>Syzygium aromaticum</i>	Qua vani (Vietnam.) <i>Vanilla planifolia</i>	Rădăcină dulce (Roman.) <i>Glycyrrhiza glabra</i>
Promènton (Papiamentu) <i>Capsicum annuum</i>	Punkepuli (Tulu) <i>Tamarindus indica</i>	Qepa (Alb.) <i>Allium cepa</i>	Que (Vietnam.) <i>Cinnamomum loureiroi</i>	Radix Apii graveolentis (pharm.) <i>Apium graveolens</i>
Promenton (Papiamentu) <i>Capsicum annuum</i>	Punnagchampa (Hindi) <i>Alpinia galanga</i>	Qepë (Alb.) <i>Allium cepa</i>	Que don (Vietnam.) <i>Cinnamomum cassia</i>	Radix Armoraciae (pharm.) <i>Armoracia rusticana</i>
Pronks lutiklill (Eston.) <i>Perilla frutescens</i>	Pupumētra (Latv.) <i>Satureja hortensis</i>	Qepë e arushës (Alb.) <i>Allium ursinum</i>	Que hoa (Vietnam.) <i>Rosa damascena</i>	Radix Levistici (pharm.) <i>Levisticum officinale</i>
Pruno odoroso (Ital.) <i>Prunus mahaleb</i>	Pupur (Welsh) <i>Piper nigrum</i>	Qerfe (Tigr.) <i>Cinnamomum zeylanicum</i>	Que hoi (Vietnam.) <i>Cinnamomum zeylanicum</i>	Radix Liquiritiae (pharm.) <i>Glycyrrhiza glabra</i>
Pselik (Alb.) <i>Melissa officinalis</i>	Purasruoho (Finn.) <i>Borago officinalis</i>	Qetsach (Hebr.) <i>Nigella sativa</i>	Quendel (Germ.) <i>Thymus serpyllum</i>	Radix Petroselinii (pharm.) <i>Petroselinum crispum</i>
Pseudofructus Juniperi (pharm.) <i>Juniperus communis</i>	Purbi elaichi (Urdu) <i>Amomum subulatum</i>	Qetsah (Hebr.) <i>Nigella sativa</i>	Quendel, römischer (Germ.) <i>Thymus vulgaris</i>	Rafano (Ital.) <i>Armoracia rusticana</i>
Pstrolistka sercowata (Pol.) <i>Houttuynia cordata</i>	Purløg (Dan.) <i>Allium schoenoprasum</i>	Qhaus rau qiab (Hmong) <i>Amomum kkrervanh</i>	Que quang (Vietnam.) <i>Cinnamomum cassia</i>	Rai (Gujrati,Hindi,Maith.,Punjabi,Urdu) <i>Brassica nigra</i>
Ptharmike (Copt.) <i>Nasturtium officinale</i>	Purqarku mjekësor (Alb.) <i>Nasturtium officinale</i>	Qimmel (Hebr.) <i>Carum carvi</i>	Que qui (Vietnam.) <i>Cinnamomum loureiroi</i>	Rai, pila (Hindi) <i>Sinapis alba</i>
Ptychotis ajowan (bot.) <i>Trachyspermum copticum</i>	Purun (Mizo) <i>Allium cepa</i>	Qimmoni (Alb.) <i>Cuminum cyminum</i>	Que ranh (Vietnam.) <i>Cinnamomum zeylanicum</i>	Rai, safed (Hindi) <i>Sinapis alba</i>
Puar (Malay) <i>Alpinia galanga</i>	Purunsen (Hmar,Mizo) <i>Allium cepa</i>	Qimron (Alb.) <i>Cuminum cyminum</i>	Que ranh (Vietnam.) <i>Cinnamomum burmannii</i>	Raidis fhiáin (Irish) <i>Armoracia rusticana</i>
Puar (Malay) <i>Amomum kepulaga</i>	Purunvar (Hmar,Mizo) <i>Allium sativum</i>	Qinamon (Hebr.) <i>Cinnamomum zeylanicum</i>	Que Srilanca (Vietnam.) <i>Cinnamomum zeylanicum</i>	Raifort (French) <i>Armoracia rusticana</i>
Pudina (Bengali,Dogri,Garo, Hindi,Indones.,Kannada,Khasi,Maith.,Malay, Manipuri,Marathi,Punjabi,Tamil,Telugu,Tulu, Urdu) <i>Mentha piperita</i>	Purvmirtes (Latv.) <i>Myrica gale</i>	Qin cai (Mand.) <i>Apium graveolens</i>	Que thanh (Vietnam.) <i>Cinnamomum cassia</i>	Raifort du Japon (French) <i>Wasabia japonica</i>
Pudina-sahai (Urdu) <i>Thymus vulgaris</i>	Pushpa-Chamar (Hindi) <i>Pandanus odoratissimus</i>	Qing cai (Chines.) <i>Apium graveolens</i>	Que thanh hoa (Vietnam.) <i>Cinnamomum loureiroi</i>	Raihan (Arab.) <i>Ocimum basilicum</i>
Puerto Rican coriander (Engl.) <i>Eryngium foetidum</i>	Puthina (Malayalam) <i>Mentha piperita</i>	Qin jiao (Mand.) <i>Zanthoxylum piperitum</i>	Que tren (Vietnam.) <i>Cinnamomum burmannii</i>	Raihan al-limun (Arab.) <i>Melissa officinalis</i>
Puerto Ricó-i korriander (Hung.) <i>Eryngium foetidum</i>	Putinan (Mizo) <i>Mentha piperita</i>	Qirfah (Arab.) <i>Cinnamomum zeylanicum</i>	Qui nghe (Vietnam.) <i>Crocus sativus</i>	Raim (Korean) <i>Citrus aurantifolia</i>
Pujo (Finn.) <i>Artemisia vulgaris</i>	Pyaj (Chakma,Newari, Rengma Naga) <i>Allium cepa</i>	Qirfah saighoni (Arab.) <i>Cinnamomum loureiroi</i>	Qurdeman (Aram.) <i>Elettaria cardamomum</i>	Raimu (Japan.) <i>Citrus aurantifolia</i>
Puju, harilik (Eston.) <i>Artemisia vulgaris</i>	Pyaz (Kashm.,Urdu) <i>Allium cepa</i>	Qirmızı bibër (Azeri) <i>Capsicum annuum</i>	Qurfá (Arab.) <i>Cinnamomum zeylanicum</i>	Rai sorse (Bengali) <i>Brassica nigra</i>
Pukkaitha (Malayalam) <i>Pandanus odoratissimus</i>	Pybyr (Welsh) <i>Piper nigrum</i>	Qısa (Kazakh) <i>Brassica nigra</i>	Qurni (Aram.) <i>Origanum vulgare</i>	Rai turi (Santali) <i>Brassica nigra</i>
Pul biber (Turk.) <i>Capsicum annuum</i>	Pyim daw thein (Burmese.) <i>Murraya koenigii</i>	Qış (Kazakh) <i>Brassica nigra</i>	Qurtam (Aram.,Hebr.) <i>Carthamus tinctorius</i>	Raiz-forte (Port.) <i>Armoracia rusticana</i>
Puledium (Lat.) <i>Mentha pulegium</i>	Pyoj (Maith.) <i>Allium cepa</i>	Qisum (Arab.) <i>Artemisia abrotanum</i>	Qychy (Oss.) <i>Lepidium sativum</i>	Raja Mirch (Hindi) <i>Capsicum chinense</i>
Puleium (Lat.) <i>Mentha pulegium</i>	Qaedyndj (Oss.) <i>Allium cepa</i>	Qitre (Copt.) <i>Citrus medica</i>	Raamathan (Sanskrit) <i>Ferula assa-foetida</i>	Rajani (Sanskrit) <i>Curcuma longa</i>
Puli (Malayalam,Tamil,Tulu) <i>Tamarindus indica</i>	Qakrus (Aram.) <i>Rosmarinus officinalis</i>	Qitrin (Aram.) <i>Citrus medica</i>	Rabaji (Korean) <i>Levisticum officinale</i>	Rajská zrna (Czech) <i>Aframomum melegueta</i>
Pulimaram (Malayalam) <i>Tamarindus indica</i>	Qalamfur (Tajik) <i>Capsicum annuum</i>	Qi ye lan (Mand.) <i>Pandanus amaryllifolius</i>	Rabandin (Korean) <i>Lavandula angustifolia</i>	Rajskiy zornna (Russ.) <i>Aframomum melegueta</i>
Pullaek-kumin (Korean) <i>Nigella sativa</i>	Qalampir (Kazakh) <i>Syzygium aromaticum</i>	Qızıl buriş (Kazakh) <i>Capsicum annuum</i>	Rabanete (Port.) <i>Armoracia rusticana</i>	Rajsko zrnje (Sloven.) <i>Aframomum melegueta</i>
	Qalampir (Uzbek) <i>Syzygium aromaticum</i>	Qızılmiya (Uzbek) <i>Glycyrrhiza glabra</i>	Rabanete-japonês (Port.) <i>Wasabia japonica</i>	Raket (Dutch) <i>Eruca sativa</i>
	Qalampir (Uzbek) <i>Capsicum annuum</i>	Qızılmiyya (Kazakh) <i>Glycyrrhiza glabra</i>	Rábano (Port.) <i>Armoracia rusticana</i>	Raketkruid (Dutch) <i>Eruca sativa</i>
	Qalampir Yalpiz (Uzbek) <i>Mentha piperita</i>	Qlahlah (Aram.) <i>Foeniculum vulgare</i>	Rábano picante (Span.) <i>Armoracia rusticana</i>	Rakita (Serb.) <i>Vitex agnus-castus</i>
	Qapri (Aram.) <i>Capparis spinosa</i>	Qnou (Copt.) <i>Coriandrum sativum</i>		

Raksivolez (Bret.) <i>Allium schoenoprasum</i>	Raudene (Latv.) <i>Origanum vulgare</i>	Regalis (Bret.) <i>Glycyrrhiza glabra</i>	Reyhan otu (Turk.) <i>Ocimum basilicum</i>	Rihan (Hebr.) <i>Ocimum basilicum</i>
Raktabija (Sanskrit) <i>Lepidium sativum</i>	Raudenes, parastās (Latv.) <i>Satureja hortensis</i>	Regaliz (Span.) <i>Glycyrrhiza glabra</i>	Reyxan (Azeri) <i>Ocimum basilicum</i>	Riĥan (Malt.) <i>Myrtus communis</i>
Rakuuna (Finn.) <i>Artemisia dracuncululus</i>	Raudonėlis, paprastasis (Lith.) <i>Origanum vulgare</i>	Regamo (Ital.) <i>Origanum vulgare</i>	Rezene (Bulg.,Turk.) <i>Foeniculum vulgare</i>	Rikeorisu (Korean) <i>Glycyrrhiza glabra</i>
Ramerino (Ital.) <i>Rosmarinus officinalis</i>	Raudonieji pipirai (Lith.) <i>Schinus terebinthifolius</i>	Reglisā (Roman.) <i>Glycyrrhiza glabra</i>	Režiuko, vaistinio (Lith.) <i>Nasturtium officinale</i>	Rikorisu (Japan.,Korean) <i>Glycyrrhiza glabra</i>
Ramkasturi (Kannada) <i>Ocimum basilicum</i>	Raudonoji monarda (Lith.) <i>Melissa officinalis</i>	Régliste (French) <i>Glycyrrhiza glabra</i>	Rhizoma Curcumae (pharm.) <i>Curcuma longa</i>	Rikula (Croat.) <i>Eruca sativa</i>
Rampa (Sinh.) <i>Pandanus amaryllifolius</i>	Rauke (Germ.) <i>Eruca sativa</i>	Regolizia (Ital.) <i>Glycyrrhiza glabra</i>	Rhizoma Galangae (pharm.) <i>Alpinia galanga</i>	Rimmon (Aram.,Hebr.) <i>Punica granatum</i>
Rampe (Hindi,Sinh.) <i>Pandanus amaryllifolius</i>	Rau mui tay (Vietnam.) <i>Petroselinum crispum</i>	Rehan (Hebr.) <i>Ocimum basilicum</i>	Rhizoma Zedoariae (pharm.) <i>Curcuma zedoaria</i>	Rimon (Hebr.) <i>Punica granatum</i>
Rampoh (Sinh.) <i>Pandanus amaryllifolius</i>	Rau muoi dai (Vietnam.) <i>Chenopodium ambrosioides</i>	Reihan (Farsi) <i>Ocimum basilicum</i>	Rhizoma Zingiberis (pharm.) <i>Zingiber officinale</i>	Rimskij tmin (Russ.) <i>Cuminum cyminum</i>
Ramsen (Germ.) <i>Allium ursinum</i>	Rau ngo (Vietnam.) <i>Limnophila aromatica</i>	Reisfeldpflanze (Germ.) <i>Limnophila aromatica</i>	Rhizome de Zédoaire (French) <i>Curcuma zedoaria</i>	Římský kmín (Czech) <i>Cuminum cyminum</i>
Ramslauk (Norw.) <i>Allium ursinum</i>	Rau om (Vietnam.) <i>Limnophila aromatica</i>	Rekhani (Georg.) <i>Ocimum basilicum</i>	Rhoa (Old Greek) <i>Punica granatum</i>	Římský kopr (Czech) <i>Foeniculum vulgare</i>
Ramsløg (Dan.) <i>Allium ursinum</i>	Rau que (Vietnam.) <i>Ocimum basilicum</i>	Remon (Japan.,Korean) <i>Citrus limon</i>	Rhodon (Old Greek) <i>Rosa damascena</i>	Rita (Copt.) <i>Laurus nobilis</i>
Ramslök (Norw.,Swed.) <i>Allium ursinum</i>	Rau ram (Vietnam.) <i>Persicaria odoratum</i>	Remonbabena (Japan.) <i>Lippia citriodora</i>	Rhois (Lat.) <i>Rhus coriaria</i>	Robaji (Korean) <i>Levisticum officinale</i>
Ramson (Engl.) <i>Allium ursinum</i>	Raute (Germ.) <i>Ruta graveolens</i>	Remon bam (Korean) <i>Melissa officinalis</i>	Rhoon (Old Greek) <i>Rhus coriaria</i>	Robejji (Japan.) <i>Levisticum officinale</i>
Ramtulasi (Nepali,Oriya) <i>Ocimum gratissimum</i>	Rau thom (Vietnam.) <i>Mentha piperita</i>	Remon-bam (Korean) <i>Melissa officinalis</i>	Rhos Mair (Welsh) <i>Rosmarinus officinalis</i>	Robjiji (Korean) <i>Levisticum officinale</i>
Ramusomuzu (Japan.) <i>Allium ursinum</i>	Rau tia to (Vietnam.) <i>Perilla frutescens</i>	Remonhamu (Japan.) <i>Melissa officinalis</i>	Rhosmari (Welsh) <i>Rosmarinus officinalis</i>	Robwiji (Korean) <i>Levisticum officinale</i>
Rand (Arab.) <i>Laurus nobilis</i>	Ravé japones (Catalan) <i>Wasabia japonica</i>	Remon-beobena (Korean) <i>Lippia citriodora</i>	Rhosyn (Welsh) <i>Rosa damascena</i>	Rocet (Welsh) <i>Eruca sativa</i>
Rand (Arab.) <i>Myrtus communis</i>	Ravenda (Japan.) <i>Lavandula angustifolia</i>	Remon bobena (Korean) <i>Lippia citriodora</i>	Rhous (Old Greek) <i>Rhus coriaria</i>	Rock cherry (Engl.) <i>Prunus mahaleb</i>
Randa (Malt.) <i>Laurus nobilis</i>	Rave picant (Catalan) <i>Armoracia rusticana</i>	Remon bobena (Korean) <i>Lippia citriodora</i>	Rhus aromatica (bot.) <i>Rhus coriaria</i>	Rocket (Engl.) <i>Eruca sativa</i>
Raosu (Japan.) <i>Alpinia galanga</i>	Ravo (Mao) <i>Zingiber officinale</i>	Remon-gurasu (Korean) <i>Cymbopogon citratus</i>	Rhus glabra (bot.) <i>Rhus coriaria</i>	Rocou (Dutch,French) <i>Bixa orellana</i>
Rarakhum (Lotha Naga) <i>O. tenuiflorum</i>	Rayhon (Uzbek) <i>Ocimum basilicum</i>	Remongurasu (Japan.) <i>Cymbopogon citratus</i>	Rhyte (Old Greek) <i>Ruta graveolens</i>	Rocouyer (French) <i>Bixa orellana</i>
Rasca (Slovak) <i>Carum carvi</i>	Rayo (Newari) <i>Brassica nigra</i>	Remon-matoru (Japan.) <i>Backhousia citriodora</i>	Rice paddy herb (Engl.) <i>Limnophila aromatica</i>	Rodi (Greek) <i>Punica granatum</i>
Rasca, egyptská čierna (Slovak) <i>Nigella sativa</i>	Rayxon (Tajik) <i>Ocimum basilicum</i>	Remon meotul (Korean) <i>Backhousia citriodora</i>	Rideag (Gael.) <i>Myrica gale</i>	Rodia (Greek) <i>Punica granatum</i>
Rasca lúčna (Slovak) <i>Carum carvi</i>	Razianeh (Farsi) <i>Foeniculum vulgare</i>	Remonso (Japan.) <i>Cymbopogon citratus</i>	Ridi (Hausa) <i>Sesamum indicum</i>	Rodie (Roman.) <i>Punica granatum</i>
Rasca rimska (Slovak) <i>Cuminum cyminum</i>	Razijan (Maced.) <i>Foeniculum vulgare</i>	Ren (Maced.,Serb.,Vietnam.) <i>Armoracia rusticana</i>	Ridiche japonežā (Roman.) <i>Wasabia japonica</i>	Rödlök (Swed.) <i>Allium cepa</i>
Rašeljka (Croat.,Serb.) <i>Prunus mahaleb</i>	Raziyaneh (Turk.) <i>Foeniculum vulgare</i>	Rena (Sinh.) <i>Pandanus odoratissimus</i>	Riegnu (Malt.) <i>Origanum vulgare</i>	Rød peber (Dan.) <i>Schinus terebinthifolius</i>
Rashad (Arab.,Hebr.) <i>Lepidium sativum</i>	Raziyaner-rumi (Turk.) <i>Pimpinella anisum</i>	Renouée odorante (French) <i>Persicaria hydropiper</i>	Rieng (Vietnam.) <i>Alpinia galanga</i>	Röd peber (Dan.) <i>Capsicum annuum</i>
Rasi (Oriya) <i>Sesamum indicum</i>	Razmaryn (Belar.) <i>Rosmarinus officinalis</i>	Renouée odorante (French) <i>Persicaria odoratum</i>	Rieng nep (Vietnam.) <i>Alpinia galanga</i>	Rodselleri (Dan.) <i>Apium graveolens</i>
Rasin (Garo) <i>Allium cepa</i>	Rdesno peprník (Czech) <i>Persicaria hydropiper</i>	Renouée poivre d'eau (French) <i>Persicaria hydropiper</i>	Riefur (Bret.) <i>Armoracia rusticana</i>	Roheline pipar (Eston.) <i>Piper nigrum</i>
Rasin gipbok (Garo) <i>Allium sativum</i>	Rdest ostrogorzki (Pol.) <i>Persicaria hydropiper</i>	Reobiji (Korean) <i>Levisticum officinale</i>	Rifouart (Prov.) <i>Armoracia rusticana</i>	Rohtoneidonkukka (Finn.) <i>Nigella sativa</i>
Rasin gitchook (Garo) <i>Allium cepa</i>	Recalicé (Prov.) <i>Glycyrrhiza glabra</i>	Reobwiji (Korean) <i>Levisticum officinale</i>	Riga (Croat.,Serb.) <i>Eruca sativa</i>	Rohtopernaruoho (Finn.) <i>Sisymbrium officinale</i>
Rasmi (Kannada) <i>Alpinia galanga</i>	Recalissi (Prov.) <i>Glycyrrhiza glabra</i>	Řeřicha zahradní (Czech) <i>Lepidium sativum</i>	Rigan (Bulg.,Roman.) <i>Origanum vulgare</i>	Rohtopurasuho (Finn.) <i>Borago officinalis</i>
Rasuna (Oriya) <i>Allium sativum</i>	Rechina fena? (Farsi) <i>Ferula assa-foetida</i>	Rešeljika (Sloven.) <i>Prunus mahaleb</i>	Rigani (Greek) <i>Origanum vulgare</i>	Rohtosalvia (Finn.) <i>Salvia officinalis</i>
Rata asamodagam (Sinh.) <i>Petroselinum crispum</i>	Řecké seno (Slovak) <i>Trigonella foenum-graecum</i>	Resurrection lily (Engl.) <i>Kaempferia galanga</i>	Rigon i egër (Alb.) <i>Origanum vulgare</i>	Roititā (Roman.) <i>Melissa officinalis</i>
Rata dehi (Sinh.) <i>Citrus limon</i>	Red pepper (Engl.) <i>Capsicum frutescens</i>	Réti kömény (Hung.) <i>Carum carvi</i>	Rigoni i zakonshëm (Alb.) <i>Origanum vulgare</i>	Roja (Kannada,Tamil,Telugu) <i>Rosa damascena</i>
Rathu miris (Sinh.) <i>Capsicum frutescens</i>	Reendhoo (Dhivehi) <i>Curcuma longa</i>	Rewa (Thai) <i>Amomum xanthioides</i>	Rihaan (Arab.) <i>Ocimum basilicum</i>	Rojavuvu (Telugu) <i>Rosa damascena</i>
Rato Khursani (Nepali) <i>Capsicum frutescens</i>	Regaléssia (Catalan) <i>Glycyrrhiza glabra</i>	Rewa-yai (Thai) <i>Amomum xanthioides</i>	Rihamirus (Dhivehi) <i>Capsicum annuum</i>	Rojeu (Korean) <i>Rosa damascena</i>
Rato latte (Nepali) <i>Chenopodium ambrosioides</i>				Rojinis imbierpipiri (Lith.) <i>Aframomum melegueta</i>
				Rojo (Korean) <i>Rosa damascena</i>
				Rojumari (Korean) <i>Rosmarinus officinalis</i>

Rojumeri (Korean) <i>Rosmarinus officinalis</i>	Roquette (French) <i>Eruca sativa</i>	Ròs Mhuire (Gael.) <i>Rosmarinus officinalis</i>	Rozmarín lekársky (Slovak) <i>Rosmarinus officinalis</i>	Rukola šalát (Slovak) <i>Eruca sativa</i>
Roka (Greek,Turk.) <i>Eruca sativa</i>	Rorel-bei (Korean) <i>Laurus nobilis</i>	Roso (Japan.) <i>Glycyrrhiza glabra</i>	Rozmaríns (Latv.) <i>Rosmarinus officinalis</i>	Ruku (Hung.) <i>Bixa orellana</i>
Roket (Bulg.,Hebr.) <i>Eruca sativa</i>	Roreru (Japan.) <i>Laurus nobilis</i>	Rosun (Assam.,Bengali) <i>Allium sativum</i>	Rozmaryn (Pol.,Ukr.) <i>Rosmarinus officinalis</i>	Ruku-ruku (Indones.,Malay) <i>Ocimum tenuiflorum</i>
Roketa setá (Czech) <i>Eruca sativa</i>	Rorippa nasturtium-aquaticum (bot.) <i>Nasturtium officinale</i>	Roter Pfeffer (Germ.) <i>Capsicum frutescens</i>	Rozmarýna (Czech) <i>Rosmarinus officinalis</i>	Ruku-ruku hitam (Malay) <i>Ocimum gratissimum</i>
Roketez (Bret.) <i>Eruca sativa</i>	Ros (Swed.) <i>Rosa damascena</i>	Roudi (Greek) <i>Rhus coriaria</i>	Rozmarýna lékářská (Czech) <i>Rosmarinus officinalis</i>	Ruku-ruku rimba (Indones.) <i>Ocimum gratissimum</i>
Roketto (Japan.) <i>Eruca sativa</i>	Rós (Icel.,Irish) <i>Rosa damascena</i>	Rou dou kou (Mand.) <i>Myristica fragrans</i>	Rozmarýn lékařský (Czech) <i>Rosmarinus officinalis</i>	Rukvica, navadna (Sloven.) <i>Eruca sativa</i>
Rokettu (Korean) <i>Eruca sativa</i>	Ròs (Gael.) <i>Rosmarinus officinalis</i>	Rou dou kou pi (Mand.) <i>Myristica fragrans</i>	Rozmaryn spravzhnij (Ukr.) <i>Rosmarinus officinalis</i>	Rumänischer Braunsenf (Germ.) <i>Brassica juncea</i>
Rokietu (Korean) <i>Eruca sativa</i>	Rosa (Ital.,Lat.,Malayalam, Sinh.,Span.) <i>Rosa damascena</i>	Rougui (Mand.) <i>Cinnamomum cassia</i>	Rozmeri (Tigr.) <i>Rosmarinus officinalis</i>	Rumman (Arab.,Aram.,Turk.) <i>Punica granatum</i>
Rokieta siewna (Pol.) <i>Eruca sativa</i>	Rosa Beeren (Germ.) <i>Schinus terebinthifolius</i>	Rou gui (Mand.) <i>Cinnamomum zeylanicum</i>	Rozmoc'h (Bret.) <i>Papaver somniferum</i>	Rummiena (Malt.) <i>Punica granatum</i>
Rokyt, bahenní (Czech) <i>Eruca sativa</i>	Rosacchedi (Malayalam) <i>Rosa damascena</i>	Rou gui pi (Mand.) <i>Cinnamomum cassia</i>	Rozo (Esperanto) <i>Rosa damascena</i>	Rumput tuboh (Malay) <i>Persicaria hydropiper</i>
Rokyta (Czech) <i>Eruca sativa</i>	Rosa-chá (Port.) <i>Rosa damascena</i>	Roumanieou (Prov.) <i>Rosmarinus officinalis</i>	Roz piperi (Greek) <i>Allium schoenoprasum</i>	Runhui-dum (Mizo) <i>Ocimum tenuiflorum</i>
Rokytník skvělý (Czech) <i>Eruca sativa</i>	Rosa-pálida (Port.) <i>Rosa damascena</i>	Roumanin (Prov.) <i>Rosmarinus officinalis</i>	Rózsa (Hung.) <i>Rosa damascena</i>	Ruoholaukka (Finn.) <i>Allium schoenoprasum</i>
Romã (Port.) <i>Punica granatum</i>	Rosa Pfeffer (Germ.) <i>Schinus terebinthifolius</i>	Roumarin (Bret.) <i>Rosmarinus officinalis</i>	Rózsaszín bors (Hung.) <i>Schinus terebinthifolius</i>	Ruohosipuli (Finn.) <i>Allium schoenoprasum</i>
Romaeri (Lao) <i>Rosmarinus officinalis</i>	Rósapipar (Icel.) <i>Schinus terebinthifolius</i>	Routa (Czech) <i>Ruta graveolens</i>	Rozumari (Japan.) <i>Rosmarinus officinalis</i>	Ruokapaprika (Finn.) <i>Capsicum annuum</i>
Romahan (Kashm.) <i>Allium sativum</i>	Rose (Dan.,Engl.,Germ., Norw.) <i>Rosa damascena</i>	Routa vonná (Czech) <i>Ruta graveolens</i>	Rrapane (Alb.) <i>Armoracia rusticana</i>	Ruokaselleri (Finn.) <i>Apium graveolens</i>
Római kömény (Hung.) <i>Cuminum cyminum</i>	Rose de Damas (French) <i>Rosa damascena</i>	Rowsu (Sranan) <i>Rosa damascena</i>	Rrikë (Alb.) <i>Armoracia rusticana</i>	Ruokasipuli (Finn.) <i>Allium cepa</i>
Roman (Arab.) <i>Punica granatum</i>	Roseepipar (Eston.) <i>Schinus terebinthifolius</i>	Royivnyk (Ukr.) <i>Melissa officinalis</i>	Rtanjski čaj (Serb.) <i>Satureja montana</i>	Ruridisa (Japan.) <i>Borago officinalis</i>
Romaní (Catalan) <i>Rosmarinus officinalis</i>	Rosemary (Engl.) <i>Rosmarinus officinalis</i>	Royz (Yidd.) <i>Rosa damascena</i>	Ru (Japan.,Korean,Thai) <i>Ruta graveolens</i>	Rus (Lat.) <i>Rhus coriaria</i>
Romanian brown mustard (Engl.) <i>Brassica juncea</i>	Rosépeppar (Swed.) <i>Schinus terebinthifolius</i>	Roz (Bret.) <i>Rosa damascena</i>	Rù (Gael.) <i>Ruta graveolens</i>	Rusotähtianis (Finn.) <i>Illicium verum</i>
Romarin (French) <i>Rosmarinus officinalis</i>	Rosé-Pfeffer (Germ.) <i>Schinus terebinthifolius</i>	Roza (Bulg.) <i>Rosa damascena</i>	Rucë (Alb.) <i>Ruta graveolens</i>	Ruta (Croat.,Hebr.,Hung.,Ital., Korean,Lat.,Oriya,Serb.) <i>Ruta graveolens</i>
Romãzeira (Port.) <i>Punica granatum</i>	Rose-pipar (Eston.) <i>Schinus terebinthifolius</i>	Róža, bulgarska (Pol.) <i>Rosa damascena</i>	Ruchaka (Sanskrit) <i>Citrus limon</i>	Rutã (Roman.) <i>Ruta graveolens</i>
Romdeng (Khmer) <i>Alpinia galanga</i>	Roser (Catalan) <i>Rosa damascena</i>	Róža, damasceńska (Pol.) <i>Rosa damascena</i>	Ruchetta (Ital.) <i>Eruca sativa</i>	Rūta, smaržīgã (Latv.) <i>Ruta graveolens</i>
Romeinse komijn (Dutch) <i>Carum carvi</i>	Roshia-kanzo (Japan.) <i>Glycyrrhiza echinata</i>	Róža, turecka (Pol.) <i>Rosa damascena</i>	Rucola (Dan.,Dutch,Germ., Ital.,Malt.,Roman.) <i>Eruca sativa</i>	Rūta, žaliøj (Lith.) <i>Ruta graveolens</i>
Romeiro (Galic.) <i>Rosmarinus officinalis</i>	Rosmaeri (Lao,Thai) <i>Rosmarinus officinalis</i>	Roza damasskaya (Russ.) <i>Rosa damascena</i>	Rucolakers (Dutch) <i>Eruca sativa</i>	Rutã de grãdinã (Roman.) <i>Ruta graveolens</i>
Romer (Catalan) <i>Rosmarinus officinalis</i>	Rosmaninho (Port.) <i>Lavandula stoechas</i>	Róža otto (Pol.) <i>Rosa damascena</i>	Rucolasallat (Swed.) <i>Eruca sativa</i>	Ruta dushistaya (Russ.) <i>Ruta graveolens</i>
Romero (Span.) <i>Rosmarinus officinalis</i>	Rosmareno (Esperanto) <i>Rosmarinus officinalis</i>	Rozã pipari (Latv.) <i>Schinus terebinthifolius</i>	Rúcula (Port.,Span.) <i>Eruca sativa</i>	Ruta dushistaya (Russ.) <i>Ruta graveolens</i>
Romersk kummin (Swed.) <i>Cuminum cyminum</i>	Rosmariin (Eston.) <i>Rosmarinus officinalis</i>	Rož, damaskinë (Lith.) <i>Rosa damascena</i>	Ruda (Catalan,Galic.,Span.) <i>Ruta graveolens</i>	Ruta voňavã (Slovak) <i>Ruta graveolens</i>
Romeu (Galic.) <i>Rosmarinus officinalis</i>	Rosmariin, harilik (Eston.) <i>Rosmarinus officinalis</i>	Rozemarijn (Dutch) <i>Rosmarinus officinalis</i>	Rude (Dan.) <i>Ruta graveolens</i>	Ruta zapashna (Ukr.) <i>Ruta graveolens</i>
Romiet (Khmer) <i>Crocus sativus</i>	Rosmariini (Finn.) <i>Rosmarinus officinalis</i>	Roze peper (Dutch) <i>Schinus terebinthifolius</i>	Rudrajada (Telugu) <i>Ocimum basilicum</i>	Ruta zwyczajna (Pol.) <i>Ruta graveolens</i>
Romiet (Khmer) <i>Curcuma longa</i>	Rosmarin (Dan.,French, Germ.,Norw.,Swed.) <i>Rosmarinus officinalis</i>	Rožes (Lith.) <i>Rosa damascena</i>	Rue (Engl.) <i>Ruta graveolens</i>	Rute (Yidd.) <i>Ruta graveolens</i>
Römischer Kümmel (Germ.) <i>Cuminum cyminum</i>	Rosmarin (Dan.,French, Germ.,Norw.,Swed.) <i>Rosmarinus officinalis</i>	Rozes (Latv.) <i>Rosa damascena</i>	Rue odorante (French) <i>Ruta graveolens</i>	Rutensenf (Germ.) <i>Brassica nigra</i>
Römischer Quendel (Germ.) <i>Thymus vulgaris</i>	Rósmarín (Icel.) <i>Rosmarinus officinalis</i>	Rozmari (Farsi,Greek) <i>Rosmarinus officinalis</i>	Rugh (Gael.) <i>Ruta graveolens</i>	Rúturnni (Icel.) <i>Ruta graveolens</i>
Ron (Chakma) <i>Allium sativum</i>	Rosmarin encens (French) <i>Rosmarinus officinalis</i>	Rozmarin (Azeri,Bulg.,Hebr., Roman.,Russ.,Yidd.) <i>Rosmarinus officinalis</i>	Rügščiavaisis (Lith.) <i>Citrus auratifolia</i>	Rutvica (Croat.,Serb.) <i>Ruta graveolens</i>
Rong (Kashm.) <i>Syzygium aromaticum</i>	Rosmarino (Ital.) <i>Rosmarinus officinalis</i>	Rožmarin (Sloven.) <i>Rosmarinus officinalis</i>	Rügščiavaisis citrinmedis (Lith.) <i>Citrus auratifolia</i>	Ruud (Eston.) <i>Ruta graveolens</i>
Rong bol (Garo) <i>Bixa orellana</i>	Rosmarinum (Lat.) <i>Rosmarinus officinalis</i>	Rozmarin (Slovak) <i>Rosmarinus officinalis</i>	Ruigh (Gael.) <i>Ruta graveolens</i>	Ruusu (Finn.) <i>Rosa damascena</i>
Roomankumina (Finn.) <i>Cuminum cyminum</i>	Rosmarin (Span.) <i>Rosmarinus officinalis</i>	Rozmarinë (Alb.) <i>Rosmarinus officinalis</i>	Ruj (Croat.) <i>Rhus coriaria</i>	Ruuta (Finn.) <i>Ruta graveolens</i>
Roomse kervel (Dutch) <i>Myrrhis odorata</i>	Rosmarino (Ital.) <i>Rosmarinus officinalis</i>	Rozmaring (Hung.) <i>Rosmarinus officinalis</i>	Ruj, grozdasti (Serb.) <i>Rhus coriaria</i>	Ruuta (Finn.) <i>Ruta graveolens</i>
Roos (Dutch,Eston.) <i>Rosa damascena</i>	Rosmarin (Dan.,French, Germ.,Norw.,Swed.) <i>Rosmarinus officinalis</i>	Rozmarini (Georg.) <i>Rosmarinus officinalis</i>	Rukiew wodna (Pol.) <i>Nasturtium officinale</i>	Ruža (Belar.,Maced.,Serb.) <i>Rosa damascena</i>
Root beer plant (Engl.) <i>Piper auritum</i>	Rosmeri (Sinh.) <i>Rosmarinus officinalis</i>		Rukkora (Japan.) <i>Eruca sativa</i>	Ruža, divlja (Croat.) <i>Rosa canina</i>
Roqet (Hebr.) <i>Eruca sativa</i>			Rukola (Bulg.,Lith.,Pol.,Serb., Slovak) <i>Eruca sativa</i>	Ruža damaskaja (Belar.) <i>Rosa damascena</i>
Roqueta (Span.) <i>Eruca sativa</i>				

Ruža šípová (Slovak) <i>Rosa canina</i>	Sada Marich (Bengali) <i>Piper nigrum</i>	Šafrán, indický (Czech) <i>Curcuma longa</i>	Saigon cinnamon (Engl.) <i>Cinnamomum loureiroi</i>	Saldiri (Sinh.) <i>Apium graveolens</i>
Růže (Czech) <i>Rosa damascena</i>	Sadapa (Telugu) <i>Ruta graveolens</i>	Šafran, indijski (Croat.) <i>Curcuma longa</i>	Saigon fahéj (Hung.) <i>Cinnamomum loureiroi</i>	Saldymedis (Lith.) <i>Glycyrrhiza glabra</i>
Růže, pravá bulharská (Czech) <i>Rosa damascena</i>	Sadapachettu (Telugu) <i>Ruta graveolens</i>	Safran, indischer (Germ.) <i>Curcuma longa</i>	Saigong-gyepi (Korean) <i>Cinnamomum loureiroi</i>	Saldymedis, paprastasis (Lith.) <i>Glycyrrhiza glabra</i>
Růže, ulje (Croat.) <i>Rosa damascena</i>	Sadapaha (Sanskrit) <i>Ruta graveolens</i>	Safran, mexicanischer (Germ.) <i>Carthamus tinctorius</i>	Saigoninis cinamonas (Lith.) <i>Cinnamomum loureiroi</i>	Šaftej (Belar.) <i>Salvia officinalis</i>
Růže damascénská (Czech) <i>Rosa damascena</i>	Sadapaku (Telugu) <i>Ruta graveolens</i>	Safran, yalanci (Turk.) <i>Carthamus tinctorius</i>	Saigonkaneli (Finn.) <i>Cinnamomum loureiroi</i>	Salie (Dutch) <i>Salvia officinalis</i>
Ruzh (Bret.) <i>Ruta graveolens</i>	Sadaq (Kazakh) <i>Allium cepa</i>	Safrāna krokuss (Latv.) <i>Crocus sativus</i>	Saigon-Zimt (Germ.) <i>Cinnamomum loureiroi</i>	Salierai, valgomasis (Lith.) <i>Apium graveolens</i>
Ružmarin (Croat.,Serb.) <i>Rosmarinus officinalis</i>	Sada sorse (Bengali) <i>Sinapis alba</i>	Šafranas (Lith.) <i>Crocus sativus</i>	Sai heung chung (Canton.) <i>Allium schoenoprasum</i>	Sa li pi* (Lao) <i>Piper longum</i>
Ružmarin (Maced.,Serb.) <i>Rosmarinus officinalis</i>	Sadikka (Sinh.) <i>Myristica fragrans</i>	Safrānaugs (Latv.) <i>Crocus sativus</i>	Sai kahn (Canton.) <i>Apium graveolens</i>	Salodki mindal (Belar.) <i>Prunus dulcis</i>
Růžový pepř (Czech) <i>Schinus terebinthifolius</i>	Sa diu (Vietnam.) <i>Cymbopogon flexuosus</i>	Safran bâtard (French) <i>Carthamus tinctorius</i>	Sáiste (Irish) <i>Salvia officinalis</i>	Šalotka (Czech,Slovak, Sloven.) <i>Allium ascalonicum</i>
Rymski kmen (Belar.) <i>Cuminum cyminum</i>	Sadova ruta (Ukr.) <i>Ruta graveolens</i>	Safran des Indes (French) <i>Curcuma longa</i>	Sai yeuhng ngoh sam (Canton.) <i>Anthriscus cerefolium</i>	Ŝaloto (Esperanto) <i>Allium ascalonicum</i>
Rysun (Khasi) <i>Allium sativum</i>	Sadrëio (Prov.) <i>Satureja hortensis</i>	Safrani (Greek) <i>Crocus sativus</i>	Sai yihp kahn (Canton.) <i>Anthriscus cerefolium</i>	Ŝalot piyaz (Kazakh) <i>Allium cepa</i>
Ryomenshin (Japan.) <i>Zanthoxylum nitidum</i>	Sædögg (Icel.) <i>Rosmarinus officinalis</i>	Safrani (Greek) <i>Crocus sativus</i>	Sai-Yong choi (Chines.) <i>Nasturtium officinale</i>	Šalottisipuli (Finn.) <i>Allium ascalonicum</i>
Ryytineito (Finn.) <i>Nigella sativa</i>	Sa-em (Lao) <i>Glycyrrhiza glabra</i>	Safrani (Greek) <i>Crocus sativus</i>	Saje (Chakma) <i>Brassica nigra</i>	Salottisipuli (Finn.) <i>Allium ascalonicum</i>
Ryytitilli (Finn.) <i>Anethum graveolens</i>	Sa-em thet (Lao) <i>Glycyrrhiza glabra</i>	Safrani (Greek) <i>Crocus sativus</i>	Sajira (Bengali) <i>Bunium persicum</i>	Šalottisibul (Eston.) <i>Allium ascalonicum</i>
Rzeżucha ogrodowa (Pol.) <i>Lepidium sativum</i>	Saenggang (Korean) <i>Zingiber officinale</i>	Safrani (Greek) <i>Crocus sativus</i>	Sajiragam (Malayalam) <i>Carum carvi</i>	Salsa (Port.) <i>Petroselinum crispum</i>
Saan faa jiu (Canton.) <i>Zanthoxylum avicennae</i>	Saets (Welsh) <i>Salvia officinalis</i>	Safrani (Greek) <i>Crocus sativus</i>	Sajivan (Nepali) <i>Origanum vulgare</i>	Salsão (Port.) <i>Apium graveolens</i>
Saan geung (Canton.) <i>Alpinia galanga</i>	Safaid jeera (Dogri,Hindi) <i>Cuminum cyminum</i>	Safrani (Greek) <i>Crocus sativus</i>	Sajmeggy (Hung.) <i>Prunus mahaleb</i>	Salsinha (Port.) <i>Petroselinum crispum</i>
Saang geung (Canton.) <i>Zingiber officinale</i>	Safaid mirch (Punjabi) <i>Piper nigrum</i>	Safrani (Greek) <i>Crocus sativus</i>	Sajolida (Catalan) <i>Satureja montana</i>	Salva-mansa (Port.) <i>Salvia officinalis</i>
Saan kwai (Canton.) <i>Wasabia japonica</i>	Safed mirch (Urdu) <i>Piper nigrum</i>	Safrani (Greek) <i>Crocus sativus</i>	Sajya (Chakma) <i>Brassica nigra</i>	Salve (Eston.) <i>Salvia officinalis</i>
Saan loh baahk (Canton.) <i>Anthriscus cerefolium</i>	Safed rai (Hindi) <i>Sinapis alba</i>	Safrani (Greek) <i>Crocus sativus</i>	Sa khuong (Vietnam.) <i>Kaempferia galanga</i>	Šalvěj (Czech) <i>Salvia officinalis</i>
Saan noih (Canton.) <i>Kaempferia galanga</i>	Saffloer (Dutch) <i>Carthamus tinctorius</i>	Safrani (Greek) <i>Crocus sativus</i>	Saksankirveli (Finn.) <i>Myrrhis odorata</i>	Šalvěj lékařská (Czech) <i>Salvia officinalis</i>
Saan yuk gwai (Canton.) <i>Cinnamomum burmannii</i>	Safflor (Dan.,Engl.,Swed.) <i>Carthamus tinctorius</i>	Safrani (Greek) <i>Crocus sativus</i>	Saksankumina (Finn.) <i>Carum carvi</i>	Salvia (Finn.,Ital.,Lat.,Span., Swed.) <i>Salvia officinalis</i>
Sabalin (Burmes.) <i>Cymbopogon citratus</i>	Safflower (Engl.) <i>Carthamus tinctorius</i>	Safrani (Greek) <i>Crocus sativus</i>	Sa lach son (Vietnam.) <i>Lepidium sativum</i>	Salvia (Icel.) <i>Salvia officinalis</i>
Sabarang (Chakma) <i>Ocimum basilicum</i>	Saffraan (Dutch) <i>Crocus sativus</i>	Safrani (Greek) <i>Crocus sativus</i>	Salad rocket (Engl.) <i>Eruca sativa</i>	Sàlvia (Catalan) <i>Salvia officinalis</i>
Sabbasigi soppu (Kannada) <i>Anethum graveolens</i>	Saffran (Icel.,Swed.) <i>Crocus sativus</i>	Safrani (Greek) <i>Crocus sativus</i>	Salai (Tagalog) <i>Cymbopogon citratus</i>	Šalvia (Slovak) <i>Salvia officinalis</i>
Sabja (Marathi) <i>Ocimum basilicum</i>	Saffron (Engl.) <i>Crocus sativus</i>	Safrani (Greek) <i>Crocus sativus</i>	Salam (Indones.) <i>Eugenia polyantha</i>	Sàlvia bona (Catalan) <i>Salvia officinalis</i>
Sabje (Gujrati) <i>Ocimum basilicum</i>	Saffron, bastard (Engl.) <i>Carthamus tinctorius</i>	Safrani (Greek) <i>Crocus sativus</i>	Salamblad (Dutch) <i>Eugenia polyantha</i>	Sàlvia d'Aragó (Catalan) <i>Salvia officinalis</i>
Sabljasti triplat (Sloven.) <i>Trigonella foenum-graecum</i>	Saffron, Indian (Engl.) <i>Curcuma longa</i>	Safrani (Greek) <i>Crocus sativus</i>	Salam koja (Indones.) <i>Murraya koenigii</i>	Šalvia lekárska (Slovak) <i>Salvia officinalis</i>
Sabori (Korean) <i>Satureja hortensis</i>	Saffron, Mexican (Engl.) <i>Carthamus tinctorius</i>	Safrani (Greek) <i>Crocus sativus</i>	Salatkress (Eston.) <i>Lepidium sativum</i>	Salvie (Dan.,Norw.,Roman.) <i>Salvia officinalis</i>
Šabrej kminovitý (Czech) <i>Cuminum cyminum</i>	Saffrwm (Welsh) <i>Crocus sativus</i>	Safrani (Greek) <i>Crocus sativus</i>	Salat-rocket (Engl.) <i>Eruca sativa</i>	Salvijas, ārstniecības (Latv.) <i>Salvia officinalis</i>
Sabroso (Span.) <i>Satureja hortensis</i>	Safflor (Belar.,Bulg.,Germ., Norw.,Russ.) <i>Carthamus tinctorius</i>	Safrani (Greek) <i>Crocus sativus</i>	Salat-nam (Thai) <i>Nasturtium officinale</i>	Salvio (Esperanto) <i>Salvia officinalis</i>
Sa chanh (Vietnam.) <i>Cymbopogon citratus</i>	Saffron (Engl.) <i>Crocus sativus</i>	Safrani (Greek) <i>Crocus sativus</i>	Salatrauke (Germ.) <i>Eruca sativa</i>	Salviya (Bulg.) <i>Salvia officinalis</i>
Sa Chuang (Lao) <i>Cinnamomum cassia</i>	Saffron, Indian (Engl.) <i>Curcuma longa</i>	Safrani (Greek) <i>Crocus sativus</i>	Salatsennep (Norw.) <i>Eruca sativa</i>	Salvoja (Malt.) <i>Salvia officinalis</i>
Sacred basil (Engl.) <i>Ocimum tenuiflorum</i>	Saffron, Mexican (Engl.) <i>Carthamus tinctorius</i>	Safrani (Greek) <i>Crocus sativus</i>	Šalavijas, vaistinis (Lith.) <i>Salvia officinalis</i>	Samak (Malay,Thai) <i>Eugenia polyantha</i>
Sacred pepper (Engl.) <i>Piper auritum</i>	Saffron, bastard (Engl.) <i>Carthamus tinctorius</i>	Safrani (Greek) <i>Crocus sativus</i>	Salbei (Germ.) <i>Salvia officinalis</i>	Samanatsopa (Ga-Dangme) <i>Allium sativum</i>
Sadab (Arab.,Aram.,Farsi, Urdu) <i>Ruta graveolens</i>	Saffron, Indian (Engl.) <i>Curcuma longa</i>	Safrani (Greek) <i>Crocus sativus</i>	Sälben (Kazakh) <i>Salvia officinalis</i>	Samat (Thai) <i>Murraya koenigii</i>
Sadabu (Kannada) <i>Ruta graveolens</i>	Saffron, Mexican (Engl.) <i>Carthamus tinctorius</i>	Safrani (Greek) <i>Crocus sativus</i>	Salbi (Georg.) <i>Salvia officinalis</i>	Sambram (Bodo) <i>Allium cepa</i>

Sambram Gufut (Bodo) <i>Allium sativum</i>	Santarasi (Newari) <i>Citrus sinensis</i>	Sarja (Kazakh) <i>Allium cepa</i>	Sassafurasu (Japan.) <i>Sassafras albidum</i>	Sawa-orenji (Japan.) <i>Citrus sinensis</i> ssp. <i>amara</i>
Şam güllü (Turk.) <i>Rosa damascena</i>	San thuyen (Vietnam.) <i>Eugenia polyantha</i>	Sarkantyúka (Hung.) <i>Tropaeolum majus</i>	Sat (Lao) <i>Bixa orellana</i>	Sawi (Malay) <i>Brassica nigra</i>
Samín (Burmes.) <i>Anethum graveolens</i>	Santoreggia (Ital.) <i>Satureja hortensis</i>	Sarkantyúvirág (Hung.) <i>Tropaeolum majus</i>	Sata guppam (Sinh.) <i>Anethum graveolens</i>	Saw leaf herb (Engl.) <i>Eryngium foetidum</i>
Samit (Armen.) <i>Anethum graveolens</i>	Santurig (Bret.) <i>Satureja hortensis</i>	Šarlotes sîpoli (Latv.) <i>Allium ascalonicum</i>	Sataguppi (Tamil) <i>Anethum graveolens</i>	Sawr (Welsh) <i>Satureja hortensis</i>
Samit (Armen.) <i>Foeniculum vulgare</i>	Santurig-goañv (Bret.) <i>Satureja montana</i>	Sarmis (Mong.) <i>Allium sativum</i>	Satap (Malayalam) <i>Ruta graveolens</i>	Sawtooth coriander (Engl.) <i>Eryngium foetidum</i>
Samong-saba (Burmes.) <i>Foeniculum vulgare</i>	Sanuj (Catalan) <i>Nigella sativa</i>	Sarmusak (Turk.) <i>Allium sativum</i>	Satapa (Gujrati,Marathi) <i>Ruta graveolens</i>	Sazab (Turk.) <i>Ruta graveolens</i>
Samouco-do-brabante (Port.) <i>Myrica gale</i>	Sa nwin (Burmes.) <i>Curcuma longa</i>	Sarnai (Mong.) <i>Rosa damascena</i>	Satar (Hebr.) <i>Satureja hortensis</i>	Sazak (Turk.) <i>Myrtus communis</i>
Sampalok (Tagalog) <i>Tamarindus indica</i>	Saoj (Bret.) <i>Salvia officinalis</i>	Sarpoil (Basque) <i>Thymus serpyllum</i>	Satar (Farsi) <i>Thymus vulgaris</i>	Sbar (Arab.) <i>Tamarindus indica</i>
Samphu (Nepali) <i>Anethum graveolens</i>	Saouvi (Prov.) <i>Salvia officinalis</i>	Sarriette (French) <i>Satureja hortensis</i>	Satar (Hebr.) <i>Maiorana syriaca</i>	Scallion (Engl.) <i>Allium cepa</i>
Sampsouchon (Old Greek) <i>Majorana hortensis</i>	Saphaa (Lao) <i>Ocimum tenuiflorum</i>	Sarso (Maith.,Nepali) <i>Sinapis alba</i>	Satar barri (Arab.) <i>Origanum vulgare</i>	Scalogna (Ital.) <i>Allium ascalonicum</i>
Sampsukon (Aram.) <i>Majorana hortensis</i>	Saphed Mirch (Hindi) <i>Piper nigrum</i>	Sarson (Urdu) <i>Brassica nigra</i>	Satari (Hindi) <i>Ruta graveolens</i>	Scandix cerefolium (bot.) <i>Anthriscus cerefolium</i>
Samran (Lotha Naga) <i>Allium sativum</i>	Sappira (Tamil) <i>Bixa orellana</i>	Sarubia (Japan.,Korean) <i>Salvia officinalis</i>	Sateri, dağ (Turk.) <i>Satureja montana</i>	Scandix odorata (bot.) <i>Myrrhis odorata</i>
Samsucum (Lat.) <i>Majorana hortensis</i>	Sapran (Indones.) <i>Crocus sativus</i>	Sarviapila (Finn.) <i>Trigonella foenum-graecum</i>	Sater otu (Turk.) <i>Satureja hortensis</i>	Schabziegerklee (Germ.) <i>Trigonella caerulea</i>
Samtblume (Germ.) <i>Tagetes lucida</i>	Sapullaweo (Korean) <i>Carthamus tinctorius</i>	Sarv Kuhi (Farsi) <i>Juniperus communis</i>	Sathi (Punjabi) <i>Salvia officinalis</i>	Schalotte (Germ.) <i>Allium ascalonicum</i>
Samtola (Maith.) <i>Citrus sinensis</i>	Sapuran (Korean) <i>Crocus sativus</i>	Sarvasugandhi (Malayalam) <i>Pimenta dioica</i>	Sathra (Nepali) <i>Origanum vulgare</i>	Schalottenlök (Swed.) <i>Allium ascalonicum</i>
Samu (Thai) <i>Eugenia polyantha</i>	Sar (Icel.,Norw.) <i>Satureja hortensis</i>	Sarxa (Galic..) <i>Salvia officinalis</i>	Satr (Arab.) <i>Thymus vulgaris</i>	Scharekruid (Dutch) <i>Satureja hortensis</i>
Sanae (Burmes.) <i>Curcuma longa</i>	Sara anwiw (Fante) <i>Allium sativum</i>	Sarymsyk (Turkmen) <i>Allium sativum</i>	Satra (Hebr.) <i>Satureja hortensis</i>	Schinduf (Roman.) <i>Trigonella foenum-graecum</i>
Sancho (Russ.) <i>Zanthoxylum piperitum</i>	Saramu-rifu (Japan.) <i>Eugenia polyantha</i>	Sasafrás (Span.) <i>Sassafras albidum</i>	Saturei (Germ.) <i>Satureja hortensis</i>	Schino brasiliano (Ital.) <i>Schinus terebinthifolius</i>
Sancho (Korean) <i>Zanthoxylum schinifolium</i>	Saranae (Lao,Thai) <i>Mentha piperita</i>	Sasafras (Arab.,Sloven.) <i>Sassafras albidum</i>	Satureia (Lat.) <i>Satureja hortensis</i>	Schinopraso (Greek) <i>Allium schoenoprasum</i>
Sand ginger (Engl.) <i>Kaempferia galanga</i>	Sarepta kapsasrohi (Eston.) <i>Brassica juncea</i>	Sasafras, balkšvasis (Lith.) <i>Sassafras albidum</i>	Saturejka (Czech) <i>Satureja hortensis</i>	Schlafmohn (Germ.) <i>Papaver somniferum</i>
Sang keong (Chines.) <i>Zingiber officinale</i>	Sareptamosterd (Dutch) <i>Brassica nigra</i>	Sasafrasa (Croat.) <i>Sassafras albidum</i>	Saturejka horská (Slovak) <i>Satureja montana</i>	Schnittlauch (Germ.) <i>Allium schoenoprasum</i>
Sangtra (Punjabi) <i>Citrus sinensis</i>	Sarepta mustard (Engl.) <i>Brassica juncea</i>	Sasafraski (Pol.) <i>Sassafras albidum</i>	Saturejka záhradná (Slovak) <i>Satureja hortensis</i>	Schoinos ho euodes (Old Greek) <i>Cymbopogon citratus</i>
Sangvil (Hebr.) <i>Zingiber officinale</i>	Sareptansinappi (Finn.) <i>Brassica juncea</i>	Sasafraso (Esperanto) <i>Sassafras albidum</i>	Satureo (Esperanto) <i>Satureja hortensis</i>	Schraubenbaum, duftender (Germ.) <i>Pandanus amaryllifolius</i>
San-gyu (Korean) <i>Wasabia japonica</i> var. <i>koreana</i>	Sareptasenap (Swed.) <i>Brassica juncea</i>	Sasag (Tigr.) <i>Ocimum basilicum</i>	Sauerdattel (Germ.) <i>Tamarindus indica</i>	Schraubenbaum-Blätter (Germ.) <i>Pandanus amaryllifolius</i>
Sa nham nam vang (Vietnam.) <i>Amomum krervanh</i>	Sarepta-Senf (Germ.) <i>Brassica juncea</i>	Sasang (Santali) <i>Curcuma longa</i>	Sauge (French) <i>Salvia officinalis</i>	Schraubenbaum-Blüten (Germ.) <i>Pandanus odoratissimus</i>
Sa nhan (Vietnam.) <i>Amomum xanthioides</i>	Sareptas sinepes (Latv.) <i>Brassica juncea</i>	Sasapareosu (Korean) <i>Sassafras albidum</i>	Saump (Maith.) <i>Foeniculum vulgare</i>	Schraubenpalme (Germ.) <i>Pandanus odoratissimus</i>
Sannadumparashtram (Telugu) <i>Alpinia galanga</i>	Sárga gyömbérgyökér (Hung.) <i>Curcuma longa</i>	Sasapureosu (Korean) <i>Sassafras albidum</i>	Saunf (Dogri,Hindi) <i>Foeniculum vulgare</i>	Schraubpalme (Germ.) <i>Pandanus amaryllifolius</i>
Sannae (Korean) <i>Kaempferia galanga</i>	Sárga mustár (Hung.) <i>Sinapis alba</i>	Saseasenara (Nzema) <i>Piper clusii</i>	Saunf, moti (Hindi) <i>Foeniculum vulgare</i>	Schroefpalm (Dutch) <i>Pandanus amaryllifolius</i>
San nai (Mand.) <i>Kaempferia galanga</i>	Sarı boya (Turk.) <i>Curcuma longa</i>	Sasefras (Yidd.) <i>Sassafras albidum</i>	Saunf, patli (Hindi) <i>Pimpinella anisum</i>	Schroefpalm (Dutch) <i>Pandanus odoratissimus</i>
Sanouz (Arab.) <i>Nigella sativa</i>	Sarı kök (Turk.) <i>Curcuma longa</i>	Sasema (Fante) <i>Piper clusii</i>	Saunf, tara (Hindi) <i>Illicium verum</i>	Schwarzpfeffer (Germ.) <i>Piper cubeba</i>
Sanque (Tagalog) <i>Illicium verum</i>	Sarıkök (Azeri) <i>Curcuma longa</i>	Sasive (Kannada) <i>Brassica nigra</i>	Saunf, vilayati (Hindi) <i>Pimpinella anisum</i>	Schwarzer Cardamom (Germ.) <i>Amomum subulatum</i>
Sansho (Japan.) <i>Zanthoxylum piperitum</i>	Sarimsag (Mong.) <i>Allium sativum</i>	Sassafras (Czech,Dutch,Engl.,French,Germ.,Russ.,Slovak) <i>Sassafras albidum</i>	Saunph (Punjabi) <i>Foeniculum vulgare</i>	Schwarzer Kreuzkümmel (Germ.) <i>Bunium persicum</i>
Sansho-modoki (Japan.) <i>Schinus terebinthifolius</i>	Sarimsak (Turk.) <i>Allium sativum</i>	Sassafrás (Port.) <i>Sassafras albidum</i>	Šaurlapu lavanda (Latv.) <i>Lavandula angustifolia</i>	Schwarzer Pfeffer (Germ.) <i>Piper nigrum</i>
Sanšó (Czech) <i>Zanthoxylum piperitum</i>	Sarimsak, yabanî (Turk.) <i>Allium ursinum</i>	Sassafras, valkjas (Eston.) <i>Sassafras albidum</i>	Sáuvi (Prov.) <i>Salvia officinalis</i>	Schwarzer Senf (Germ.) <i>Brassica nigra</i>
Sanšó koření (Czech) <i>Zanthoxylum piperitum</i>	Sarimsok (Tajik) <i>Allium sativum</i>	Sassafras officinalis (bot.) <i>Sassafras albidum</i>	Savaly (Malayalam) <i>Allium cepa</i>	Schwarzkümmel (Germ.) <i>Nigella sativa</i>
Santara (Dogri,Gujrati,Hindi,Kashm.,Maith.,Urdu) <i>Citrus sinensis</i>	Sarimsoq (Uzbek) <i>Allium sativum</i>	Sassafrasové listy (Slovak) <i>Sassafras albidum</i>	Savanyú narancs (Hung.) <i>Citrus aurantium</i> ssp. <i>amara</i>	
	Saris (Copt.) <i>Ferula assafoetida</i>	Sassafrasové listy (Slovak) <i>Sassafras albidum</i>	Savory (Engl.) <i>Satureja hortensis</i>	
		Sassafrasso (Ital.) <i>Sassafras albidum</i>	Savyamu (Telugu) <i>Piper nigrum</i>	

Schwarznessel (Germ.) <i>Perilla frutescens</i>	Seibari (Japan.) <i>Satureja hortensis</i>	Seledri (Indones.) <i>Petroselinum crispum</i>	Semen Tonco (pharm.) <i>Dipteryx odorata</i>	Serah (Malay) <i>Eugenia polyantha</i>
Scortșoară (Roman.) <i>Cinnamomum zeylanicum</i>	Seibori (Korean) <i>Satureja hortensis</i>	Selen (Croat.,Maced.,Serb.) <i>Levisticum officinale</i>	Semillas de Amapola (Span.) <i>Papaver somniferum</i>	Serai (Indones.,Malay) <i>Cymbopogon citratus</i>
Scortșoară Cassia (Roman.) <i>Cinnamomum cassia</i>	Seichü (Angami Naga) <i>Cinnamomum zeylanicum</i>	Selera (Ukr.) <i>Apium graveolens</i>	Semsem (Copt.) <i>Sesamum indicum</i>	Serai dapur (Malay) <i>Cymbopogon citratus</i>
Scortșoară chinezească (Roman.) <i>Cinnamomum cassia</i>	Seiji (Korean) <i>Salvia officinalis</i>	Selera pakhucha (Ukr.) <i>Apium graveolens</i>	Sen (Vietnam.) <i>Zanthoxylum avicennae</i>	Sereh (Dutch,Indones.) <i>Cymbopogon citratus</i>
Scortșoară indoneziană (Roman.) <i>Cinnamomum burmannii</i>	Seilearaidh (Gael.) <i>Apium graveolens</i>	Seleri (Hebr.,Urdu,Yidd.) <i>Apium graveolens</i>	Senafech tseda (Tigr.) <i>Sinapis alba</i>	Sereptinis bastutis (Lith.) <i>Brassica juncea</i>
Scortșoară vietnameză (Roman.) <i>Cinnamomum loureirii</i>	Seiron-nikkei (Japan.) <i>Cinnamomum zeylanicum</i>	Seler korzeniowy (Pol.) <i>Apium graveolens</i>	Senafech tselim (Tigr.) <i>Brassica nigra</i>	Serfilh (Bret.) <i>Anthriscus cerefolium</i>
Scotch Bonnet (Engl.) <i>Capsicum chinense</i>	Seiyo-hakka (Japan.) <i>Mentha piperita</i>	Seler zwyczajny (Pol.) <i>Apium graveolens</i>	Senafich, netch (Amhar.) <i>Sinapis alba</i>	Seriawan (Indones.) <i>Zanthoxylum nitidum</i>
Screwpine, fragrant (Engl.) <i>Pandanus amaryllifolius</i>	Seiyo-suzu (Japan.) <i>Juniperus communis</i>	Selft (Dutch) <i>Salvia officinalis</i>	Senafich, t'ikur (Amhar.) <i>Brassica nigra</i>	Seri lamin (Tigr.) <i>Cymbopogon citratus</i>
Screw pine flower (Engl.) <i>Pandanus odoratissimus</i>	Seiyo-toshyo (Japan.) <i>Juniperus communis</i>	Selim, grains of (Engl.) <i>Xylopiya aethiopica</i>	Senahun (Malay) <i>Persicaria hydropiper</i>	Serori (Japan.) <i>Apium graveolens</i>
Screw pine leaf (Engl.) <i>Pandanus amaryllifolius</i>	Seiyowasabi (Japan.) <i>Armoracia rusticana</i>	Selimskörner (Germ.) <i>Xylopiya aethiopica</i>	Senape bianca (Ital.) <i>Sinapis alba</i>	Serpillo (Ital.) <i>Thymus serpyllum</i>
Screw tree flower (Engl.) <i>Pandanus odoratissimus</i>	Seiyo-yamahakka (Japan.) <i>Melissa officinalis</i>	Selinë (Alb.) <i>Apium graveolens</i>	Senape nera (Ital.) <i>Brassica nigra</i>	Serpilo (Esperanto) <i>Thymus serpyllum</i>
Screw tree leaf (Engl.) <i>Pandanus amaryllifolius</i>	Sej (Sinh.) <i>Salvia officinalis</i>	Selino (Greek) <i>Apium graveolens</i>	Sendru (Tibet.) <i>Punica granatum</i>	Serpil (Catalan) <i>Thymus serpyllum</i>
Se (Vietnam.) <i>Alpinia globosa</i>	Sėjamoji petražolė (Lith.) <i>Petroselinum crispum</i>	Selinoja (Alb.) <i>Apium graveolens</i>	Senegal pepper (Engl.) <i>Xylopiya aethiopica</i>	Serpolet (French) <i>Thymus serpyllum</i>
Seallóidí (Irish) <i>Allium ascalonicum</i>	Sėjamoji pipirnė (Lith.) <i>Lepidium sativum</i>	Selinon (Old Greek) <i>Apium graveolens</i>	Senegalpfeffer (Germ.) <i>Xylopiya aethiopica</i>	Serpoletto (Span.) <i>Thymus serpyllum</i>
Seasaman (Irish) <i>Sesamum indicum</i>	Sekar pala (Indones.) <i>Myristica fragrans</i>	Selit (Amhar.) <i>Sesamum indicum</i>	Sénégré (French) <i>Trigonella foenum-graecum</i>	Serpoul (Prov.) <i>Thymus serpyllum</i>
Seath bhog (Gael.) <i>Majorana hortensis</i>	Sekiryu (Japan.) <i>Punica granatum</i>	Seljufræ (Icel.) <i>Apium graveolens</i>	Senenka (Czech) <i>Trigonella foenum-graecum</i>	Serpyllum (Lat.) <i>Thymus serpyllum</i>
Se 'bru (Tibet.) <i>Punica granatum</i>	Sek'it Almond (Amhar.) <i>Prunus dulcis var. dulcis</i>	Selleori (Korean) <i>Apium graveolens</i>	Sénevé noir (French) <i>Brassica nigra</i>	Serthlum (Hmar,Mizo) <i>Citrus sinensis</i>
Sebru (Dz.) <i>Punica granatum</i>	Sek laahn yuhk gwai (Canton.) <i>Cinnamomum zeylanicum</i>	Selleori sidu (Korean) <i>Apium graveolens</i>	Senf, schwarzer (Germ.) <i>Brassica nigra</i>	Sesam (Germ.,Swed.) <i>Sesamum indicum</i>
Sechuan Peber (Dan.) <i>Zanthoxylum piperitum</i>	Sekvar (Croat.) <i>Curcuma zedoaria</i>	Seller (Eston.) <i>Apium graveolens</i>	Senf, weißer (Germ.) <i>Sinapis alba</i>	Sèsam (Catalan) <i>Sesamum indicum</i>
Sechuan peper (Dutch) <i>Zanthoxylum piperitum</i>	Selada air (Indones.) <i>Nasturtium officinale</i>	Selleri (Dan.,Finn.,Norw.,Swed.) <i>Apium graveolens</i>	Sen gai (Vietnam.) <i>Zanthoxylum armatum</i>	Sesam, wilder (Germ.) <i>Perilla frutescens</i>
Sechuanski piper (Bulg.) <i>Zanthoxylum piperitum</i>	Selada ayer (Malay) <i>Nasturtium officinale</i>	Sellerie (Germ.) <i>Apium graveolens</i>	Sen hoi (Vietnam.) <i>Zanthoxylum rhetsa</i>	Sesame (Engl.) <i>Sesamum indicum</i>
Sečuan biber (Serb.) <i>Zanthoxylum piperitum</i>	Selâm otu (Turk.) <i>Levisticum officinale</i>	Sellerifræ (Icel.) <i>Apium graveolens</i>	Senigré (Prov.) <i>Trigonella foenum-graecum</i>	Sésame (French) <i>Rosa damascena</i>
Sečuánske korenje (Slovak) <i>Zanthoxylum piperitum</i>	Selaseh (Malay) <i>Ocimum basilicum</i>	Sellori (Korean) <i>Apium graveolens</i>	Sen la to (Vietnam.) <i>Zanthoxylum myriacanthum</i>	Sesame, wild (Engl.) <i>Perilla frutescens</i>
Sečuánský pepř (Czech) <i>Zanthoxylum piperitum</i>	Selaseh besar (Malay) <i>Ocimum gratissimum</i>	Selloeri (Thai) <i>Apium graveolens</i>	Sennep (Dan.) <i>Brassica nigra</i>	Sésame sauvage (French) <i>Perilla frutescens</i>
Sedano (Ital.) <i>Apium graveolens</i>	Selaseh mekah (Indones.) <i>Ocimum gratissimum</i>	Selve (Dutch) <i>Salvia officinalis</i>	Sennep, hvid (Dan.) <i>Sinapis alba</i>	Sesamfræ (Icel.) <i>Sesamum indicum</i>
Sedano di montagna (Ital.) <i>Levisticum officinale</i>	Selasih (Indones.) <i>Ocimum basilicum</i>	Semen Erucae (pharm.) <i>Sinapis alba</i>	Sennep, sort (Dan.) <i>Brassica nigra</i>	Sesami (Greek) <i>Sesamum indicum</i>
Sedano di Monte (Ital.) <i>Levisticum officinale</i>	Selasi jantan (Malay) <i>Ocimum basilicum</i>	Semen Foenugraeci (pharm.) <i>Trigonella foenum-graecum</i>	Sennepsalat (Dan.) <i>Eruca sativa</i>	Sesamo (Ital.) <i>Sesamum indicum</i>
Sedaran (Sinh.) <i>Citrus limon</i>	Selbieo (Korean) <i>Salvia officinalis</i>	Semen Myristicae (pharm.) <i>Myristica fragrans</i>	Ŝenoprazo (Esperanto) <i>Allium schoenoprasum</i>	Sésamo (Galic.,Port.,Span.) <i>Sesamum indicum</i>
Sedef (Serb.) <i>Ruta graveolens</i>	Selder (Uzbek) <i>Apium graveolens</i>	Semen Papaveris (pharm.) <i>Papaver somniferum</i>	Senovka grécka (Slovak) <i>Trigonella foenum-graecum</i>	Sesamon (Old Greek) <i>Sesamum indicum</i>
Sedefche (Bulg.) <i>Ruta graveolens</i>	Sèlder (Papiamento) <i>Apium graveolens</i>	Semen Sesami (pharm.) <i>Sesamum indicum</i>	Sensam (Fante) <i>Aframomum melegueta</i>	Sesamzaad (Dutch) <i>Sesamum indicum</i>
Sedef otu (Turk.) <i>Ruta graveolens</i>	Sèlderej (Belar.) <i>Apium graveolens</i>	Sementes de Mapoula (Galic.) <i>Papaver somniferum</i>	Sentebon (French) <i>Mentha piperita</i>	Sesawi coklat (Indones.) <i>Brassica juncea</i>
Sedeno (Tigr.) <i>Apium graveolens</i>	Sel'derej (Russ.) <i>Apium graveolens</i>	Sementes do-paráiso (Port.) <i>Aframomum melegueta</i>	Seodeonudu (Korean) <i>Artemisia abrotanum</i>	Sesawi hitam (Indones.) <i>Brassica nigra</i>
Sedratez (Bret.) <i>Citrus medica</i>	Selderey (Turkmen,Yidd.) <i>Apium graveolens</i>		Seongnyu (Korean) <i>Punica granatum</i>	Sesawi putih (Indones.) <i>Sinapis alba</i>
Seer (Pashto) <i>Allium sativum</i>	Selderie (Dutch) <i>Apium graveolens</i>		Sepróruta (Hung.) <i>Artemisia abrotanum</i>	Seseli carvi (bot.) <i>Carum carvi</i>
Seesam, harilik (Eston.) <i>Sesamum indicum</i>	Selderij (Dutch) <i>Apium graveolens</i>		Ser (Mizo) <i>Citrus limon</i>	Seselis (Old Greek) <i>Myrrhis odorata</i>
Seesami (Finn.) <i>Sesamum indicum</i>	Sèldu (Papiamento) <i>Apium graveolens</i>		Sera (Hindi,Sinh.) <i>Cymbopogon citratus</i>	Sesham (Aram.) <i>Sesamum indicum</i>
Segurelha-das-hortas (Port.) <i>Satureja hortensis</i>				Şetan bökösü (Turk.) <i>Ferula assa-foetida</i>

Šetraj, kraški (Sloven.) <i>Satureja montana</i>	Shado beni (Span.) <i>Eryngium foetidum</i>	Shan luo bo (Mand.) <i>Anthriscus cerefolium</i>	Sherolg'i shuvoq (Uzbek) <i>Artemisia dracunculus</i>	Shlaein (Copt.) <i>Nasturtium officinale</i>
Šetraj, vrtni (Sloven.) <i>Satureja hortensis</i>	Shafran (Belar.,Bulg.,Russ.,Ukr.) <i>Crocus sativus</i>	Shan nai (Mand.) <i>Kaempferia galanga</i>	Sheshnou (Copt.) <i>Coriandrum sativum</i>	Shlequm (Copt.) <i>Brassica nigra</i>
Setse (Angami Naga) <i>Sesamum indicum</i>	Shag (Aram.) <i>Laurus nobilis</i>	Shants (Mong.) <i>Cinnamomum cassia</i>	Sheveed (Farsi) <i>Anethum graveolens</i>	Shmukhtike gendzn-lopke (Yidd.) <i>Chenopodium ambrosioides</i>
Setsuanin pippuri (Finn.) <i>Zanthoxylum piperitum</i>	Shagheyegh (Farsi) <i>Papaver somniferum</i>	Shantsai (Mong.) <i>Cinnamomum zeylanicum</i>	Shevet rehani (Hebr.) <i>Anethum graveolens</i>	Shnit-luk (Russ.) <i>Allium schoenoprasum</i>
Seui fa (Canton.) <i>Limnophila aromatica</i>	Shahajirige (Kannada) <i>Bunium persicum</i>	Shan yu gui (Mand.) <i>Cinnamomum burmannii</i>	Shia jeera (Hindi) <i>Carum carvi</i>	Shoap (Marathi) <i>Foeniculum vulgare</i>
Seui fuh yuhng (Canton.) <i>Limnophila aromatica</i>	Shahaspram (Armen.) <i>Ocimum basilicum</i>	Shaprani (Georg.) <i>Carthamus tinctorius</i>	Shiba (Aram.) <i>Pimpinella anisum</i>	Shoga (Japan.) <i>Zingiber officinale</i>
Seung mihn chi (Canton.) <i>Zanthoxylum nitidum</i>	Shahaspram (Armen.) <i>Ocimum basilicum</i>	Shaqed (Hebr.) <i>Prunus dulcis</i>	Shibit (Tajik) <i>Anethum graveolens</i>	Shoith (Maith.) <i>Zingiber officinale</i>
Sevillai narancs (Hung.) <i>Citrus aurantium ssp. amara</i>	Shahi (Aram.) <i>Juniperus communis</i>	Shard (Aram.) <i>Prunus dulcis var. amara</i>	Shibitt (Arab.) <i>Anethum graveolens</i>	Sholvie (Yidd.) <i>Salvia officinalis</i>
Sevilla orange (Engl.) <i>Citrus aurantium ssp. amara</i>	Shahi (Farsi) <i>Lepidium sativum</i>	Sharilzh (Mong.) <i>Artemisia vulgaris</i>	Shih (Arab.) <i>Artemisia absinthium</i>	Shonsi (Burmes.) <i>Citrus sinensis</i>
Seylan tarçmı (Turk.) <i>Cinnamomum zeylanicum</i>	Shahi jira (Dogri,Hindi) <i>Bunium persicum</i>	Shashkvliavi (Georg.) <i>Ocimum basilicum</i>	Shi liu (Mand.) <i>Punica granatum</i>	Shonti (Telugu) <i>Zingiber officinale</i>
Şeytan tersi (Turk.) <i>Ferula assa-foetida</i>	Shah zira (Urdu) <i>Bunium persicum</i>	Shatadalaa (Sanskrit) <i>Rosa damascena</i>	Shi luo (Mand.) <i>Anethum graveolens</i>	Shooshma (Armen.) <i>Sesamum indicum</i>
Sezab (Turk.) <i>Ruta graveolens</i>	Shaja mjekësore (Alb.) <i>Borago officinalis</i>	Shatapattra (Sanskrit) <i>Rosa damascena</i>	Shima (Japan.) <i>Sesamum indicum</i>	Shooshmayi good (Armen.) <i>Sesamum indicum</i>
Sezam (Belar.,Bret.,Croat.,Czech,Russ.,Serb.,Slovak,Ukr.,Yidd.) <i>Sesamum indicum</i>	Sha jen (Chines.) <i>Elettaria cardamomum</i>	Shatapushpa (Sinh.) <i>Anethum graveolens</i>	Shi na ma ngar (Tibet.) <i>Glycyrrhiza glabra</i>	Shooshmir (Armen.) <i>Elettaria cardamomum</i>
Sezama (Sloven.) <i>Sesamum indicum</i>	Sha jiang (Mand.) <i>Kaempferia galanga</i>	Shatapushpamu (Telugu) <i>Anethum graveolens</i>	Shinamon (Japan.) <i>Cinnamomum zeylanicum</i>	Shorf ferferl (Yidd.) <i>Capsicum frutescens</i>
Sezamas (Lith.) <i>Sesamum indicum</i>	Shaked (Hebr.) <i>Prunus dulcis</i>	Shati (Sanskrit) <i>Curcuma zedoaria</i>	Shinamonkasshia (Japan.) <i>Cinnamomum cassia</i>	Shorotto (Japan.) <i>Allium ascalonicum</i>
Sëzama sēklas (Latv.) <i>Sesamum indicum</i>	Shakhalayim Tarbutyim (Hebr.) <i>Lepidium sativum</i>	Shatpushpa (Sanskrit) <i>Foeniculum vulgare</i>	Shina ngar (Tibet.) <i>Glycyrrhiza glabra</i>	Shouj (Copt.) <i>Carthamus tinctorius</i>
Sezam indický (Slovak) <i>Sesamum indicum</i>	Shaku (Japan.) <i>Anthriscus cerefolium</i>	Shatpushpa (Sanskrit) <i>Pimpinella anisum</i>	Shinduram (Malayalam) <i>Carthamus tinctorius</i>	Shoumar (Arab.) <i>Foeniculum vulgare</i>
Sezam indyjski (Pol.) <i>Sesamum indicum</i>	Shalfej (Russ.) <i>Salvia officinalis</i>	Shatta (Arab.) <i>Capsicum frutescens</i>	Shing (Manipuri) <i>Zingiber officinale</i>	Shouniz (Copt.) <i>Nigella sativa</i>
Sezamo (Esperanto) <i>Sesamum indicum</i>	Shalfey (Yidd.) <i>Salvia officinalis</i>	Shauf (Marathi) <i>Pimpinella anisum</i>	Shing-kun (Tibet.) <i>Ferula assa-foetida</i>	Shounth (Kashm.) <i>Zingiber officinale</i>
Sezamové semínko (Czech) <i>Sesamum indicum</i>	Shaliot (Belar.) <i>Allium ascalonicum</i>	Shauk-nu (Burmes.) <i>Citrus hystrix</i>	Shing-tsa (Tibet.) <i>Cinnamomum zeylanicum</i>	Shozuku (Japan.) <i>Elettaria cardamomum</i>
Sezchuanpeppar (Swed.) <i>Zanthoxylum piperitum</i>	Shallot (Engl.) <i>Allium ascalonicum</i>	Shauktakera (Burmes.) <i>Citrus limon</i>	Shing-tsha (Tibet.) <i>Cinnamomum zeylanicum</i>	Shqeme (Alb.) <i>Rhus coriaria</i>
Sezi (Japan.) <i>Salvia officinalis</i>	Shalot (Yidd.) <i>Alium ascalonicum</i>	Shauk-waing (Burmes.) <i>Citrus hystrix</i>	Shinkurt, k'ey (Amhar.) <i>Allium cepa</i>	Shqemja (Alb.) <i>Rhus coriaria</i>
Sezv-du (Bret.) <i>Brassica nigra</i>	Shalot (Russ.) <i>Allium ascalonicum</i>	Shavliya likars'ka (Ukr.) <i>Salvia officinalis</i>	Shinkurt, netch (Amhar.) <i>Allium sativum</i>	Shriisanjan (Sanskrit) <i>Syzygium aromaticum</i>
Sezv-gwenn (Bret.) <i>Sinapis alba</i>	Shalottisipuli (Finn.) <i>Allium ascalonicum</i>	Shavo (Lotha Naga) <i>Pandanus odoratissimus</i>	Shirbakhti (Georg.) <i>Sesamum indicum</i>	Shringaran (Sanskrit) <i>Zingiber officinale</i>
Sfarkë (Alb.) <i>Salvia officinalis</i>	Shamaar (Arab.) <i>Foeniculum vulgare</i>	Shebbelila (Aram.) <i>Trigonella foenum-graecum</i>	Shireen buya (Pashto) <i>Glycyrrhiza glabra</i>	Shringaveran (Sanskrit) <i>Zingiber officinale</i>
Sgalaid (Gael.) <i>Allium ascalonicum</i>	Shamar (Arab.) <i>Foeniculum vulgare</i>	Shebet (Farsi) <i>Anethum graveolens</i>	Shirin bayan (Farsi) <i>Glycyrrhiza glabra</i>	Shri-tulasi (Kannada) <i>Ocimum basilicum</i>
Sga ser (Tibet.) <i>Curcuma longa</i>	Shamari (Swahili) <i>Foeniculum vulgare</i>	Shega (Alb.) <i>Punica granatum</i>	Shiro-garashi (Japan.) <i>Sinapis alba</i>	Shroyfnboym (Yidd.) <i>Pandanus odoratissimus</i>
Sga skya (Tibet.) <i>Zingiber officinale</i>	Shambala (Russ.) <i>Trigonella foenum-graecum</i>	Shegd (Aram.) <i>Prunus dulcis</i>	Shiseri (Japan.) <i>Myrrhis odorata</i>	Shroyfnboym (Yidd.) <i>Pandanus amaryllifolius</i>
Sga smug (Tibet.) <i>Zingiber officinale</i>	Shamir (Hebr.) <i>Anethum graveolens</i>	Shegda (Aram.) <i>Prunus dulcis</i>	Shiso (Japan.) <i>Perilla frutescens</i>	Shtjemëz (Alb.) <i>Rhus coriaria</i>
Sgeallan dubh (Gael.) <i>Brassica nigra</i>	Shamir (Hebr.) <i>Anethum graveolens</i>	Shegë (Alb.) <i>Punica granatum</i>	Shiso-kusa (Japan.) <i>Limnophila aromatica</i>	Shtshipier (Yidd.) <i>Allium schoenoprasum</i>
Sgeallan geal (Gael.) <i>Sinapis alba</i>	Shamraa (Arab.) <i>Foeniculum vulgare</i>	Shegurti kayeh (Tigr.) <i>Allium cepa</i>	Shitoron (Japan.) <i>Citrus medica</i>	Shuang mian ci (Mand.) <i>Zanthoxylum nitidum</i>
Sgog pa (Tibet.) <i>Allium sativum</i>	Shanbalid (Urdu) <i>Trigonella foenum-graecum</i>	Shegurti tseada (Tigr.) <i>Allium sativum</i>	Shiv (Uzbek) <i>Anethum graveolens</i>	Shug-pa (Tibet.) <i>Juniperus communis</i>
Sgolag (Gael.) <i>Olea europaea</i>	Shanbalile (Farsi) <i>Trigonella foenum-graecum</i>	Sheingho (Burmes.) <i>Ferula assa-foetida</i>	Shiwit (Farsi) <i>Anethum graveolens</i>	Shugs-pa (Tibet.) <i>Juniperus communis</i>
Shaahesprahm (Pahlavi) <i>Ocimum basilicum</i>	Shan hu jiao (Mand.) <i>Tasmania lanceolata</i>	Shenempre (Copt.) <i>Artemisia vulgaris</i>	Shiwit (Farsi) <i>Anethum graveolens</i>	Shugurti zebii (Tigr.) <i>Allium cepa</i>
Shabaliidag (Pahlavi) <i>Trigonella foenum-graecum</i>	Shan jiang (Mand.) <i>Alpinia galanga</i>	Sheng jiang (Mand.) <i>Zingiber officinale</i>	Shi yao (Mand.) <i>Houttuynia cordata</i>	Shui fu rong (Mand.) <i>Limnophila aromatica</i>
Shabath (Arab.) <i>Anethum graveolens</i>	Shan jiao (Mand.) <i>Zanthoxylum avicennae</i>	Shenxiang cao (Mand.) <i>Hysosopus officinalis</i>	Shjen (Copt.) <i>Allium sativum</i>	Shui jie cai (Mand.) <i>Nasturtium officinale</i>
Shabit (Pashto) <i>Anethum graveolens</i>	Shan jiao (Mand.) <i>Zanthoxylum avicennae</i>	Sherbela (Alb.) <i>Salvia officinalis</i>		Shui jin (Mand.) <i>Lepidium sativum</i>
	Shan kui (Mand.) <i>Wasabia japonica</i>	Sherbelë mjekësore (Alb.) <i>Salvia officinalis</i>		Shui liao (Mand.) <i>Persicaria hydropiper</i>
	Shan lo po (Mand.) <i>Anthriscus cerefolium</i>	Shërc (Alb.) <i>Nasturtium officinale</i>		

Shui xun (Mand.) <i>Lepidium sativum</i>	Sidalai (Tamil) <i>Citrus limon</i>	Sinap, byal (Bulg.) <i>Sinapis alba</i>	Siobaid (Gael.) <i>Allium cepa</i>	Siu dau kau (Canton.) <i>Amomum krervanh</i>
Shum (Hebr.) <i>Allium sativum</i>	Sidrunaloisia (Eston.) <i>Lippia citriodora</i>	Sinap cheren (Bulg.) <i>Brassica nigra</i>	Siobhas (Irish) <i>Allium schoenoprasum</i>	Siu heung chou (Canton.) <i>Ruta graveolens</i>
Shumac (Engl.) <i>Rhus coriaria</i>	Sidrunhein, harilik (Eston.) <i>Cymbopogon citratus</i>	Sinape (Lat.) <i>Sinapis alba</i>	Šipak (Croat.) <i>Punica granatum</i>	Siu wuih heung (Canton.) <i>Foeniculum vulgare</i>
Shumar (Arab.,Aram.,Hebr.) <i>Foeniculum vulgare</i>	Sidrunipuu, harilik (Eston.) <i>Citrus limon</i>	Sinapi (Old Greek) <i>Brassica nigra</i>	Si pan dmar po (Tibet.) <i>Capsicum frutescens</i>	Siu wuih heung (Canton.) <i>Cuminum cyminum</i>
Shum habar (Hebr.) <i>Allium ursinum</i>	Sidrunipuu, nāsaviljaline (Eston.) <i>Citrus medica</i>	Sinapi agrio (Greek) <i>Sinapis alba</i>	Si pan sngon po (Tibet.) <i>Capsicum frutescens</i>	Siva gorčica (Sloven.) <i>Brassica juncea</i>
Shumshum (Aram.,Hebr.) <i>Sesamum indicum</i>	Sidrunmeliss (Eston.) <i>Melissa officinalis</i>	Sinapi aspro (Greek) <i>Sinapis alba</i>	Sipen marpo (Tibet.) <i>Capsicum frutescens</i>	Sivatulasi (Malayalam) <i>Ocimum basilicum</i>
Shumshuq (Aram.) <i>Majorana hortensis</i>	Sidrunpuju (Eston.) <i>Artemisia abrotanum</i>	Sinapi i zi (Alb.) <i>Brassica nigra</i>	Sipen ngonpo (Tibet.) <i>Capsicum frutescens</i>	Siveydenpuu (Finn.) <i>Vitex agnus-castus</i>
Shunez (Arab.) <i>Nigella sativa</i>	Sierāboliņš (Latv.) <i>Trigonella foenum-graecum</i>	Sinapi mauro (Greek) <i>Brassica nigra</i>	Šīpoli, dārza (Latv.) <i>Allium cepa</i>	Sivka (Sloven.) <i>Lavandula angustifolia</i>
Shunthi (Kannada,Sanskrit) <i>Zingiber officinale</i>	Sigappu milagai (Tamil) <i>Capsicum frutescens</i>	Sinapis (Lat.) <i>Sinapis alba</i>	Šīpoli, šarlotes (Latv.) <i>Allium ascalonicum</i>	Siyah hardal tohum (Turk.) <i>Brassica nigra</i>
Shunti (Tulu) <i>Zingiber officinale</i>	Siğirdili (Turk.) <i>Borago officinalis</i>	Sinapis semen (pharm.) <i>Brassica nigra</i>	Sipulinsiemen (Finn.) <i>Nigella sativa</i>	Siyah kimyon (Turk.) <i>Nigella sativa</i>
Shuntya (Gujrati) <i>Zingiber officinale</i>	Siğra tal-virgi (Malt.) <i>Vitex agnus-castus</i>	Sinapo (Esperanto) <i>Sinapis alba</i>	Šipurak (Croat.) <i>Rosa damascena</i>	Siyah susam (Turk.) <i>Nigella sativa</i>
Shush kireah (Hebr.) <i>Glycyrrhiza glabra</i>	Siğra tar-Rand (Malt.) <i>Laurus nobilis</i>	Sinapo, blanka (Esperanto) <i>Sinapis alba</i>	Sir (Farsi,Tajik,Urdu) <i>Allium sativum</i>	Siyambala (Sinh.) <i>Tamarindus indica</i>
Shushma (Armen.) <i>Sesamum indicum</i>	Sih loh (Canton.) <i>Anethum graveolens</i>	Sinapo, nigra (Esperanto) <i>Brassica nigra</i>	Sir-kharas (Farsi) <i>Allium ursinum</i>	Sjachet (Arab.) <i>Anethum graveolens</i>
Shushmir (Armen.) <i>Elettaria cardamomum</i>	Sikadez (Bret.) <i>Hyssopus officinalis</i>	Sinaposporos (Greek) <i>Brassica nigra</i>	Sirmik (Turk.) <i>Allium schoenoprasum</i>	Sjalot (Dutch) <i>Allium ascalonicum</i>
Shu wei cao (Mand.) <i>Salvia officinalis</i>	Si khai (Lao) <i>Cymbopogon citratus</i>	Sinappikaali (Finn.) <i>Eruca sativa</i>	Sirmo (Turk.) <i>Allium schoenoprasum</i>	Sjalott-løk (Norw.) <i>Allium ascalonicum</i>
Shvartse gortshitse (Yidd.) <i>Brassica nigra</i>	Silam (Nepali) <i>Perilla frutescens</i>	Sindhuri (Hindi) <i>Bixa orellana</i>	Sirpiyoz (Tajik) <i>Allium sativum</i>	Sjamar (Arab.) <i>Anethum graveolens</i>
Shvartse mustarde (Yidd.) <i>Brassica nigra</i>	Silen zočin (Maced.) <i>Pimenta dioica</i>	Sindreg (Aram.) <i>Cinnamomum zeylanicum</i>	Sirso (Garo) <i>Brassica nigra</i>	Sjetvena grbica (Croat.) <i>Lepidium sativum</i>
Shvartser fefer (Yidd.) <i>Piper nigrum</i>	Sili (Tagalog) <i>Capsicum frutescens</i>	Sindure (Nepali) <i>Bixa orellana</i>	Sisi (Nepali) <i>Cinnamomum tamala</i>	Skalotte løg (Dan.) <i>Allium ascalonicum</i>
Shvartser zeneft (Yidd.) <i>Brassica nigra</i>	Siling labuyo (Tagalog) <i>Capsicum frutescens</i>	Sinegolovnik pakhuchi (Russ.) <i>Eryngium foetidum</i>	Sisilli (Korean) <i>Myrrhis odorata</i>	Skalottlaukur (Icel.) <i>Allium ascalonicum</i>
Shwet (Aram.) <i>Pimpinella anisum</i>	Siling pangsigang (Tagalog) <i>Capsicum frutescens</i>	Sinegolovnik vonyuchij (Russ.) <i>Eryngium foetidum</i>	Sisimbrium (Lat.) <i>Mentha aquatica</i>	Skantziki (Greek) <i>Anthriscus cerefolium</i>
Shynrai (Khasi) <i>Curcuma longa</i>	Şillan (Turk.) <i>Rosa canina</i>	Sinep, valge (Eston.) <i>Sinapis alba</i>	Sisulli (Korean) <i>Myrrhis odorata</i>	Skessujurt (Icel.) <i>Levisticum officinale</i>
Siah avraham mazui (Hebr.) <i>Vitex agnus-castus</i>	Sillon-gyepi (Korean) <i>Cinnamomum zeylanicum</i>	Sinepe, baltā (Latv.) <i>Sinapis alba</i>	Sisunu (Korean) <i>Schinus terebinthifolius</i>	Skhdor (Armen.) <i>Allium sativum</i>
Siah daneh (Farsi) <i>Nigella sativa</i>	Silovoň (Czech) <i>Dipteryx odorata</i>	Sinapes, melnā (Latv.) <i>Brassica nigra</i>	Sisymbrium (Old Greek) <i>Mentha aquatica</i>	Skinus, pehme (Eston.) <i>Schinus molle</i>
Sialotsyn (Welsh) <i>Allium ascalonicum</i>	Silovoň obecny (Czech) <i>Dipteryx odorata</i>	Sinepes, sareptas (Latv.) <i>Brassica juncea</i>	Sisymbrium nasturtium-aquaticum (bot.) <i>Nasturtium officinale</i>	Skjaldflétta (Icel.) <i>Tropaeolum majus</i>
Siamese ginger (Engl.) <i>Alpinia galanga</i>	Silpium (Lat.) <i>Silphion</i>	Sinessappel (Fris.) <i>Citrus sinensis</i>	Sitma otu (Turk.) <i>Artemisia vulgaris</i>	Skoradon (Aram.) <i>Allium sativum</i>
Siam-Ingwer (Germ.) <i>Alpinia galanga</i>	Silum (Lat.) <i>Apium graveolens</i>	Sing git muih (Canton.) <i>Vitex agnus-castus</i>	Sitroen (Fris.) <i>Citrus limon</i>	Skordo (Greek) <i>Allium sativum</i>
Siauralapis bazilikas (Lith.) <i>Ocimum tenuiflorum</i>	Sim (Copt.) <i>Sesamum indicum</i>	Singh (Manipuri) <i>Zingiber officinale</i>	Sitróna (Icel.) <i>Citrus limon</i>	Škorica (Slovak) <i>Cinnamomum zeylanicum</i>
Sibin (Bodo) <i>Sesamum indicum</i>	Simannirupuvvu (Telugu) <i>Rosa damascena</i>	Sinh khuong (Vietnam.) <i>Zingiber officinale</i>	Sitronmelde (Norw.) <i>Chenopodium ambrosioides</i>	Škorica cassia (Slovak) <i>Cinnamomum cassia</i>
Šibit (Turk.) <i>Anethum graveolens</i>	Sim-hwang (Korean) <i>Curcuma longa</i>	Sinhärkylä (Finn.) <i>Trigonella caerulea</i>	Sitronmelisse (Norw.) <i>Melissa officinalis</i>	Škorica cejlonská (Slovak) <i>Cinnamomum zeylanicum</i>
Sibit paklavit (Tagalog) <i>Zanthoxylum alatum</i>	Simkerlek (Hmar) <i>Tamarindus indica</i>	Sinine lambalaäats (Eston.) <i>Trigonella caerulea</i>	Sitroņis (Bret.) <i>Citrus limon</i>	Škorica čínská (Slovak) <i>Cinnamomum cassia</i>
Sibul, harilik (Eston.) <i>Allium cepa</i>	Sim rayo (Nepali) <i>Nasturtium officinale</i>	Sinisarviapila (Finn.) <i>Trigonella caerulea</i>	Sitrónugras (Icel.) <i>Cymbopogon citratus</i>	Škorica čínská (Slovak) <i>Cinnamomum cassia</i>
Sibuyas (Tagalog) <i>Allium cepa</i>	Simsim (Arab.,Copt.) <i>Sesamum indicum</i>	Sinnepsfræ (Icel.) <i>Sinapis alba</i>	Sitrónumelissa (Icel.) <i>Melissa officinalis</i>	Skořice čínská (Czech) <i>Cinnamomum cassia</i>
Sichuani pipar (Eston.) <i>Zanthoxylum piperitum</i>	Sinaasappel (Dutch) <i>Citrus sinensis</i>	Sinouj (Arab.) <i>Nigella sativa</i>	Sitrusheinät (Finn.) <i>Cymbopogon citratus</i>	Skorodon (Old Greek) <i>Allium sativum</i>
Sichuan pepper (Engl.) <i>Zanthoxylum piperitum</i>	Sinaasappel, bergamot (Dutch) <i>Citrus aurantium ssp. bergamia</i>	Sinséar (Irish) <i>Zingiber officinale</i>	Sitruuna (Finn.) <i>Citrus limon</i>	Skorton (Copt.) <i>Allium sativum</i>
Sichuanpfeffer (Germ.) <i>Zanthoxylum piperitum</i>	Sinaasappel, bittere (Dutch) <i>Citrus aurantium ssp. amara</i>	Sinsir (Welsh) <i>Zingiber officinale</i>	Sitruunamelissa (Finn.) <i>Melissa officinalis</i>	
Sichuanpipar (Icel.) <i>Zanthoxylum piperitum</i>	Sinamilagu (Tamil) <i>Piper cubeba</i>	Sintjansbrood (Dutch) <i>Artemisia vulgaris</i>	Sitruunaruoho (Finn.) <i>Cymbopogon citratus</i>	
Sicilian sumac (Engl.) <i>Rhus coriaria</i>	Sinamon (Korean) <i>Cinnamomum zeylanicum</i>	Sinziminli (Nzema) <i>Zingiber officinale</i>	Sitruunasavikka (Finn.) <i>Chenopodium ambrosioides</i>	
			Si tuba sawah (Indones.) <i>Perisaria hydropiper</i>	

Skrápsitróna (Icel.) <i>Citrus medica</i>	Slatka naranča (Croat.) <i>Citrus sinensis</i> ssp. <i>dulcis</i>	Šofran (Roman.) <i>Crocus sativus</i>	Sonf (Urdu) <i>Foeniculum vulgare</i>	Soyop (Korean) <i>Perilla frutescens</i>
Skruepalme (Dan.) <i>Pandanus odoratissimus</i>	Slatki badem (Croat.,Serb.) <i>Prunus dulcis</i> var. <i>dulcis</i>	Šofrānaš (Roman.) <i>Carthamus tinctorius</i>	Songino (Mong.) <i>Allium cepa</i>	Soyop (Korean) <i>Limnophila aromatica</i>
Skruepalme (Dan.) <i>Pandanus amaryllifolius</i>	Slatki koren (Serb.) <i>Glycyrrhiza glabra</i>	Šofrānel (Roman.) <i>Carthamus tinctorius</i>	Songnyu (Korean) <i>Punica granatum</i>	Soyop-pul (Korean) <i>Limnophila aromatica</i>
Skrupalme (Norw.) <i>Pandanus amaryllifolius</i>	Slatki sladić (Croat.) <i>Glycyrrhiza glabra</i>	Šofran sālbatīc (Roman.) <i>Carthamus tinctorius</i>	Son nai (Vietnam.) <i>Kaempferia galanga</i>	Spaanse peper (Dutch) <i>Capsicum frutescens</i>
Skrupalme (Norw.) <i>Pandanus odoratissimus</i>	Slatko drvece (Serb.) <i>Glycyrrhiza glabra</i>	Sogan (Turkmen) <i>Allium cepa</i>	Son nai (Vietnam.) <i>Alpinia galanga</i>	Spadaan (Pahlavi) <i>Brassica nigra</i>
Skrupalm (Swed.) <i>Pandanus odoratissimus</i>	Slek krey sabou (Khmer) <i>Cymbopogon citratus</i>	Soğan (Azeri,Turk.) <i>Allium cepa</i>	Sonth (Dogri,Hindi) <i>Zingiber officinale</i>	Spanac tāmāios (Roman.) <i>Chenopodium ambrosioides</i>
Skrupalm (Swed.) <i>Pandanus amaryllifolius</i>	Slirk-krote sirk (Khmer) <i>Citrus hystrix</i>	Soğanaq (Azeri) <i>Allium cepa</i>	Sonti (Tamil) <i>Zingiber officinale</i>	Spánarkerfill (Icel.) <i>Myrrhis odorata</i>
Škumpa koželužská (Czech, Slovak) <i>Rhus coriaria</i>	Smar (Aram.) <i>Foeniculum vulgare</i>	Soğani, frenk (Turk.) <i>Allium schoenoprasum</i>	Soo kaerad (Eston.) <i>Myrica gale</i>	Spandaan (Pahlavi) <i>Brassica nigra</i>
Skunkweed (Engl.) <i>Chenopodium ambrosioides</i>	Smartweed (Engl.) <i>Persicaria hydropiper</i>	Sohikirai (Tamil) <i>Foeniculum vulgare</i>	Soorohi (Eston.) <i>Houttuynia cordata</i>	Spanischer Kerbel (Germ.) <i>Myrrhis odorata</i>
Skythike rhiza (Old Greek) <i>Glycyrrhiza glabra</i>	Smaržigā rūta (Latv.) <i>Ruta graveolens</i>	Soh jew (Khasi) <i>Citrus aurantifolia</i>	Sop, daun (Malay) <i>Apium graveolens</i>	Spanischer chervil (Engl.) <i>Myrrhis odorata</i>
Slaapbol (Dutch) <i>Papaver somniferum</i>	Smaržigā vaniļa (Latv.) <i>Vanilla planifolia</i>	Soh Marit (Khasi) <i>Piper nigrum</i>	Soph (Nepali) <i>Anethum graveolens</i>	Spanish chervil (Engl.) <i>Myrrhis odorata</i>
Slaappapaver (Dutch) <i>Papaver somniferum</i>	Smaržigie pipari (Latv.) <i>Pimenta dioica</i>	Soh Mrit (Khasi) <i>Piper nigrum</i>	Soph (Nepali) <i>Foeniculum vulgare</i>	Spanish garlic (Engl.) <i>Allium ascalonicum</i>
Slacić (Serb.) <i>Glycyrrhiza glabra</i>	Smindukh (Bulg.) <i>Trigonella foenum-graecum</i>	Soh mynken (Khasi) <i>Capsicum frutescens</i>	Soph (Assam.) <i>Pimpinella anisum</i>	Spanish juice (Engl.) <i>Glycyrrhiza glabra</i>
Slačica, bela (Serb.) <i>Sinapis alba</i>	Smindukh grutski (Bulg.) <i>Trigonella foenum-graecum</i>	Soh ñiamtra (Khasi) <i>Citrus sinensis</i>	Sopu (Telugu) <i>Foeniculum vulgare</i>	Spanish tarragon (Engl.) <i>Tagetes lucida</i>
Slačica, crna (Serb.) <i>Brassica nigra</i>	Smindukh sin (Bulg.) <i>Trigonella caerulea</i>	So-hoehyang (Korean) <i>Foeniculum vulgare</i>	Sorissa (Oriya) <i>Brassica nigra</i>	Spansk kjørvel (Norw.) <i>Myrrhis odorata</i>
Slačica, crna (Serb.) <i>Brassica nigra</i>	Smitlink (Czech) <i>Allium schoenoprasum</i>	Soh pieng (Khasi) <i>Mangifera indica</i>	Soro wisa (Twi) <i>Piper clusii</i>	Spansk körvel (Swed.) <i>Myrrhis odorata</i>
Sladić (Serb.) <i>Glycyrrhiza glabra</i>	Šmreca (Serb.) <i>Juniperus communis</i>	Soh tyntoi (Khasi) <i>Tamarindus indica</i>	Sorsa (Bengali) <i>Brassica nigra</i>	Spansk kørvel (Dan.) <i>Myrrhis odorata</i>
Sladić, slatki (Croat.) <i>Glycyrrhiza glabra</i>	Smreka (Maced.) <i>Juniperus communis</i>	Soilire (Gael.,Irish) <i>Apium graveolens</i>	Sort kardemomme (Dan.) <i>Amomum subulatum</i>	Spanyol turbolya (Hung.) <i>Myrrhis odorata</i>
Sladić, uralski (Croat.) <i>Glycyrrhiza uralensis</i>	Smrekna (Serb.) <i>Juniperus communis</i>	Soit (Maith.) <i>Zingiber officinale</i>	Sort kommen (Dan.) <i>Nigella sativa</i>	Spargatök (Hung.) <i>Cucurbita pepo</i>
Sladká paprika (Czech) <i>Capsicum annuum</i>	Smrekovina (Serb.) <i>Juniperus communis</i>	Soje (Chakma) <i>Brassica nigra</i>	Sort kommen (Dan.) <i>Bunium persicum</i>	Specé (Alb.) <i>Capsicum annum</i>
Sladka pomaranča (Sloven.) <i>Citrus sinensis</i>	Smukhtiger gevirtsling (Yidd.) <i>Ferula assafoetida</i>	Sojya (Chakma) <i>Brassica nigra</i>	Sort peber (Dan.) <i>Piper nigrum</i>	Speci (Alb.) <i>Capsicum annum</i>
Sladké drierko (Slovak) <i>Glycyrrhiza glabra</i>	Snep kor (Khasi) <i>Cocos nucifera</i>	Sokh (Armen.) <i>Allium cepa</i>	Sort sennep (Dan.) <i>Brassica nigra</i>	Spelinok (Alb.) <i>Melissa officinalis</i>
Sladkij limon (Russ.) <i>Citrus medica</i>	Snidling (Hung.) <i>Allium schoenoprasum</i>	Solinji (Georg.) <i>Trigonella foenum-graecum</i>	Sothing (Mizo) <i>Zingiber officinale</i>	Sphakos (Old Greek) <i>Salvia officinalis</i>
Sladkij mindal' (Russ.) <i>Prunus dulcis</i>	Snijselderij (Dutch) <i>Apium graveolens</i>	Solodka (Russ.) <i>Glycyrrhiza glabra</i>	Souchet des Indes (French) <i>Curcuma longa</i>	Spidskommen (Dan.) <i>Cuminum cyminum</i>
Sladkij ukrop (Russ.) <i>Foeniculum vulgare</i>	Šnitlink (Czech) <i>Allium schoenoprasum</i>	Solodka hola (Ukr.) <i>Glycyrrhiza glabra</i>	Souchet long (French) <i>Alpinia galanga</i>	Spijklavendel (Dutch) <i>Lavandula angustifolia</i>
Sladki komarček (Sloven.) <i>Foeniculum vulgare</i>	Šnytlik (Czech) <i>Allium schoenoprasum</i>	Solodkyj korin' (Ukr.) <i>Glycyrrhiza glabra</i>	Souchet odorant (French) <i>Alpinia galanga</i>	Spilante (Ital.) <i>Spilanthes acmella</i>
Sladki koren (Sloven.) <i>Glycyrrhiza glabra</i>	Šnytlík (Czech) <i>Allium schoenoprasum</i>	Sólseija (Icel.) <i>Anethum graveolens</i>	Soumaki (Greek) <i>Rhus coriaria</i>	Spilantes (Finn.,Russ.) <i>Spilanthes acmella</i>
Sladki korijen (Croat.) <i>Glycyrrhiza glabra</i>	Sob (Bodo) <i>Foeniculum vulgare</i>	Som (Thai) <i>Murraya koenigii</i>	Sour orange (Engl.) <i>Citrus aurantium</i> ssp. <i>amara</i>	Spilantes acmella (Finn.,Russ.) <i>Spilanthes acmella</i>
Sladký dřevo (Czech) <i>Glycyrrhiza glabra</i>	Sobachnyj perets' (Ukr.) <i>Persicaria hydropiper</i>	Som (Thai) <i>Citrus sinensis</i>	Sous (Arab.) <i>Glycyrrhiza glabra</i>	Spilante des potagers (French) <i>Spilanthes acmella</i>
Sladký kopr (Czech) <i>Foeniculum vulgare</i>	Sobe (Basque) <i>Salvia officinalis</i>	Somagh (Farsi) <i>Rhus coriaria</i>	Southernwood (Engl.) <i>Artemisia abrotanum</i>	Spilantes acmella (French) <i>Spilanthes acmella</i>
Sladnik (Bulg.) <i>Glycyrrhiza glabra</i>	Sobotka (Slovak) <i>Majorana hortensis</i>	Somak (Turk.) <i>Rhus coriaria</i>	Sou yihp (Canton.) <i>Perilla frutescens</i>	Spilantes acmella (Old Greek) <i>Salvia officinalis</i>
Sladok koren (Maced.) <i>Foeniculum vulgare</i>	Sobuj Marich (Bengali) <i>Capsicum frutescens</i>	Sombu (Tamil) <i>Foeniculum vulgare</i>	Sovağa ajlo (Esperanto) <i>Allium ursinum</i>	Spilantes acmella (Old Greek) <i>Salvia officinalis</i>
Sladovka hladkoplodá (Slovak) <i>Glycyrrhiza glabra</i>	Sodana (Kazakh) <i>Nigella sativa</i>	Som hot (Lao) <i>Citrus sinensis</i>	Sovârf (Roman.) <i>Origanum vulgare</i>	Spilantes acmella (Old Greek) <i>Salvia officinalis</i>
Sladuk koren (Bulg.) <i>Glycyrrhiza glabra</i>	Sodonudu (Korean) <i>Artemisia abrotanum</i>	Som kliang (Thai) <i>Citrus sinensis</i>	Sowa (Hindi) <i>Anethum graveolens</i>	Spin (Garo) <i>Sesamum indicum</i>
Slangekruid (Dutch) <i>Artemisia dracuncululus</i>	Sodugu (Korean) <i>Elettaria cardamomum</i>	Sommacco (Ital.) <i>Rhus coriaria</i>	Sox (Armen.) <i>Allium cepa</i>	Spiny coriander (Engl.) <i>Eryngium foetidum</i>
Slan lus (Gael.) <i>Salvia officinalis</i>	Soduju (Korean) <i>Elettaria cardamomum</i>	Somph (Assam.) <i>Foeniculum vulgare</i>	Soya (Nepali) <i>Anethum graveolens</i>	Spio-mintu (Korean) <i>Mentha spicata</i>
	Soet kroei (Thai) <i>Cymbopogon citratus</i>	Som phu (Lao) <i>Bixa orellana</i>	Soyeob (Korean) <i>Limnophila aromatica</i>	Spiskummin (Swed.) <i>Cuminum cyminum</i>
	Sof (Nepali,Newari) <i>Anethum graveolens</i>	Sompu (Telugu) <i>Pimpinella anisum</i>	Soyeob (Korean) <i>Perilla frutescens</i>	Spisskummen (Norw.) <i>Cuminum cyminum</i>
		Som saa (Thai) <i>Citrus limon</i>	Soyeob (Korean) <i>Perilla frutescens</i>	Sporýš (Czech) <i>Lippia citriodora</i>
		Som sian (Lao) <i>Sinapis alba</i>	Soyo (Japan.) <i>Perilla frutescens</i>	Sqelqil (Copt.) <i>Punica granatum</i>
		So na pad tshom (Tibet.) <i>Coriandrum sativum</i>		Srdiš (Serb.) <i>Elettaria cardamomum</i>
		Sona pentsum (Tibet.) <i>Coriandrum sativum</i>		

Srdiš (Croat.) <i>Elettaria cardamomum</i>	Stor Galanga (Dan.) <i>Alpinia galanga</i>	Sulu (Ga-Dangme) <i>Ocimum gratissimum</i>	Sürünən kéklikotu (Azeri) <i>Thymus serpyllum</i>	Svartur pipar (Icel.) <i>Piper nigrum</i>
Sremuš (Serb.) <i>Allium ursinum</i>	Stor galanga (Dan.) <i>Alpinia galanga</i>	Sumac (Czech,Engl.,French,Roman.) <i>Rhus coriaria</i>	Sürvë (Azeri) <i>Salvia officinalis</i>	Švelnysis pirulis (Lith.) <i>Schinus molle</i>
Srijemuž (Croat.) <i>Allium ursinum</i>	Stragon (Bret.) <i>Artemisia dracunculus</i>	Sumac, Sicilian (Engl.) <i>Rhus coriaria</i>	Sus (Arab.) <i>Glycyrrhiza glabra</i>	Šventkmynis, tikrasis (Lith.) <i>Trachyspermum copticum</i>
Sri Lanka cinnamon (Engl.) <i>Cinnamomum zeylanicum</i>	Struikselderij (Dutch) <i>Apium graveolens</i>	Sumach (Engl.,Germ.,Ital.,Slovak) <i>Rhus coriaria</i>	Susam (Bulg.,Maced.,Serb.,Turk.) <i>Sesamum indicum</i>	Světlice barviřská (Czech) <i>Carthamus tinctorius</i>
Sri-Lanka-Zimt (Germ.) <i>Cinnamomum zeylanicum</i>	Sua bathi (Hindi) <i>Anethum graveolens</i>	Sumacum (Lat.) <i>Rhus coriaria</i>	Susam, siyah (Turk.) <i>Nigella sativa</i>	Sweet almond (Engl.) <i>Prunus dulcis</i>
Sru (Ga-Dangme) <i>Ocimum gratissimum</i>	Suan cheng (Mand.) <i>Citrus aurantium</i>	Sumagre (Port.) <i>Rhus coriaria</i>	Susamen (Copt.) <i>Sesamum indicum</i>	Sweet balm (Engl.) <i>Melissa officinalis</i>
Ssisae (Korean) <i>Sesamum indicum</i>	Suan dou (Mand.) <i>Capparis spinosa</i>	Sumah (Czech) <i>Rhus coriaria</i>	Susan (Roman.) <i>Sesamum indicum</i>	Sweet basil (Engl.) <i>Ocimum basilicum</i>
Ssuk (Korean) <i>Artemisia vulgaris</i>	Suan gan (Mand.) <i>Citrus hystrix</i>	Sumahh (Eston.) <i>Rhus coriaria</i>	Sushonaya shelukha muskatnogo orekha (Russ.) <i>Myristica fragrans</i>	Sweet bay leaves (Engl.) <i>Laurus nobilis</i>
St. Lucie cherry (Engl.) <i>Prunus mahaleb</i>	Sube-bedar (Basque) <i>Allium ursinum</i>	Sumak (Bulg.,Dan.,Dutch,Hebr.,Pol.,Serb.,Turk.,Yidd.) <i>Rhus coriaria</i>	Süßholz (Germ.) <i>Myrrhis odorata</i>	Sweet chervil (Engl.) <i>Myrrhis odorata</i>
Staatpeper (Dutch) <i>Piper cubeba</i>	Su biberi (Turk.) <i>Persicaria hydropiper</i>	Sumakh (Russ.) <i>Rhus coriaria</i>	Süßholz, wohlriechende (Germ.) <i>Myrrhis odorata</i>	Sweet cicely (Engl.) <i>Myrrhis odorata</i>
Stangenpfeffer (Germ.) <i>Piper longum</i>	Subiberi, yeřil (Turk.) <i>Persicaria hydropiper</i>	Sumakki (Finn.) <i>Rhus coriaria</i>	Süßholz, glabra (Germ.) <i>Glycyrrhiza glabra</i>	Sweet cumin (Engl.) <i>Foeniculum vulgare</i>
Star anise (Engl.) <i>Illicium verum</i>	Succa Liguiritiae (pharm.) <i>Glycyrrhiza glabra</i>	Sumakku (Japan.) <i>Rhus coriaria</i>	Süßmandel (Germ.) <i>Prunus dulcis</i>	Sweet cumin (Engl.) <i>Pimpinella anisum</i>
Star phul (Nepali) <i>Illicium verum</i>	Suc sa mat (Vietnam.) <i>Ammannium xanthioides</i>	Sumako (Esperanto) <i>Rhus coriaria</i>	Susu (Swahili) <i>Glycyrrhiza glabra</i>	Sweet gale (Engl.) <i>Myrica gale</i>
Stavikrv pieprový (Slovak) <i>Persicaria hydropiper</i>	Sudab (Pahlavi) <i>Ruta graveolens</i>	Sumaq (Azeri,Hebr.) <i>Rhus coriaria</i>	Sut (Santali) <i>Zingiber officinale</i>	Sweet laurel (Engl.) <i>Laurus nobilis</i>
Steelpeper (Dutch) <i>Piper cubeba</i>	Sudah (Urdu) <i>Ruta graveolens</i>	Sumax (Uzbek) <i>Rhus coriaria</i>	Suta-anissidu (Korean) <i>Illicium verum</i>	Sweet mace (Engl.) <i>Tagetes lucida</i>
Steinkle, blauer (Germ.) <i>Trigonella caerulea</i>	Sudburg (Hindi) <i>Rosa damascena</i>	Summaaq (Arab.) <i>Rhus coriaria</i>	Suta-anisu (Japan.) <i>Illicium verum</i>	Sweet marjoram (Engl.) <i>Majorana hortensis</i>
Steinselja (Icel.) <i>Petroselinum crispum</i>	Sudulunu (Sinh.) <i>Allium sativum</i>	Summaq (Arab.,Aram.) <i>Rhus coriaria</i>	Suta-anusu (Korean) <i>Illicium verum</i>	Sweet orange (Engl.) <i>Citrus sinensis</i>
Steinweichsel (Germ.) <i>Prunus mahaleb</i>	Suduru (Sinh.) <i>Cuminum cyminum</i>	Sumpfmyrte (Germ.) <i>Myrica gale</i>	Su teresi (Turk.) <i>Nasturtium officinale</i>	Sweet pepper (Engl.) <i>Capsicum annuum</i>
Stelanizo (Esperanto) <i>Illicium verum</i>	Suen tau (Canton.) <i>Allium sativum</i>	Sumpiker vaks-hodes (Yidd.) <i>Myrica gale</i>	Su teresi, İngiliz (Turk.) <i>Sisymbrium officinale</i>	Sweet pigweed (Engl.) <i>Chenopodium ambrosioides</i>
Steranijs (Dutch) <i>Illicium verum</i>	Sugandha (Sanskrit) <i>Cuminum cyminum</i>	Sumsum (Arab.,Hebr.,Yidd.) <i>Sesamum indicum</i>	Sutho (Nepali) <i>Zingiber officinale</i>	Sweet scented myrrh (Engl.) <i>Myrrhis odorata</i>
Sternanis (Germ.) <i>Illicium verum</i>	Sugandha vastuka (Hindi) <i>Chenopodium ambrosioides</i>	Sumugha (Sumi Naga) <i>Allium sativum</i>	Suur kalganirohi (Eston.) <i>Alpinia galanga</i>	Sweet trefoil (Engl.) <i>Trigonella caerulea</i>
Stern-enes (Yidd.) <i>Illicium verum</i>	Suge-belar (Basque) <i>Artemisia dracunculus</i>	Sund (Aram.) <i>Foeniculum vulgare</i>	Suur mungalill (Eston.) <i>Tropaeolum majus</i>	Sweet verbena tree (Engl.) <i>Backhousia citriodora</i>
Sterrekers (Dutch) <i>Lepidium sativum</i>	Sugeng (Chines.) <i>Perilla frutescens</i>	Sungshi (Ao Naga) <i>Cinnamomum zeylanicum</i>	Suvarchala (Sanskrit) <i>Ruta graveolens</i>	Swing laimas (Lith.) <i>Citrus aurantifolia</i>
Štiav pieprový (Slovak) <i>Persicaria hydropiper</i>	Sugmel (Tibet.) <i>Elettaria cardamomum</i>	Sünjshe (Ao Naga) <i>Cinnamomum tamala</i>	Suwitu orenji (Korean) <i>Citrus sinensis</i>	Sxtor (Armen.) <i>Allium sativum</i>
Stielpfeffer (Germ.) <i>Piper cubeba</i>	Sug smel (Tibet.) <i>Elettaria cardamomum</i>	Sunporrothera (Lotha Naga) <i>Salvia officinalis</i>	Suwndutala (Sinh.) <i>Ocimum basilicum</i>	Syapuran (Korean) <i>Crocus sativus</i>
Stigmata Croci (pharm.) <i>Crocus sativus</i>	Süho (Angami Naga) <i>Citrus aurantifolia</i>	Sunt (Punjabi) <i>Zingiber officinale</i>	Su xie (Mand.) <i>Perilla frutescens</i>	Sychuanskij perets (Russ.) <i>Zanthoxylum piperitum</i>
Stikeme (Copt.) <i>Nigella sativa</i>	Suhosi (Angami Naga) <i>Citrus aurantifolia</i>	Sunth (Gujrati,Marathi) <i>Zingiber officinale</i>	Su ye (Mand.) <i>Perilla frutescens</i>	Syčuański perac (Belar.) <i>Zanthoxylum piperitum</i>
Stikke med kniv (Dan.) <i>Allium schoenoprasum</i>	Suitoshiseri (Japan.) <i>Myrrhis odorata</i>	Suntala (Nepali) <i>Citrus sinensis</i>	Šüyüd (Azeri) <i>Anethum graveolens</i>	Sying (Khasi) <i>Zingiber officinale</i>
Stinkasant (Germ.) <i>Ferula assa-foetida</i>	Suk (Korean) <i>Artemisia vulgaris</i>	Sup (Aram.) <i>Hyssopus officinalis</i>	Šüyüd göyërti (Azeri) <i>Anethum graveolens</i>	Synanom (Welsh) <i>Cinnamomum zeylanicum</i>
Stinkende vinke (Dutch) <i>Anethum graveolens</i>	Sukaatti (Finn.) <i>Citrus limon</i>	Supea-minto (Japan.) <i>Mentha spicata</i>	Suzam (Serb.) <i>Sesamum indicum</i>	Syun gam (Canton.) <i>Citrus hystrix</i>
Stinking gum (Engl.) <i>Ferula assa-foetida</i>	Sukana morich (Bengali) <i>Caesalpinia frutescens</i>	Supieo-mintu (Korean) <i>Mentha spicata</i>	Suzami (Alb.) <i>Sesamum indicum</i>	Syun tauh (Canton.) <i>Allium sativum</i>
Stjärnanis (Swed.) <i>Illicium verum</i>	Sukano lanka (Bengali) <i>Caesalpinia frutescens</i>	Süppürgeotu (Turk.) <i>Sisymbrium officinale</i>	Svartkarve (Norw.) <i>Nigella sativa</i>	Szaflór (Hung.) <i>Carthamus tinctorius</i>
Stjerneanis (Dan.,Norw.) <i>Illicium verum</i>	Sukila lanka (Oriya) <i>Capsicum frutescens</i>	Supu'wiri (Sranan) <i>Apium graveolens</i>	Svartkummin (Swed.) <i>Nigella sativa</i>	Szafran (Pol.) <i>Crocus sativus</i>
Stjörnuanis (Icel.) <i>Illicium verum</i>	Sukmel (Nepali) <i>Elettaria cardamomum</i>	Supuwiwiri (Sranan) <i>Apium graveolens</i>	Svartpeppar (Swed.) <i>Piper nigrum</i>	Szafran indyjski (Pol.) <i>Curcuma longa</i>
Stoi (Copt.) <i>Hyssopus officinalis</i>	Sulasi (Tagalog) <i>Ocimum basilicum</i>	Suramarit (Thai) <i>Cinnamomum burmannii</i>	Svartsenap (Swed.) <i>Brassica nigra</i>	Szalotka (Pol.) <i>Allium ascalonicum</i>
Stoichas (Old Greek) <i>Lavandula stoechas</i>	Sulcinä albasträ (Roman.) <i>Trigonella caerulea</i>	Suraval (Bret.) <i>Citrus limon</i>	Svartsennep (Norw.) <i>Brassica nigra</i>	Szałwia lekarska (Pol.) <i>Salvia officinalis</i>
		Suravi (Sanskrit) <i>Murraya koenigii</i>		
		Suru (Ga-Dangme) <i>Ocimum gratissimum</i>		

Szasszafrász babérfa (Hung.) <i>Sassafras albidum</i>	Tagète (French) <i>Tagetes lucida</i>	Tamara-nikkei (Japan.) <i>Cinnamomum tamala</i>	Taplóüröm (Hung.) <i>Artemisia vulgaris</i>	Tarragón (Span.) <i>Artemisia dracunculus</i>
Szczypiórek (Pol.) <i>Allium schoenoprasum</i>	Tag-tse metog (Dz.) <i>Rosa damascena</i>	Tamarhendi (Aram.) <i>Tamarindus indica</i>	Tapni Derev (Armen.) <i>Laurus nobilis</i>	Tarragon, French (Engl.) <i>Artemisia dracunculus</i>
Szechuan-Pfeffer (Germ.) <i>Zanthoxylum piperitum</i>	Tag-tsi (Dz.) <i>Rosa damascena</i>	Tamar hindi (Hebr.) <i>Tamarindus indica</i>	Tap tim (Thai) <i>Punica granatum</i>	Tarragon, German (Engl.) <i>Artemisia dracunculus</i>
Szechwan pepper (Engl.) <i>Zanthoxylum piperitum</i>	Tahla (Aram.) <i>Lepidium sativum</i>	Tamarin (French,Greek, Roman.) <i>Tamarindus indica</i>	Tapuah zahav (Hebr.) <i>Citrus sinensis</i>	Tarragon, Mexican (Engl.) <i>Tagetes lucida</i>
Szecsuaíni bors (Hung.) <i>Zanthoxylum piperitum</i>	Tahlin (Aram.) <i>Lepidium sativum</i>	Tamarind (Croat.,Czech, Dan.,Engl.,Eston.,Russ., Swed.,Yidd.) <i>Tamarindus indica</i>	Tapuz (Hebr.) <i>Citrus sinensis</i>	Tarragon, Spanish (Engl.) <i>Tagetes lucida</i>
Szegfű (Hung.) <i>Syzygium aromaticum</i>	Tahlusin (Aram.) <i>Lepidium sativum</i>	Tamarinda (Serb.,Slovak, Sloven.) <i>Tamarindus indica</i>	Tapuz marir (Hebr.) <i>Citrus sinensis ssp. amara</i>	Tarragon, winter (Engl.) <i>Tagetes lucida</i>
Szegfűbors (Hung.) <i>Pimenta dioica</i>	Tahsi (Newari) <i>Citrus medica</i>	Tamarinda (Serb.,Slovak, Sloven.) <i>Tamarindus indica</i>	Tarabghbegh (Armen.) <i>Pimenta dioica</i>	Tarragona (Span.) <i>Artemisia dracunculus</i>
Szegfűbors, jamaikai (Hung.) <i>Pimenta dioica</i>	Tähtaniis (Eston.) <i>Illicium verum</i>	Tamarindas (Lith.) <i>Tamarindus indica</i>	Taragon (Hebr.,Japan., Korean) <i>Artemisia dracunculus</i>	Tarxuna (Georg.) <i>Artemisia dracunculus</i>
Szegfűszeg (Hung.) <i>Syzygium aromaticum</i>	Tähtaniisipuu, harilik (Eston.) <i>Illicium verum</i>	Tamarindas, indinis (Lith.) <i>Tamarindus indica</i>	Tarak otu (Turk.) <i>Anethum graveolens</i>	Tasmán bors (Hung.) <i>Tasmania lanceolata</i>
Szeklice (Hung.) <i>Carthamus tinctorius</i>	Tähtianis (Finn.) <i>Illicium verum</i>	Tamarinde (Dutch,Germ.) <i>Tamarindus indica</i>	Tarana (Kannada) <i>Rosa damascena</i>	Tasmanian pepper (Engl.) <i>Tasmania lanceolata</i>
Szenyefű (Hung.) <i>Spilanthes acmella</i>	Taifal (Hindi) <i>Myristica fragrans</i>	Tamarindez (Bret.) <i>Tamarindus indica</i>	Tarankon (Greek) <i>Artemisia dracunculus</i>	Tasmanijós pipirai (Lith.) <i>Tasmania lanceolata</i>
Szerecsendió (Hung.) <i>Myristica fragrans</i>	Tailed pepper (Engl.) <i>Piper cubeba</i>	Tamarindusz gyümölcs (Hung.) <i>Tamarindus indica</i>	Tara saumph (Hindi) <i>Illicium verum</i>	Tasmanijiskij perets (Russ.) <i>Tasmania lanceolata</i>
Szerecsendió virág (Hung.) <i>Myristica fragrans</i>	Taim (Korean) <i>Thymus vulgaris</i>	Tamarindi (Finn.) <i>Tamarindus indica</i>	Tarayi (Tulu) <i>Cocos nucifera</i>	Tasmanischer Pfeffer (Germ.) <i>Tasmania lanceolata</i>
Szetchwan pepper (Engl.) <i>Zanthoxylum piperitum</i>	Taimatubana (Japan.) <i>Monarda didyma</i>	Tamarindipuu (Eston.) <i>Tamarindus indica</i>	Tarcán (Roman.) <i>Artemisia dracunculus</i>	Tassöp (Kazakh) <i>Satureja hortensis</i>
Szezám, vad (Hung.) <i>Perilla frutescens</i>	Taimu (Japan.) <i>Thymus vulgaris</i>	Tamarindo (Span.) <i>Tamarindus indica</i>	Tarchon (Old Greek) <i>Artemisia dracunculus</i>	Tassöp (Kazakh) <i>Thymus vulgaris</i>
Szézámfű (Hung.) <i>Sesamum indicum</i>	Ta khrai (Thai) <i>Cymbopogon citratus</i>	Tamarindo (Esperanto) <i>Tamarindus indica</i>	Tarçın ağacı (Turk.) <i>Cinnamomum zeylanicum</i>	Tatashe (Hausa) <i>Capsicum frutescens</i>
Szézámrag (Hung.) <i>Sesamum indicum</i>	Takonoki (Japan.) <i>Pandanus odoratissimus</i>	Tamarindu (Korean) <i>Tamarindus indica</i>	Tareh (Farsi) <i>Allium schoenoprasum</i>	Tat bat (Vietnam.) <i>Piper longum</i>
Szigeti bors, Bali (Hung.) <i>Piper retrofractum</i>	Takrai hom (Thai) <i>Cymbopogon citratus</i>	Tamarindusz gyümölcs (Hung.) <i>Tamarindus indica</i>	Tarha-ajuruoho (Finn.) <i>Thymus vulgaris</i>	Tatlı badem (Turk.) <i>Prunus dulcis var. dulcis</i>
Szömörce (Hung.) <i>Rhus coriaria</i>	Taktbaumion (Copt.) <i>Thymus vulgaris</i>	Tamarynd (Belar.,Pol.) <i>Tamarindus indica</i>	Tarhana otu (Turk.) <i>Anethum graveolens</i>	Tatlı kök (Turk.) <i>Glycyrrhiza glabra</i>
Szurokfű vadmajoránna (Hung.) <i>Origanum vulgare</i>	Tal (Gujrati) <i>Sesamum indicum</i>	Tamasuku roju (Korean) <i>Rosa damascena</i>	Tarhun (Turk.) <i>Artemisia dracunculus</i>	Tatlı limon (Turk.) <i>Citrus aurantifolia</i>
Szűzbariska (Hung.) <i>Vitex agnus-castus</i>	Tala (Sinh.) <i>Sesamum indicum</i>	Tambari (Kashm.) <i>Tamarindus indica</i>	Tarhon (Roman.) <i>Artemisia dracunculus</i>	Tat phat (Vietnam.) <i>Piper longum</i>
Szűzfa (Hung.) <i>Vitex agnus-castus</i>	Talai (Tamil) <i>Pandanus odoratissimus</i>	Tambhul (Hindi) <i>Zanthoxylum acanthopodium</i>	Tarhun (Turk.) <i>Artemisia dracunculus</i>	Tattasai (Hausa) <i>Capsicum frutescens</i>
Tach-jenoff (Bret.) <i>Syzygium aromaticum</i>	Talamp (Tamil) <i>Pandanus odoratissimus</i>	Tamerikku (Japan.) <i>Curcuma longa</i>	Tarijenig (Armen.) <i>Cinnamomum zeylanicum</i>	Tattase (Hausa) <i>Capsicum annum</i>
Tacho (Lao) <i>Zanthoxylum piperitum</i>	Talao (Rongmei) <i>Allium cepa</i>	Tam nai (Vietnam.) <i>Kaempferia galanga</i>	Tarika (Nepali) <i>Pandanus odoratissimus</i>	Tawj dub (Hmong) <i>Cymbopogon citratus</i>
Tadamiri (Gujrati) <i>Piper cubeba</i>	Taleb el koubs (Arab.) <i>Trachyspermum copticum</i>	Tamr al-hindi (Arab.) <i>Tamarindus indica</i>	Tarimal günzhid (Mong.) <i>Eruca sativa</i>	Tawla (Aram.) <i>Coriandrum sativum</i>
Tade (Japan.) <i>Persicaria hydropiper</i>	Tale hu (Kannada) <i>Pandanus odoratissimus</i>	Tamre hendi (Farsi) <i>Tamarindus indica</i>	Tarjin (Armen.) <i>Cinnamomum zeylanicum</i>	Tay (Thai) <i>Thymus vulgaris</i>
Tae-hoehyang (Korean) <i>Nigella sativa</i>	Talisha (Telugu) <i>Cinnamomum tamala</i>	Tandvärksplanta (Swed.) <i>Spilanthes acmella</i>	Tarkanj (Croat.,Serb.) <i>Artemisia dracunculus</i>	Tayim (Sinh.) <i>Thymus vulgaris</i>
Tae-hoehyang (Korean) <i>Illicium verum</i>	Talouskaneli (Finn.) <i>Cinnamomum cassia</i>	Tangawizi (Swahili) <i>Zingiber officinale</i>	Tarkhon (Copt.) <i>Satureja hortensis</i>	Tazeh alaf cheshmeh (Farsi) <i>Nasturtium officinale</i>
Taehoekoen (Lao) <i>Artemisia dracunculus</i>	Tal-virgi (Malt.) <i>Vitex agnus-castus</i>	Tanglad (Tagalog) <i>Cymbopogon citratus</i>	Tarkhun (Arab.,Farsi) <i>Artemisia dracunculus</i>	Tazhai (Tamil) <i>Pandanus odoratissimus</i>
Taemeorindu (Korean) <i>Tamarindus indica</i>	Tamaal patra (Gujrati) <i>Cinnamomum tamala</i>	Tano (Basque) <i>Rhus coriaria</i>	Tarkhuna (Georg.) <i>Artemisia dracunculus</i>	Tazhampu (Tamil) <i>Pandanus odoratissimus</i>
T'aena adam (Amhar.) <i>Ruta graveolens</i>	Tämäioarä (Roman.) <i>Chenopodium ambrosioides</i>	Tao jin niang (Mand.) <i>Myrtus communis</i>	Tárkony (Hung.) <i>Artemisia dracunculus</i>	Tchor (Lao) <i>Zanthoxylum piperitum</i>
Taerakon (Thai) <i>Artemisia dracunculus</i>	Tämäitjä (Roman.) <i>Chenopodium ambrosioides</i>	Tápana (French) <i>Capparis spinosa</i>	Tárkonyüröm (Hung.) <i>Artemisia dracunculus</i>	Tchow ze Tang (Hmong) <i>Ocimum basilicum</i>
Taerkhun (Oss.) <i>Artemisia dracunculus</i>	Tamalapatra (Sanskrit) <i>Cinnamomum tamala</i>	Taparera (Catalan) <i>Capparis spinosa</i>	Tarmeriek (Dutch) <i>Curcuma longa</i>	Tea, Mexican (Engl.) <i>Chenopodium ambrosioides</i>
Taey (Khmer) <i>Pandanus amaryllifolius</i>	Tamalen (Sranan) <i>Tamarindus indica</i>	Tapen (Copt.) <i>Cuminum cyminum</i>	Taronger agre (Catalan) <i>Citrus sinensis var. amara</i>	Tea, Oswego (Engl.) <i>Monarda didyma</i>
Tafarnuwa (Hausa) <i>Allium sativum</i>	Tamal patra (Marathi) <i>Cinnamomum tamala</i>	Tapeno (Prov.) <i>Capparis spinosa</i>	Taronger doç (Catalan) <i>Citrus sinensis</i>	Te bord (Catalan) <i>Chenopodium ambrosioides</i>
Tafod-yr-ych (Welsh) <i>Borago officinalis</i>	Tamanegi (Japan.) <i>Allium cepa</i>	Tapero (Prov.) <i>Capparis spinosa</i>	Taros (Bulg.) <i>Artemisia dracunculus</i>	Te de limón (Span.) <i>Cymbopogon citratus</i>

Tedoi (Chakma) <i>Tamarindus indica</i>	Temynta (Swed.) <i>Monarda didyma</i>	Thanh hao la hep (Vietnam.) <i>Artemisia dracunculoides</i>	Thimari (Greek) <i>Thymus vulgaris</i>	Tian wan shou ju (Mand.) <i>Tagetes lucida</i>
Teekraut, mexicanisches (Germ.) <i>Chenopodium ambrosioides</i>	Tengai (Tamil) <i>Cocos nucifera</i>	Thanh yen (Vietnam.) <i>Citrus limon</i>	Thime (Chakhesang-Chokri Naga) <i>Cinnamomum tamala</i>	Tian xiang cao (Mand.) <i>Limnophila aromatica</i>
Teel (French) <i>Sesamum indicum</i>	Tengtuni (Garo) <i>Tamarindus indica</i>	Thao qua (Vietnam.) <i>Amomum subulatum</i>	Thime (Chakhesang-Chokri Naga) <i>Cinnamomum zeylanicum</i>	Tian xing ren (Mand.) <i>Prunus dulcis</i>
Teeminttu (Finn.) <i>Monarda didyma</i>	Tengu (Kannada,Tamil) <i>Cocos nucifera</i>	Thapen (Copt.) <i>Cuminum cyminum</i>	Thing hmarch (Mizo) <i>Piper nigrum</i>	Tia to (Vietnam.) <i>Perilla frutescens</i>
Te fals (Catalan) <i>Chenopodium ambrosioides</i>	Tenkaya (Telugu) <i>Cocos nucifera</i>	Thap thim (Thai) <i>Punica granatum</i>	Thing-khlang (Bodo) <i>Tamarindus indica</i>	Tia to dat (Vietnam.) <i>Melissa officinalis</i>
Tefne ağacı (Turk.) <i>Laurus nobilis</i>	Tentul (Bengali) <i>Tamarindus indica</i>	Thayet (Burmes.) <i>Mangifera indica</i>	Thing-nge (Dz.) <i>Zanthoxylum piperitum</i>	Ti-ba (Ga-Dangme) <i>Cymbopogon citratus</i>
Tefu mozitang (Ao Naga) <i>Spilanthes acmella</i>	Tentuli (Oriya) <i>Tamarindus indica</i>	Thé de France (French) <i>Melissa officinalis</i>	Thippali (Malayalam) <i>Piper longum</i>	Tieu (Vietnam.) <i>Piper nigrum</i>
Tegatchu (Garo) <i>Mangifera indica</i>	Teomerik (Korean) <i>Curcuma longa</i>	Thé de la Grèce (French) <i>Salvia officinalis</i>	Thise (Chakhesang-Chokri Naga) <i>Capsicum frutescens</i>	Tieu den (Vietnam.) <i>Piper nigrum</i>
Tehnel (Turk.) <i>Laurus nobilis</i>	Teppal (Konkani) <i>Zanthoxylum rhetsa</i>	Thé d'Oswego (French) <i>Monarda didyma</i>	Thitchabo (Burmes.) <i>Cinnamomum tamala</i>	Tieu doi (Vietnam.) <i>Piper retrofratum</i>
Teim (Welsh) <i>Thymus vulgaris</i>	Tepeus batu (Malay) <i>Amomum ochroleum</i>	Thé du Mexique (French) <i>Chenopodium ambrosioides</i>	Thit-ja-bo-gauk (Burmes.) <i>Cinnamomum zeylanicum</i>	Tieu hoi (Vietnam.) <i>Pimpinella anisum</i>
Teiso-boku (Japan.) <i>Vitex agnus-castus</i>	Teragan (Sinh.) <i>Artemisia dracunculoides</i>	Théfaf (Bodo) <i>Cinnamomum tamala</i>	Thom (Dogri) <i>Allium sativum</i>	Tieu hoi huong (Vietnam.) <i>Foeniculum vulgare</i>
Tejapatra (Sanskrit) <i>Cinnamomum tamala</i>	Terava pullu (Malayalam) <i>Cymbopogon citratus</i>	Theihai (Hmar,Mizo) <i>Mangifera indica</i>	Thoum (Arab.) <i>Allium sativum</i>	Tieu hoi huong (Vietnam.) <i>Aethium graveolens</i>
Tejbal (Hindi) <i>Zanthoxylum alatum</i>	Tere otu (Turk.) <i>Lepidium sativum</i>	Theithur (Mizo) <i>Citrus aurantifolia</i>	Thoum Muammar (Arab.) <i>Allium schoenoprasum</i>	Tieu lot (Vietnam.) <i>Piper longum</i>
Tejipatto (Japan.) <i>Cinnamomum tamala</i>	Terhun (Turk.) <i>Artemisia dracunculoides</i>	Thengu (Malayalam) <i>Cocos nucifera</i>	Throubi (Greek) <i>Satureja hortensis</i>	Tieu that (Vietnam.) <i>Piper cubeba</i>
Tejpada (Chakma) <i>Cinnamomum tamala</i>	Terkish feferl (Yidd.) <i>Capsicum frutescens</i>	Thephtharo (Thai) <i>Cinnamomum cassia</i>	Throubi (Greek) <i>Satureja hortensis</i>	Tieu trang (Vietnam.) <i>Piper nigrum</i>
Tejpat (Newari) <i>Cinnamomum tamala</i>	Tero (Apatani) <i>Capsicum frutescens</i>	Thériaque des pauvres (French) <i>Allium sativum</i>	Thrubisht (Alb.) <i>Satureja hortensis</i>	Tiew Kulab (Khasi) <i>Rosa damascena</i>
Tej pat (Dogri,Hindi) <i>Cinnamomum tamala</i>	Terre-mérite (French) <i>Curcuma longa</i>	Thé rouge (French) <i>Origanum vulgare</i>	Thulasi (Malayalam) <i>Ocimum basilicum</i>	Tigani (Georg.) <i>Ruta graveolens</i>
Tejpata (Bengali,Punjabi) <i>Cinnamomum tamala</i>	Tërxun (Azeri) <i>Artemisia dracunculoides</i>	Thian-daeng (Thai) <i>Lepidium sativum</i>	Thum (Arab.) <i>Allium sativum</i>	Tihm hahng yahn (Canton.) <i>Prunus dulcis</i>
Tejpatta (Nepali) <i>Cinnamomum tamala</i>	Tesalvie (Norw.) <i>Salvia officinalis</i>	Thian dam (Thai) <i>Nigella sativa</i>	Thuooc cuu (Vietnam.) <i>Artemisia vulgaris</i>	Tihm jiu (Canton.) <i>Capsicum annuum</i>
Tejpotro (Oriya) <i>Cinnamomum tamala</i>	Tesna (Tigr.) <i>Thymus vulgaris</i>	Thian-khao (Thai) <i>Cuminum cyminum</i>	Thym (French) <i>Thymus vulgaris</i>	Tihm maahn sauh guk (Canton.) <i>Tagetes lucida</i>
Tekvica obyčejná (Slovak) <i>Cucurbita pepo</i>	Teteli (Assam.) <i>Tamarindus indica</i>	Thian-khaopluk (Thai) <i>Ane- thum graveolens</i>	Thymbra (Old Greek) <i>Satureja thymbra</i>	Tihm wuih heung (Canton.) <i>Foeniculum vulgare</i>
Ťeliná (Roman.) <i>Apium graveolens</i>	Tetor (Nepali) <i>Tamarindus indica</i>	Thian-khaopluk (Thai) <i>Foeniculum vulgare</i>	Thym de berger (French) <i>Origanum vulgare</i>	Tihm heung chou (Canton.) <i>Limnophila aromatica</i>
Ťeliná-rädáciná (Roman.) <i>Apium graveolens</i>	Teufelsdreck (Germ.) <i>Ferula assa-foetida</i>	Thian-klaep (Thai) <i>Foeniculum vulgare</i>	Thyme (Engl.) <i>Thymus vulgaris</i>	Tijm (Dutch) <i>Thymus vulgaris</i>
Ťeliná-tulpiná (Roman.) <i>Apium graveolens</i>	Teuy (Lao) <i>Pandanus amaryllifolius</i>	Thian satabusa (Thai) <i>Pimpinella anisum</i>	Thyme, continental wild (Engl.) <i>Thymus serpyllum</i>	Tikrasis citrinmedis (Lith.) <i>Citrus limon</i>
Tellagadda (Telugu) <i>Allium sativum</i>	Tevle pthayya (Aram.) <i>Levisticum officinale</i>	Thian takop (Thai) <i>Carum carvi</i>	Thyme, creeping (Engl.) <i>Thymus serpyllum</i>	Tikrasis imbieras (Lith.) <i>Zingiber officinale</i>
Teloxys ambrosioides (bot.) <i>Chenopodium ambrosioides</i>	Tevu (Newari) <i>Zanthoxylum piperitum</i>	Thian-taktaen (Thai) <i>Ane- thum graveolens</i>	Thymian (Germ.) <i>Thymus vulgaris</i>	Tikrasis kardamonas (Lith.) <i>Elettaria cardamomum</i>
Telu (Tibet.) <i>Sesamum indicum</i>	Tewm (Malt.) <i>Allium sativum</i>	Thian yauwaphani (Thai) <i>Petroselinum crispum</i>	Thymium (Lat.) <i>Thymus vulgaris</i>	Tikrasis šventkmynis (Lith.) <i>Trachyspermum coptiticum</i>
Tematchi (Garo) <i>Citrus aurantifolia</i>	Tey Ban (Lao) <i>Pandanus amaryllifolius</i>	Thien khaw (Lao) <i>Cuminum cyminum</i>	Thymian (Germ.) <i>Thymus vulgaris</i>	Tikrasis žvaigždanyžis (Lith.) <i>Illicium verum</i>
Tematchu (Garo) <i>Citrus aurantifolia</i>	Tey hom (Lao) <i>Pandanus amaryllifolius</i>	Thifa (Arab.) <i>Lepidium sativum</i>	Thymian (Germ.) <i>Thymus vulgaris</i>	Tikroji citrinžolė (Lith.) <i>Cymbopogon citratus</i>
Temirhindi (Turk.) <i>Tamarindus indica</i>	Tez pat (Urdu) <i>Cinnamomum tamala</i>	Thi la (Vietnam.) <i>Anethum graveolens</i>	Thym ordinaire (French) <i>Thymus vulgaris</i>	Tikroji levanda (Lith.) <i>Lavandula angustifolia</i>
Temoe koentji (Dutch) <i>Boen- senbergia pandurata</i>	Tez pateh (Kashm.) <i>Cinnamomum tamala</i>	Thi la ai cap (Vietnam.) <i>Cuminum cyminum</i>	Thymium (Lat.) <i>Thymus vulgaris</i>	Tikroji mirta (Lith.) <i>Myrtus communis</i>
Temu kunci (Indones.) <i>Boen- senbergia pandurata</i>	Tez patta (Punjabi) <i>Cinnamomum tamala</i>	Thi la den (Vietnam.) <i>Nigella sativa</i>	Ti-ahaban (Fante) <i>Cymbopogon citratus</i>	T'ikur azmud (Amhar.) <i>Nigella sativa</i>
Temu lawak (Indones.) <i>Curcuma xanthorrhiza</i>	Thakkolam (Malayalam) <i>Illicium verum</i>	Thilam (Malayalam) <i>Sesamum indicum</i>	Tian cheng (Mand.) <i>Citrus sinensis</i>	T'ikur Senafich (Amhar.) <i>Brassica nigra</i>
Temu putih (Malay) <i>Kaempferia rotunda</i>	Thakoovah (Dhivehi) <i>Myristica fragrans</i>	Thi la trung a (Vietnam.) <i>Foeniculum vulgare</i>	Tian guo gu li (Chines.) <i>Aframomum melegueta</i>	Tikva (Maced.) <i>Cucurbita pepo</i>
Temu putih (Indones.) <i>Curcuma zedoaria</i>	Thakthing (Mizo) <i>Cinnamomum zeylanicum</i>	Thileyo (Dhivehi) <i>Sesamum indicum</i>	Tian hui xiang (Mand.) <i>Foeniculum vulgare</i>	Tikva, uljana (Croat.) <i>Cucurbita pepo</i>
Temu rapet (Indones.) <i>Kaempferia rotunda</i>	Thanbaya (Burmes.) <i>Citrus sinensis</i>	Thileyokoli (Dhivehi) <i>Sesamum indicum</i>	Tian jiao (Mand.) <i>Capsicum annuum</i>	Tikve (Serb.) <i>Cucurbita pepo</i>
				Til (Assam.,Bengali,Hindi, Maith.,Marathi,Nepali,

Newari,Punjabi,Santali, Urdu) <i>Sesamum indicum</i>	Tin-gouez-bihan (Bret.) <i>Thymus serpyllum</i>	Tomilho-ordinário (Port.) <i>Thymus vulgaris</i>	Toronjiña (Span.) <i>Melissa officinalis</i>	Trigonella coerulea (bot.) <i>Trigonella caerulea</i>
Tila (Kannada,Sanskrit) <i>Sesamum indicum</i>	Tinktura kartamo (Esperanto) <i>Carthamus tinctorius</i>	Tomillo (Span.) <i>Thymus zygis</i>	Toshikimi (Japan.) <i>Illicium verum</i>	Trigonelle (French) <i>Trigonella foenum-graecum</i>
Tilchets (Bulg.) <i>Trigonella foenum-graecum</i>	Tintiddii (Sanskrit) <i>Tamarindus indica</i>	Tomíño (Galic..) <i>Thymus vulgaris</i>	Tosinyi (Amhar.) <i>Thymus vulgaris</i>	Trigonelle bleue (French) <i>Trigonella caerulea</i>
Tilfda (Hindi) <i>Zanthoxylum rhetsa</i>	Tintiri (Sanskrit) <i>Tamarindus indica</i>	Tömjénfü (Hung.) <i>Thymus vulgaris</i>	Totum (Khmer) <i>Punica granatum</i>	Triplat, sabljasti (Sloven.) <i>Trigonella foenum-graecum</i>
Tilhou (Manipuri) <i>Allium cepa</i>	Tiom (Gael.) <i>Thymus vulgaris</i>	Tonco bean (Engl.) <i>Dipteryx odorata</i>	Touleň srdčítá (Czech) <i>Houttuynia cordata</i>	Trlomet (Serb.) <i>Artemisia vulgaris</i>
Tili (Copt.) <i>Trigonella foenum-graecum</i>	Tippal (Konkani) <i>Zanthoxylum rhetsa</i>	Tonco semen (pharm.) <i>Dipteryx odorata</i>	Touralu (Chakhesang-Chokri Naga) <i>Punica granatum</i>	Tropæolum (Dan.) <i>Tropaeolum majus</i>
Til kara (Tibet.) <i>Sesamum indicum</i>	Tippali (Tamil) <i>Piper longum</i>	Ton fin (Thai) <i>Papaver somniferum</i>	Touram (Angami Naga) <i>Punica granatum</i>	Tropeoli (Alb.) <i>Tropaeolum majus</i>
Till (Eston.) <i>Anethum graveolens</i>	Tippili (Sinh.) <i>Piper longum</i>	Tonga (Korean) <i>Dipteryx odorata</i>	Toute-épice (French) <i>Pimenta dioica</i>	Tropeolo (Esperanto) <i>Tropaeolum majus</i>
Till (French) <i>Sesamum indicum</i>	Tipula (Basque) <i>Allium cepa</i>	Tonggapupé, kvapioji (Lith.) <i>Dipteryx odorata</i>	Tou yuk gwai (Canton.) <i>Cinnamomum burmannii</i>	Truc (Vietnam.) <i>Citrus hystrix</i>
Tilli (Finn.) <i>Anethum graveolens</i>	Tipulatx (Basque) <i>Allium ascalonicum</i>	Tongga bin (Korean) <i>Dipteryx odorata</i>	Toz biber (Turk.) <i>Capsicum frutescens</i>	Truc sa (Vietnam.) <i>Elettaria cardamomum</i>
Tillu (Telugu) <i>Sesamum indicum</i>	Tipulinak (Basque) <i>Allium schoenoprasum</i>	To-nikkei (Japan.) <i>Cinnamomum cassia</i>	Trachyspermum ammi (bot.) <i>Trachyspermum copticum</i>	True cardamom (Engl.) <i>Elettaria cardamomum</i>
Tilmin (Santali) <i>Sesamum indicum</i>	Tir (Korean) <i>Anethum graveolens</i>	Tirphal (Marathi) <i>Zanthoxylum piperitum</i>	Trädgårdskörvel (Swed.) <i>Anthriscus cerefolium</i>	Trug (Aram.) <i>Citrus medica</i>
Tím (Irish) <i>Thymus vulgaris</i>	Tirunirrippachai (Tamil) <i>Ocimum basilicum</i>	Tiruttilai (Tamil) <i>Ocimum tenuiflorum</i>	Trädgårdstimjan (Swed.) <i>Thymus vulgaris</i>	Trugga (Aram.) <i>Citrus medica</i>
Timbru (Dogri) <i>Zanthoxylum alatum</i>	Tiruttizhai (Tamil) <i>Ocimum basilicum</i>	Titi (Ao Naga) <i>Mangifera indica</i>	Tragorigani (Greek) <i>Satureja hortensis</i>	Trumëza (Alb.) <i>Satureja hortensis</i>
Timbur (Nepali) <i>Zanthoxylum alatum</i>	Titiri (Dz.) <i>Tamarindus indica</i>	Titri (Punjabi) <i>Rhus coriaria</i>	Tragoum (Prov.) <i>Artemisia dracuncululus</i>	Trumza (Alb.) <i>Satureja montana</i>
Timi (Indones.) <i>Thymus vulgaris</i>	Tiviragandam (Tamil) <i>Ocimum basilicum</i>	Tmin (Russ.) <i>Carum carvi</i>	Trai me (Vietnam.) <i>Tamarindus indica</i>	Trybula ogradowa (Pol.) <i>Anthriscus cerefolium</i>
Timián (Hung.) <i>Thymus vulgaris</i>	Tmin, indijskij (Russ.) <i>Cuminum cyminum</i>	Tmin, rimskij (Russ.) <i>Cuminum cyminum</i>	Tram (Vietnam.) <i>Eugenia polyantha</i>	Tsafu (Lotha Naga) <i>Ocimum basilicum</i>
Timian (Dan.,Norw.) <i>Thymus vulgaris</i>	Tmini (Georg.) <i>Carum carvi</i>	Toei (Thai) <i>Pandanus amaryllifolius</i>	Trandafir (Roman.) <i>Rosa damascena</i>	Tsagaan chinzhüü (Mong.) <i>Piper nigrum</i>
Timiano (Esperanto) <i>Thymus vulgaris</i>	Toey-hom (Thai) <i>Pandanus amaryllifolius</i>	Toey tale (Thai) <i>Pandanus odoratissimus</i>	Trandafir bulgäresc (Roman.) <i>Rosa damascena</i>	Tsagaan gich (Mong.) <i>Sinapis alba</i>
Timiāns (Latv.) <i>Thymus vulgaris</i>	Togarashi (Japan.) <i>Capsicum frutescens</i>	Tog'zhabbil (Uzbek) <i>Thymus vulgaris</i>	Trandafir de dulceată (Roman.) <i>Rosa centifolia</i>	Tsagaan pjer'ts (Mong.) <i>Piper nigrum</i>
Timijan (Croat.,Maced.,Serb.,Sloven.) <i>Thymus vulgaris</i>	Tog'zhabbil (Uzbek) <i>Thymus vulgaris</i>	Tohyeonggae (Korean) <i>Chenopodium ambrosioides</i>	Traubentee, mexicanischer (Germ.) <i>Chenopodium ambrosioides</i>	Tsagan gaa (Mong.) <i>Zingiber officinale</i>
Timin (Hebr.) <i>Thymus vulgaris</i>	Tohyeonggae (Korean) <i>Chenopodium ambrosioides</i>	Toi (Vietnam.) <i>Allium sativum</i>	Trava, limonska (Sloven.) <i>Cymbopogon citratus</i>	Tsalaf qotsani (Hebr.) <i>Caparis spinosa</i>
T'imiz (Amhar.) <i>Piper longum</i>	Toi gau (Vietnam.) <i>Allium ursinum</i>	Toiding (Manipuri) <i>Sesamum indicum</i>	Trebul'ka (Slovak) <i>Anthriscus cerefolium</i>	Tsal-lu (Dz.) <i>Citrus sinensis</i>
Timjami (Finn.) <i>Thymus vulgaris</i>	Tokamiriyalu (Telugu) <i>Piper cubeba</i>	Tog'zhabbil (Uzbek) <i>Thymus vulgaris</i>	Trebul'ka voňavá (Slovak) <i>Anthriscus cerefolium</i>	Tsaluma (Tibet.) <i>Citrus sinensis</i>
Timjan (Icel.,Swed.) <i>Thymus vulgaris</i>	Tolasi (Tulu) <i>Ocimum basilicum</i>	Toi hoang (Vietnam.) <i>Allium ursinum</i>	Trèfle bleu (French) <i>Trigonella caerulea</i>	Tsamija (Hausa) <i>Tamarindus indica</i>
Timmur (Nepali) <i>Zanthoxylum alatum</i>	Tomell (Catalan) <i>Thymus vulgaris</i>	Tokawic wonny (Pol.) <i>Dipteryx odorata</i>	Trèfle musque (French) <i>Trigonella caerulea</i>	Tsangu (Mong.) <i>Lepidium sativum</i>
Timo (Ital.,Port.) <i>Thymus vulgaris</i>	Tomerik (Korean) <i>Curcuma longa</i>	Tonka (Hebr.) <i>Dipteryx odorata</i>	Trendafil (Maced.) <i>Rosa damascena</i>	Tsao kuo (Mand.) <i>Amomum tsao-ko</i>
Timó (Catalan) <i>Thymus vulgaris</i>	Tonkava (Slovak) <i>Dipteryx odorata</i>	Tonkavac (Slovak) <i>Dipteryx odorata</i>	Trëndafil qeni (Alb.) <i>Rosa canina</i>	Tsatara vruda (Hebr.) <i>Satureja thymbra</i>
Timonet (Catalan) <i>Thymus vulgaris</i>	Tonkavac (Slovak) <i>Dipteryx odorata</i>	Tonkavac (Slovak) <i>Dipteryx odorata</i>	Trëndafil yzerlike (Alb.) <i>Trigonella foenum-graecum</i>	Tsatthapu (Burmes.) <i>Pandanus odoratissimus</i>
Timu (Malt.) <i>Thymus vulgaris</i>	Toothache plant (Engl.) <i>Spilanthes acmella</i>	Torob (Farsi) <i>Armoracia rusticana</i>	Trëndetinë (Alb.) <i>Trigonella foenum-graecum</i>	Tsedrat (Russ.) <i>Citrus medica</i>
Timum (Lat.) <i>Thymus vulgaris</i>	Tori (Nepali) <i>Brassica nigra</i>	Törökmegegy (Hung.) <i>Prunus mahaleb</i>	Triantafillo damaskinato (Greek) <i>Rosa damascena</i>	Tsegereda (Tigr.) <i>Rosa damascena</i>
Timur (Maith.,Nepali) <i>Zanthoxylum alatum</i>	Torkav kappar (Eston.) <i>Caparis spinosa</i>	Toroma (Hung.) <i>Armoracia rusticana</i>	Triantafillo damaskinato (Greek) <i>Rosa damascena</i>	Tseiloni kaneelipuu (Eston.) <i>Cinnamomum zeylanicum</i>
Timus (Alb.) <i>Thymus vulgaris</i>	Torma (Hung.) <i>Wasabia japonica</i>	Torob (Farsi) <i>Armoracia rusticana</i>	Trifolium caeruleum (bot.) <i>Trigonella caerulea</i>	Tsejlonska kanela (Bulg.) <i>Cinnamomum zeylanicum</i>
Tim'yan (Russ.) <i>Thymus vulgaris</i>	Törökmegegy (Hung.) <i>Prunus mahaleb</i>	Toronjil (Span.) <i>Melissa officinalis</i>	Trigonella (Greek) <i>Trigonella foenum-graecum</i>	Tselina (Bulg.) <i>Apium graveolens</i>
Timyan (Yidd.) <i>Thymus vulgaris</i>	Toronjil (Span.) <i>Melissa officinalis</i>		Trigonella, blue-white (Engl.) <i>Trigonella caerulea</i>	Tselnik (Yidd.) <i>Apium graveolens</i>
Tin (Bret.) <i>Thymus vulgaris</i>				Tseretso (Georg.) <i>Anethum graveolens</i>
Tin al-Fil (Arab.) <i>Aframomum melegueta</i>				
Tinet (Lao) <i>Cocos nucifera</i>				
Ting hsiang (Mand.) <i>Syzygium aromaticum</i>				

Tshaber (Yidd.) <i>Satureja hortensis</i>	Tugande (Hausa) <i>Capsicum frutescens</i>	Turbolya, spanyol (Hung.) <i>Myrrhis odorata</i>	Uat kim (Vietnam.) <i>Curcuma longa</i>	Unimagun (Eston.) <i>Papaver somniferum</i>
Tsha lu ma (Tibet.) <i>Citrus sinensis</i>	Tu hui xiang (Mand.) <i>Anethum graveolens</i>	Turecka róza (Pol.) <i>Rosa damascena</i>	Ucüpumifishe (Chakhesang-Chokri Naga) <i>Persicaria hydropiper</i>	Unio (Lat.) <i>Allium cepa</i>
Tshelu (Dz.) <i>Citrus sinensis</i>	Tuilurluk (Hmar) <i>Cocos nucifera</i>	Turi (Santali) <i>Brassica nigra</i>	Uda (Igbo) <i>Xylopiya aethiopia</i>	Unsuey (Tagalog) <i>Coriandrum sativum</i>
Tshelu chup (Dz.) <i>Citrus aurantifolia</i>	Tuinbonenkruud (Dutch) <i>Satureja hortensis</i>	Turijan (Arab.) <i>Melissa officinalis</i>	Udgaarshodan (Sanskrit) <i>Cuminum cyminum</i>	Unujara kapsiko (Esperanto) <i>Capsicum annuum</i>
Tsheptshik (Yidd.) <i>Satureja hortensis</i>	Tuinkers (Dutch) <i>Lepidium sativum</i>	Turinja (Arab.) <i>Melissa officinalis</i>	Ueang din (Thai) <i>Kaempferia rotunda</i>	Uosabi (Bulg.) <i>Wasabia japonica</i>
Tshernitsheke (Yidd.) <i>Nigella sativa</i>	Tuinsalie (Dutch) <i>Salvia officinalis</i>	Turkantin (Bret.) <i>Thymus vulgaris</i>	Ufuta (Swahili) <i>Sesamum indicum</i>	Uosrütë, pipirinë (Lith.) <i>Zanthoxylum piperitum</i>
Tshuaj kab raus (Hmong) <i>Houttuynia cordata</i>	Tuj (Gujrati) <i>Cinnamomum zeylanicum</i>	Türkische Kirsche (Germ.) <i>Prunus mahaleb</i>	Ugragandha (Sanskrit) <i>Trachyspermum copticum</i>	Uosrütë, plokščiadyglë (Lith.) <i>Zanthoxylum simulans</i>
Tsibale (Yidd.) <i>Allium cepa</i>	Tu jing jie (Mand.) <i>Chenopodium ambrosioides</i>	Türkische Weichsel (Germ.) <i>Prunus mahaleb</i>	Ui (Dutch) <i>Allium cepa</i>	Uotakuresu (Japan.) <i>Nasturtium officinale</i>
Tsibele (Yidd.) <i>Allium cepa</i>	Tulacz pstry (Pol.) <i>Houttuynia cordata</i>	Turmeric (Engl.) <i>Curcuma longa</i>	Uikyo (Japan.) <i>Foeniculum vulgare</i>	Uotipisi (Dagbani) <i>Aframomum melegueta</i>
Tsi cai (Mand.) <i>Houttuynia cordata</i>	Tulacz sercowaty (Pol.) <i>Houttuynia cordata</i>	Turmeric, white (Engl.) <i>Curcuma zedoaria</i>	Uinnean (Gael.) <i>Allium cepa</i>	Upakunchika (Sanskrit) <i>Aframomum subulatum</i>
Tsigereda (Amhar.) <i>Rosa damascena</i>	Tulasa (Marathi) <i>Ocimum tenuiflorum</i>	Turmerig (Armen.) <i>Curcuma longa</i>	Ui-thin-thang (Mizo) <i>Houttuynia cordata</i>	Uqdah safra (Arab.) <i>Curcuma longa</i>
Tsilantro (Yidd.) <i>Coriandrum sativum</i>	Tulasi (Kannada, Oriya, Sanskrit, Tamil) <i>Ocimum tenuiflorum</i>	Túrmerik (Icel.) <i>Curcuma longa</i>	Újhagyma (Hung.) <i>Allium cepa</i>	Uralski sladić (Croat.) <i>Glycyrrhiza uralensis</i>
Tsili (Greek, Hebr.) <i>Capsicum frutescens</i>	Tulasi (Kannada, Oriya, Sanskrit, Tamil) <i>Ocimum tenuiflorum</i>	Tursi dare (Santali) <i>Ocimum tenuiflorum</i>	Ujjvala (Sanskrit) <i>Capsicum frutescens</i>	Uraru-kanzo (Japan.) <i>Glycyrrhiza uralensis</i>
Tsili (Eston.) <i>Capsicum frutescens</i>	Tulasigidda (Kannada) <i>Ocimum basilicum</i>	Tursin (Malt.) <i>Petroselinum crispum</i>	Ukon (Japan.) <i>Curcuma longa</i>	Urma, indijska (Croat., Serb.) <i>Tamarindus indica</i>
Tsimbopogon (Bulg.) <i>Cymbopogon citratus</i>	Tulasiya sasyajati (Kannada) <i>Ocimum basilicum</i>	Turunç (Turk.) <i>Citrus sinensis</i>	Ukrip (Ukr.) <i>Anethum graveolens</i>	Ûröm (Hung.) <i>Artemisia absinthium</i>
Tsimering (Yidd.) <i>Cinnamomum zeylanicum</i>	Tulkkae (Korean) <i>Perilla frutescens</i>	Turunçan (Turk.) <i>Melissa officinalis</i>	Ukrop, aptechnyj (Russ.) <i>Foeniculum vulgare</i>	Ûröm, fekete (Hung.) <i>Artemisia vulgaris</i>
Tsimring (Yidd.) <i>Cinnamomum zeylanicum</i>	Tuloxi (Assam.) <i>Ocimum basilicum</i>	Turunka (Maced.) <i>Citrus sinensis</i>	Ukrop, sladkij (Russ.) <i>Foeniculum vulgare</i>	Urt (Copt.) <i>Rosa damascena</i>
Tsintsimin (Fante) <i>Zingiber officinale</i>	Tulsi (Newari) <i>Ocimum basilicum</i>	Tutturghan (Oss.) <i>Armoracia rusticana</i>	Ukwaju (Swahili) <i>Tamarindus indica</i>	Ûrt-allickers (Eston.) <i>Nasturtium officinale</i>
Tsintsimir (Fante) <i>Zingiber officinale</i>	Tulsi (Bengali, Dogri, Hindi, Maith., Manipuri, Punjabi, Urdu) <i>Ocimum tenuiflorum</i>	Tutturqan (Oss.) <i>Armoracia rusticana</i>	Ul (Santali) <i>Mangifera indica</i>	Ûrt-hanemalts (Eston.) <i>Chenopodium ambrosioides</i>
Tsiporen (Hebr.) <i>Syzygium aromaticum</i>	Tulsi (Telugu) <i>Ocimum tenuiflorum</i>	Tutuo (Ao Naga) <i>Alpinia galanga</i>	Ulaan chinzhüü (Mong.) <i>Capsicum frutescens</i>	Urtsi (Georg.) <i>Thymus vulgaris</i>
Tsitrin (Yidd.) <i>Citrus limon</i>	Tulsi dare (Santali) <i>Ocimum tenuiflorum</i>	Tüümian (Eston.) <i>Thymus vulgaris</i>	Ulaan pjer'ts (Mong.) <i>Capsicum frutescens</i>	Urucú (Port.) <i>Bixa orellana</i>
Tsitrin-lippie (Yidd.) <i>Lippia citriodora</i>	Tulsipambi (Manipuri) <i>Ocimum tenuiflorum</i>	Tu yu gui (Mand.) <i>Cinnamomum burmannii</i>	Uleirom (Manipuri) <i>Bixa orellana</i>	Urucum (Port.) <i>Bixa orellana</i>
Tsitron (Russ.) <i>Citrus medica</i>	Tulsi patta (Nepali) <i>Ocimum tenuiflorum</i>	Tuyu male (Newari) <i>Piper nigrum</i>	Ulgum (Korean) <i>Curcuma longa</i>	Urugulla (Korean) <i>Eruca sativa</i>
Tsitron-Epl (Yidd.) <i>Citrus medica</i>	Tum (Aram.) <i>Allium sativum</i>	Tuzla otu (Turk.) <i>Artemisia dracuncululus</i>	Ulgumun (Korean) <i>Curcuma longa</i>	Uruian (Roman.) <i>Carthamus tinctorius</i>
Tsitsaka (Georg.) <i>Capsicum frutescens</i>	Tuma (Basque) <i>Thymus vulgaris</i>	Tvacha (Malayalam) <i>Cinnamomum cassia</i>	Uljana tikva (Croat.) <i>Cucurbita pepo</i>	Usan tarna (Mong.) <i>Persicaria hydropiper</i>
Tsitverijuur (Eston.) <i>Curcuma zedoaria</i>	Tumerik (Korean) <i>Curcuma longa</i>	Twak (Sanskrit) <i>Cinnamomum zeylanicum</i>	Ulje ruže (Croat.) <i>Rosa damascena</i>	Usfur (Arab.) <i>Carthamus tinctorius</i>
Tsitver-kurkume (Yidd.) <i>Curcuma zedoaria</i>	Tumus (Aram.) <i>Thymus vulgaris</i>	Twaree (Twi) <i>Citrus aurantifolia</i>	Ullastre (Catalan) <i>Olea europaea</i>	Ushana (Sanskrit) <i>Piper longum</i>
Tsong (Tibet.) <i>Allium cepa</i>	Tunda la Mahaleb (Swahili) <i>Prunus mahaleb</i>	Txerpol (Basque) <i>Thymus serpyllum</i>	Ulli (Kannada, Malayalam) <i>Allium cepa</i>	Ushingsha (Manipuri) <i>Cinnamomum zeylanicum</i>
Tsong gog (Tibet.) <i>Allium ascalonicum</i>	Tungja-namu (Korean) <i>Citrus sinensis</i>	Tykev olejná (Czech) <i>Cucurbita pepo</i>	Ulli (Kannada) <i>Allium sativum</i>	Usturoi (Roman.) <i>Allium sativum</i>
Tsong ngonpo (Tibet.) <i>Allium cepa</i>	Tunhuu (Mong.) <i>Armoracia rusticana</i>	Tymian (Slovak) <i>Thymus vulgaris</i>	Ulhal (Sinh.) <i>Trigonella foenum-graecum</i>	Usu (Tibet.) <i>Coriandrum sativum</i>
Tsuponthi (Lotha Naga) <i>Mangifera indica</i>	Tuning Kok (Manipuri) <i>Houttuynia cordata</i>	Tymián (Czech) <i>Thymus vulgaris</i>	Uluva (Malayalam) <i>Trigonella foenum-graecum</i>	Usulcho (Korean) <i>Hyssopus officinalis</i>
Tsybulja ripchasta (Ukr.) <i>Allium cepa</i>	Tuoksuruuta (Finn.) <i>Ruta graveolens</i>	Tymianek pospolity (Pol.) <i>Thymus vulgaris</i>	Umazeri (Japan.) <i>Cuminum cyminum</i>	Ûsüü (Mong.) <i>Coriandrum sativum</i>
Tsybulyna (Ukr.) <i>Allium cepa</i>	Tupsupäälaventeli (Finn.) <i>Lavandula angustifolia</i>	Tymianek własciwy (Pol.) <i>Thymus vulgaris</i>	Umbrella tree (Engl.) <i>Pandanus odoratissimus</i>	Utruj (Arab.) <i>Citrus medica</i>
Tsybulynka (Ukr.) <i>Allium schoenoprasum</i>	Turak otu tohumu (Turk.) <i>Anethum graveolens</i>	Tymián obecný (Czech) <i>Thymus vulgaris</i>	Umorok (Manipuri) <i>Capsicum chinense</i>	Utskho suneli (Georg.) <i>Trigonella caerulea</i>
Tsyvzy (Oss.) <i>Capsicum frutescens</i>	Turanj (Sanskrit) <i>Citrus limon</i>	Tymyan (Ukr.) <i>Thymus vulgaris</i>	Unakka-mulagu (Malayalam) <i>Capsicum frutescens</i>	Utsxo suneli (Georg.) <i>Trigonella caerulea</i>
Tu (Newari) <i>Brassica nigra</i>	Turbolya (Hung.) <i>Anthriscus cerefolium</i>	Tyrso (Khasi) <i>Brassica nigra</i>	Ungbin (Burmes.) <i>Cocos nucifera</i>	Uwatu (Swahili) <i>Trigonella foenum-graecum</i>
Tube Seluwang (Malay) <i>Persicaria hydropiper</i>		Tyu su (Mand.) <i>Perilla frutescens</i>	Unikko (Finn.) <i>Papaver somniferum</i>	Uzun biber (Turk.) <i>Piper longum</i>
Tübirtamır (Kazakh) <i>Armoracia rusticana</i>		Uasabi (Bulg.) <i>Wasabia japonica</i>		Vaadaam (Pahlavi) <i>Prunus dulcis</i>

Vaadrang (Pahlavi) <i>Citrus medica</i>	Valmulakam (Malayalam) <i>Pimenta dioica</i>	Vanns baraing (Khmer) <i>Petroselinum crispum</i>	Vayu (Telugu) <i>Trachyspermum copticum</i>	Vetnamskaja kaliandra (Belar.) <i>Eryngium foetidum</i>
Vad szezám (Hung.) <i>Perilla frutescens</i>	Valse kaneel (Dutch) <i>Cinnamomum cassia</i>	Vannsui (Khmer) <i>Coriandrum sativum</i>	Veikselinkirsikka (Finn.) <i>Prunus mahaleb</i>	V'etnamskaya koritsa (Russ.) <i>Cinnamomum loureiroi</i>
Vætukarsi (Icel.) <i>Nasturtium officinale</i>	Vamu (Telugu) <i>Trachyspermum copticum</i>	Vap ca (Vietnam.) <i>Houttuynia cordata</i>	Vejskel (Swed.) <i>Prunus mahaleb</i>	V'etnamskij koriandr (Russ.) <i>Eryngium foetidum</i>
Vaiguputk, haisev (Eston.) <i>Ferula assa-foetida</i>	Vanapippili (Tamil) <i>Piper longum</i>	Vard (Armen.) <i>Rosa damascena</i>	Velchi (Marathi) <i>Elettaria cardamomum</i>	Veymui (Dhivehi) <i>Glycyrrhiza glabra</i>
Vainilla (Span.) <i>Vanilla planifolia</i>	Vanglo (Germ.) <i>Sesamum indicum</i>	Vardi (Georg.) <i>Rosa damascena</i>	Velchi, masalyachi (Marathi) <i>Amomum subulatum</i>	Viaszbogyó (Hung.) <i>Myrica gale</i>
Vaisiai pimentas (Lith.) <i>Pimenta dioica</i>	Van hom (Lao) <i>Kaempferia galanga</i>	Väriminttu (Finn.) <i>Monarda didyma</i>	Veldoda (Marathi) <i>Elettaria cardamomum</i>	Vībotne (Latv.) <i>Artemisia vulgaris</i>
Vaistinė balanda (Lith.) <i>Chenopodium ambrosioides</i>	Vaniglia (Ital.) <i>Vanilla planifolia</i>	Värisafflori (Finn.) <i>Carthamus tinctorius</i>	Veldode (Marathi) <i>Amomum subulatum</i>	Vietnamese cinnamon (Engl.) <i>Cinnamomum loureiroi</i>
Vaistinė gelsvė (Lith.) <i>Levisticum officinale</i>	Vanikkodi (Tamil) <i>Vanilla planifolia</i>	Variyali (Gujrati) <i>Pimpinella anisum</i>	Veldola (Marathi) <i>Elettaria cardamomum</i>	Vietnamese coriander (Engl.) <i>Persicaria odoratum</i>
Vaistinė melisa (Lith.) <i>Melissa officinalis</i>	Vanil (Armen.,Basque,Farsi,Hindi,Yidd.) <i>Vanilla planifolia</i>	Vart (Armen.) <i>Rosa damascena</i>	Vella (Sanskrit) <i>Piper nigrum</i>	Vietnamese mint (Engl.) <i>Persicaria odoratum</i>
Vaistinė ožragė (Lith.) <i>Trigonella foenum-graecum</i>	Vanil' (Mong.,Russ.,Ukr.) <i>Vanilla planifolia</i>	Värvibiksa (Eston.) <i>Bixa orellana</i>	Vellai milagu (Tamil) <i>Piper nigrum</i>	Vietnamesischer Koriander (Germ.) <i>Persicaria odoratum</i>
Vaistinis čiobrelis (Lith.) <i>Thymus vulgaris</i>	Vanila (Amhar.,Hindi,Maced.,Malayalam,Serb.,Sinh.,Tamil) <i>Vanilla planifolia</i>	Värvisaffloor (Eston.) <i>Carthamus tinctorius</i>	Vellai poondu (Tamil) <i>Allium sativum</i>	Vietnamesischer Zimt (Germ.) <i>Cinnamomum loureiroi</i>
Vaistinis isopas (Lith.) <i>Hyssoopus officinalis</i>	Vanija, smaržīgā (Latv.) <i>Vanilla planifolia</i>	Värvisaffloori öied (Eston.) <i>Carthamus tinctorius</i>	Vellakadugu (Malayalam) <i>Sinapis alba</i>	Vietnamesisk Kanel (Dan.) <i>Cinnamomum loureiroi</i>
Vaistinis kietis (Lith.) <i>Artemisia dracunculus</i>	Vanilė (Lith.) <i>Vanilla planifolia</i>	Vasabi (Hebr.,Russ.,Serb.) <i>Wasabia japonica</i>	Vella kurumulagu (Malayalam) <i>Piper nigrum</i>	Vietnamesisk Koriander (Dan.) <i>Persicaria odoratum</i>
Vaistinis režiuakas (Lith.) <i>Nasturtium officinale</i>	Vanile (Punjabi) <i>Vanilla planifolia</i>	Vasabio (Esperanto) <i>Wasabia japonica</i>	Vellulli (Telugu) <i>Allium sativum</i>	Vietnami fahėj (Hung.) <i>Cinnamomum loureiroi</i>
Vaistinis šalavijas (Lith.) <i>Salvia officinalis</i>	Vanilha (Bret.) <i>Vanilla planifolia</i>	Vasana-pullu (Malayalam) <i>Cymbopogon citratus</i>	Veluth-ulli (Malayalam) <i>Allium sativum</i>	Vietnami menta (Hung.) <i>Persicaria odoratum</i>
Vakataraha (Telugu) <i>Aneimum graveolens</i>	Vanili (Georg.,Indones.) <i>Vanilla planifolia</i>	Vasa-vasi (Sinh.) <i>Myristica fragrans</i>	Veluttha kurumulagu (Malayalam) <i>Piper nigrum</i>	Vietnamskaja karyca (Belar.) <i>Cinnamomum loureiroi</i>
Vakifu (Dhivehi) <i>Piper longum</i>	Vanília (Hung.) <i>Vanilla planifolia</i>	Vasalikos (Greek) <i>Ocimum basilicum</i>	Vendayam (Tamil) <i>Trigonella foenum-graecum</i>	Vietnamska kanela (Bulg.) <i>Cinnamomum loureiroi</i>
Vaks-hodes (Yidd.) <i>Myrica cerifera</i>	Vanilia (Greek) <i>Vanilla planifolia</i>	Vaspeppar (Norw.) <i>Persicaria hydropiper</i>	Vengayam (Tamil) <i>Allium cepa</i>	Vihanneskrassi (Finn.) <i>Lepidium sativum</i>
Vaks-hodes, sumpiker (Yidd.) <i>Myrica gale</i>	Vanilie (Roman.) <i>Vanilla planifolia</i>	Vaste kervel (Dutch) <i>Myrrhis odorata</i>	Venja (Serb.) <i>Juniperus communis</i>	Viherpippuri (Finn.) <i>Piper nigrum</i>
Valanpuli (Malayalam) <i>Tamarindus indica</i>	Vanilija (Croat.,Sloven.) <i>Vanilla planifolia</i>	Vasyl'ky likarski (Ukr.) <i>Ocimum basilicum</i>	Venkel (Dutch,Eston.) <i>Foeniculum vulgare</i>	Vijapura (Sanskrit) <i>Citrus limon</i>
Valdknobl (Yidd.) <i>Allium ursinum</i>	Vaniliya (Bulg.) <i>Vanilla planifolia</i>	Vasyl'ky spravzhni (Ukr.) <i>Ocimum basilicum</i>	Venthayam (Malayalam) <i>Trigonella foenum-graecum</i>	Vilaiti mehandi (Urdu) <i>Myrtus communis</i>
Valge pipar (Eston.) <i>Piper nigrum</i>	Vanilj (Swed.) <i>Vanilla planifolia</i>	Vaszabi (Hung.) <i>Wasabia japonica</i>	Verbena (Bulg.,Greek,Lith.) <i>Lippia citriodora</i>	Vilayati jeera (Hindi) <i>Carum carvi</i>
Valge sinep (Eston.) <i>Sinapis alba</i>	Vanilja (Finn.,Malt.) <i>Vanilla planifolia</i>	Vaszfa, citrom illatú (Hung.) <i>Backhousia citriodora</i>	Verbena, lemon (Engl.) <i>Lippia citriodora</i>	Vilayatimehndi (Hindi) <i>Myrtus communis</i>
Valgomasis krienas (Lith.) <i>Armoracia rusticana</i>	Vanilje (Dan.,Norw.) <i>Vanilla planifolia</i>	Vatada (Sanskrit) <i>Prunus dulcis</i>	Verbena citriodora (bot.) <i>Lippia citriodora</i>	Vilayati saunni (Hindi) <i>Pimpinella anisum</i>
Valgomasis salierai (Lith.) <i>Apium graveolens</i>	Vanilka (Czech,Slovak) <i>Vanilla planifolia</i>	Vatakeiya (Sinh.) <i>Pandanus odoratissimus</i>	Verbena limonnaya (Russ.) <i>Lippia citriodora</i>	Vilayiti pudina (Kannada) <i>Mentha piperita</i>
Valgomasis svogūnas (Lith.) <i>Allium cepa</i>	Vanill, harilik (Eston.) <i>Vanilla planifolia</i>	Vatumai (Tamil) <i>Prunus dulcis</i>	Verbena tree, sweet (Engl.) <i>Backhousia citriodora</i>	Vilder zafren (Yidd.) <i>Crocus sativus</i>
Valkjas sassafras (Eston.) <i>Sassafras albidum</i>	Vanilla (Engl.,Icel.) <i>Vanilla planifolia</i>	Vavřín (Czech) <i>Laurus nobilis</i>	Verbena triphylla (bot.) <i>Lippia citriodora</i>	Vild Mejram (Swed.) <i>Origanum vulgare</i>
Valkopippuri (Finn.) <i>Piper nigrum</i>	Vanilla fragrans (bot.) <i>Vanilla planifolia</i>	Vavřín obecný (Czech) <i>Laurus nobilis</i>	Verbinā (Roman.) <i>Lippia citriodora</i>	Vinruta (Swed.) <i>Ruta graveolens</i>
Valkosipuli (Finn.) <i>Allium sativum</i>	Vanille (Dutch,French,Germ.) <i>Vanilla planifolia</i>	Vavrín pravý (Slovak) <i>Laurus nobilis</i>	Verda pipro (Esperanto) <i>Piper nigrum</i>	Vinrute (Norw.) <i>Ruta graveolens</i>
Vallmo (Swed.) <i>Papaver somniferum</i>	Vanillia (Greek) <i>Vanilla planifolia</i>	Vavřín ušlechtilý (Czech) <i>Laurus nobilis</i>	Vered (Hebr.) <i>Rosa damascena</i>	Vinska rutica (Sloven.) <i>Ruta graveolens</i>
Valmi (Sinh.) <i>Glycyrrhiza glabra</i>	Vanillikaun (Eston.) <i>Vanilla planifolia</i>	Vay anh tuc (Vietnam.) <i>Papaver somniferum</i>	Veripeippi (Finn.) <i>Perilla frutescens</i>	Virágbors (Hung.) <i>Zanthoxylum piperitum</i>
Valmilagu (Tamil) <i>Piper cubeba</i>	Vanilo (Esperanto) <i>Vanilla planifolia</i>	Vaynroute (Yidd.) <i>Ruta graveolens</i>	Verveine citronelle (French) <i>Lippia citriodora</i>	Virces (Latv.) <i>Pimenta dioica</i>
Valmuáfræ (Icel.) <i>Papaver somniferum</i>	Vanilya (Turk.) <i>Vanilla planifolia</i>	Vayse mustarde (Yidd.) <i>Sinapis alba</i>	Verveine des Indes (French) <i>Cymbopogon citratus</i>	Virnanč (Roman.) <i>Ruta graveolens</i>
Valmue (Norw.) <i>Papaver somniferum</i>	Vaniyl (Kazakh) <i>Vanilla planifolia</i>	Vayser fefer (Yidd.) <i>Piper nigrum</i>	Verveine odorante (French) <i>Lippia citriodora</i>	Višeň turecká (Czech) <i>Prunus mahaleb</i>
Valmue-frø (Dan.) <i>Papaver somniferum</i>	Van mahakan (Lao) <i>Allium sativum</i>	Vayser zeneft (Yidd.) <i>Sinapis alba</i>	Vetani (Tamil) <i>Trigonella foenum-graecum</i>	Vishnu-tulasi (Kannada) <i>Ocimum basilicum</i>

Vishnya dushistaya (Russ.) <i>Prunus mahaleb</i>	Voskovník (Czech) <i>Myrica gale</i>	Wahn heung (Canton.) <i>Ruta graveolens</i>	Wathung (Thai) <i>Eugenia polyantha</i>	Wilde marjolein (Dutch) <i>Origanum vulgare</i>
Vishnya magalebka (Russ.) <i>Prunus mahaleb</i>	Voskovník obyčajný (Slovak) <i>Myrica gale</i>	Wahn nei la (Canton.) <i>Vanilla planifolia</i>	Wawashi (Punjabi) <i>Mangifera indica</i>	Wilde pimpinell (Dutch) <i>Pimpinella anisum</i>
Vishnya makhalebka (Russ.) <i>Prunus mahaleb</i>	Voskovnitsa (Russ.) <i>Myrica gale</i>	Wailchi (Marathi) <i>Elettaria cardamomum</i>	Wawrzyn szlachetny (Pol.) <i>Laurus nobilis</i>	Wilder Knoblauch (Germ.) <i>Allium ursinum</i>
Vişin turcesc (Roman.) <i>Prunus mahaleb</i>	Vranilova trava (Serb.) <i>Origanum vulgare</i>	Wakegi (Japan.) <i>Allium cepa</i>	Wegrauke (Germ.) <i>Sisymbrium officinale</i>	Wilder Majoran (Germ.) <i>Origanum vulgare</i>
Višňa turecká (Slovak) <i>Prunus mahaleb</i>	Vranilovka (Serb.) <i>Origanum vulgare</i>	Wakhimot (Thai) <i>Eugenia polyantha</i>	Weichsel (Dutch) <i>Prunus mahaleb</i>	Wilder Sesam (Germ.) <i>Perilla frutescens</i>
Višnja, divlja (Serb.) <i>Prunus mahaleb</i>	Vratič (Sloven.) <i>Chenopodium ambrosioides</i>	Walangan (Indones.) <i>Eryngium foetidum</i>	Weichsel, türkische (Germ.) <i>Prunus mahaleb</i>	Wilder Thymian (Germ.) <i>Thymus serpyllum</i>
Viteks (Bulg., Russ., Yidd.) <i>Vitex agnus-castus</i>	Vresak krški (Serb.) <i>Satureja hortensis</i>	Waldknoblauch (Germ.) <i>Allium ursinum</i>	Weichselkers (Dutch) <i>Prunus mahaleb</i>	Wilde Rucola (Germ.) <i>Sisymbrium officinale</i>
Vitex jahňací (Slovak) <i>Vitex agnus-castus</i>	Vrijesak (Croat.) <i>Satureja montana</i>	Wamuddo (Japan.) <i>Artemisia absinthium</i>	Weinkraut (Germ.) <i>Ruta graveolens</i>	Wilde tijm (Dutch) <i>Thymus serpyllum</i>
Vitex jehněčí (Czech) <i>Vitex agnus-castus</i>	Vrijesak (Serb.) <i>Satureja hortensis</i>	Wanchakmadluk (Thai) <i>Curcuma xanthorrhiza</i>	Weinraute (Germ.) <i>Ruta graveolens</i>	Wild garlic (Engl.) <i>Allium ursinum</i>
Vit kummin (Swed.) <i>Cuminum cyminum</i>	Vrittapuspa (Sanskrit) <i>Rosa damascena</i>	Wang-chopi (Korean) <i>Zanthoxylum coreanum</i>	Weißer Kreuzkümmel (Germ.) <i>Cuminum cyminum</i>	Wild lime (Engl.) <i>Citrus hystrix</i>
Vitlök (Swed.) <i>Allium sativum</i>	Vrsta divljeg pelina (Serb.) <i>Artemisia vulgaris</i>	Wanil (Armen., Basque, Farsi, Hebr.) <i>Vanilla planifolia</i>	Weißer Pfeffer (Germ.) <i>Piper nigrum</i>	Wild marjoram (Engl.) <i>Origanum vulgare</i>
Vitpeppar (Swed.) <i>Piper nigrum</i>	Vrtna draguša (Sloven.) <i>Lepidium sativum</i>	Wanila (Lao, Thai) <i>Vanilla planifolia</i>	Weißer Senf (Germ.) <i>Sinapis alba</i>	Wild mustard (Engl.) <i>Sisymbrium officinale</i>
Vitsenap (Swed.) <i>Sinapis alba</i>	Vrtna krebujlica (Sloven.) <i>Anthriscus cerefolium</i>	Wanilia plaskolistna (Pol.) <i>Vanilla planifolia</i>	Welriekende ganzenvoet (Dutch) <i>Chenopodium ambrosioides</i>	Wild rocket (Engl.) <i>Eruca sativa</i>
Víz, pandánusz (Hung.) <i>Pandanus odoratissimus</i>	Vrtna kreša (Sloven.) <i>Lepidium sativum</i>	Wanilla (Thai) <i>Vanilla planifolia</i>	Weolgyesu (Korean) <i>Laurus nobilis</i>	Wild sesame (Engl.) <i>Perilla frutescens</i>
Vízibors (Hung.) <i>Persicaria hydropiper</i>	Vrtnica, damaščanska (Sloven.) <i>Rosa damascena</i>	Wan-phraathit (Thai) <i>Boesenbergia pandurata</i>	Weomudu (Korean) <i>Artemisia absinthium</i>	Winterbergminze (Germ.) <i>Satureja hortensis</i>
Vízitorma (Hung.) <i>Nasturtium officinale</i>	Vrtnica, stolistna (Sloven.) <i>Rosa centifolia</i>	Wansuey (Tagalog) <i>Coriandrum sativum</i>	Weota-kuresu (Korean) <i>Nasturtium officinale</i>	Winterestragon (Germ.) <i>Tagetes lucida</i>
Vjetnama cinamomo (Esperanto) <i>Cinnamomum loureiroi</i>	Vrtni hren (Croat.) <i>Armoracia rusticana</i>	Wansui (Malay) <i>Coriandrum sativum</i>	Wered (Hebr.) <i>Rosa damascena</i>	Winter tarragon (Engl.) <i>Tagetes lucida</i>
Vlašac (Serb.) <i>Allium schoenoprasum</i>	Vrtni janež (Sloven.) <i>Pimpinella anisum</i>	Wan-Swee (Chines.) <i>Coriandrum sativum</i>	Weremkroyt (Yidd.) <i>Artemisia vulgaris</i>	Wintertijm (Dutch) <i>Thymus vulgaris</i>
Vlasac (Croat.) <i>Allium schoenoprasum</i>	Vrtni mak (Sloven.) <i>Papaver somniferum</i>	Waraq al-kari (Arab.) <i>Murraya koenigii</i>	Werem-soymen (Yidd.) <i>Chenopodium ambrosioides</i>	Wisa (Fante) <i>Aframomum melegueta</i>
Vlaska (Croat.) <i>Cymbopogon citratus</i>	Vrtni safran (Croat.) <i>Crocus sativus</i>	Waraq basal (Arab.) <i>Allium schoenoprasum</i>	Wesabid (Yidd.) <i>Chenopodium ambrosioides</i>	Wisa pa Opokuo (Twi) <i>Aframomum melegueta</i>
Vlašský kopr (Czech) <i>Foeniculum vulgare</i>	Vrtni šetraj (Sloven.) <i>Satureja hortensis</i>	Waraq ghaar (Arab.) <i>Laurus nobilis</i>	Wermod Lwyd (Welsh) <i>Artemisia absinthium</i>	Wiśnia wonna (Pol.) <i>Prunus mahaleb</i>
Vodeni biber (Serb.) <i>Persicaria hydropiper</i>	Vrzina, crna (Croat.) <i>Brassica nigra</i>	Ward (Malt.) <i>Rosa damascena</i>	Wermut (Germ.) <i>Artemisia absinthium</i>	Witte mosterd (Dutch) <i>Sinapis alba</i>
Vodeni papar (Croat.) <i>Persicaria hydropiper</i>	Vulligadda (Telugu) <i>Allium cepa</i>	Ward alaham (Arab.) <i>Rosa damascena</i>	West-Indian bay leaves (Engl.) <i>Pimenta dioica</i>	Witte peper (Dutch) <i>Piper nigrum</i>
Voden piper (Bulg.) <i>Persicaria hydropiper</i>	Vung (Vietnam.) <i>Sesamum indicum</i>	Wariari (Gujrati) <i>Foeniculum vulgare</i>	West Indian goosefoot (Engl.) <i>Chenopodium ambrosioides</i>	Wnionyn (Welsh) <i>Allium cepa</i>
Vodna kreša (Sloven.) <i>Nasturtium officinale</i>	Vürts (Eston.) <i>Pimenta dioica</i>	Waridi (Swahili) <i>Rosa damascena</i>	Westindisches Lorbeerblatt (Germ.) <i>Pimenta dioica</i>	Wohlriechender Gänsefuß (Germ.) <i>Chenopodium ambrosioides</i>
Vodyanyj perets (Ukr.) <i>Persicaria hydropiper</i>	Vürtsbasililik (Eston.) <i>Ocimum basilicum</i>	Wasabi (Arab., Engl., Germ., Japan., Korean, Thai) <i>Wasabia japonica</i>	White mustard seed (Engl.) <i>Sinapis alba</i>	Wohlriechende Süßholde (Germ.) <i>Myrrhis odorata</i>
Voinicã (Roman.) <i>Eruca sativa</i>	Vürtsköömen (Eston.) <i>Cuminum cyminum</i>	Wasabia pungens (bot.) <i>Wasabia japonica</i>	White pepper (Engl.) <i>Piper nigrum</i>	Wohng geung (Canton.) <i>Curcuma longa</i>
Voinicã (Roman.) <i>Sisymbrium officinale</i>	Vyanilla (Kannada) <i>Vanilla planifolia</i>	Wasabidaikon (Japan.) <i>Armoracia rusticana</i>	White turmeric (Engl.) <i>Curcuma zedoaria</i>	Wohng ging (Canton.) <i>Vitex negundo</i>
Volujsko uho (Croat.) <i>Borago officinalis</i>	Vyshnya mahalebs'ka (Ukr.) <i>Prunus mahaleb</i>	Wasserkresse (Germ.) <i>Nasturtium officinale</i>	Wie (Ga-Dangme) <i>Aframomum melegueta</i>	Wohng jeung (Canton.) <i>Sassafras albidum</i>
Volujsko uvo (Serb.) <i>Borago officinalis</i>	Vyšnia, kvapioji (Lith.) <i>Prunus mahaleb</i>	Wasserpfeffer (Germ.) <i>Persicaria hydropiper</i>	Wiesenkümmel (Germ.) <i>Carum carvi</i>	Wok lok uvat (Chines.) <i>Elettaria cardamomum</i>
Võnövec (Slovak) <i>Cymbopogon citratus</i>	Vzhodna črnika (Sloven.) <i>Nigella sativa</i>	Water cress (Engl.) <i>Nasturtium officinale</i>	Wijen (Indones.) <i>Sesamum indicum</i>	Wolgyesu (Korean) <i>Laurus nobilis</i>
Vorago (Greek) <i>Borago officinalis</i>	Waan haao nun (Thai) <i>Kaempferia rotunda</i>	Waterkers (Dutch) <i>Nasturtium officinale</i>	Wijnruit (Dutch) <i>Ruta graveolens</i>	Womudu (Korean) <i>Artemisia absinthium</i>
Vöröshagyma (Hung.) <i>Allium cepa</i>	Waan hom (Thai) <i>Kaempferia galanga</i>	Waterpeper (Dutch) <i>Persicaria hydropiper</i>	Wild cumin (Engl.) <i>Carum carvi</i>	Wooi heung (Canton.) <i>Foeniculum vulgare</i>
Vorstirohi (Eston.) <i>Majorana hortensis</i>	Waan nonlap (Thai) <i>Kaempferia rotunda</i>	Waterpeper (Engl.) <i>Persicaria hydropiper</i>	Wilde Knoflook (Dutch) <i>Allium ursinum</i>	Wormkruid (Dutch) <i>Chenopodium ambrosioides</i>
Vortsel-selerie (Yidd.) <i>Apium graveolens</i>	Waan teen din (Thai) <i>Kaempferia galanga</i>	Wat gam (Canton.) <i>Curcuma longa</i>	Wilde komijn (Dutch) <i>Carum carvi</i>	Wormseed (Engl.) <i>Chenopodium ambrosioides</i>
Voser-fefer (Yidd.) <i>Persicaria hydropiper</i>	Wacholder (Germ.) <i>Juniperus communis</i>	Wat gam (Canton.) <i>Curcuma zedoaria</i>		
Voskovac (Serb.) <i>Myrica gale</i>				

Wormwood (Engl.) <i>Artemisia absinthium</i>	Xhenxhefil (Alb.) <i>Zingiber officinale</i>	Xoai (Vietnam.) <i>Mangifera indica</i>	Yam heung (Canton.) <i>Cinnamomum burmannii</i>	Ya tumhu (Thai) <i>Spilanthes acmella</i>
Wormzaad (Dutch) <i>Chenopodium ambrosioides</i>	Xiang ba mao (Mand.) <i>Cymbopogon citratus</i>	Xoriyah (Assam.) <i>Brassica nigra</i>	Yanagi-tade (Japan.) <i>Persicaria hydropiper</i>	Yauhtli (Span.) <i>Tagetes lucida</i>
Wormzaad, amerikaans (Dutch) <i>Chenopodium ambrosioides</i>	Xiang bao he (Mand.) <i>Satureja hortensis</i>	Xoshxoshi (Georg.) <i>Papaver somniferum</i>	Yan chahn hou (Canton.) <i>Artemisia dracunculus</i>	Yavaanika (Sanskrit) <i>Trachyspermum copticum</i>
Wosabi (Bulg.) <i>Wasabia japonica</i>	Xiang cai (Mand.) <i>Coriandrum sativum</i>	Xoxnata (Georg.) <i>Armoracia rusticana</i>	Yan douh johng wuih heung (Canton.) <i>Trachyspermum copticum</i>	Yavan (Gujrati) <i>Trachyspermum copticum</i>
Woskownica europejska (Pol.) <i>Myrica gale</i>	Xiang cai (Mand.) <i>Petroselinum crispum</i>	Xsangsuru (Lotha Naga) <i>Cinnamomum zeylanicum</i>	Yan fu mu (Mand.) <i>Rhus coriaria</i>	Yavanappiriyam (Tamil) <i>Piper nigrum</i>
Wota-kuresu (Korean) <i>Nasturtium officinale</i>	Xiang cao (Mand.) <i>Vanilla planifolia</i>	Xtoma (Georg.) <i>Capparis spinosa</i>	Yang ai (Mand.) <i>Artemisia absinthium</i>	Yavanapriyam (Malayalam) <i>Piper nigrum</i>
Wotoe-kres (Thai) <i>Nasturtium officinale</i>	Xiang cao lan (Mand.) <i>Vanilla planifolia</i>	Xumakk tal-Konz (Malt.) <i>Rhus coriaria</i>	Yang cong (Mand.) <i>Allium cepa</i>	Yavanskij perets (Russ.) <i>Piper cubeba</i>
Woutknooploock (Dutch) <i>Allium ursinum</i>	Xiang feng cao (Mand.) <i>Melissa officinalis</i>	Xumthira (Assam.) <i>Citrus sinensis</i>	Yanggajuk (Korean) <i>Ocimum basilicum</i>	Yavsaha (Sanskrit) <i>Trachyspermum copticum</i>
Wrad (Aram.) <i>Rosa damascena</i>	Xiang feng hua (Mand.) <i>Melissa officinalis</i>	Xumthira-tenga (Assam.) <i>Citrus sinensis</i>	Yanggwiwi (Korean) <i>Papaver somniferum</i>	Yavşan otu (Turk.) <i>Artemisia vulgaris</i>
Wuh jiu (Canton.) <i>Piper nigrum</i>	Xiang feng ye (Mand.) <i>Melissa officinalis</i>	Xun sun (Mand.) <i>Ocimum basilicum</i>	Yanggweoja (Korean) <i>Brassica juncea</i>	Ya yang (Lao) <i>Papaver somniferum</i>
Wuh jiu bohk hoh (Canton.) <i>Mentha piperita</i>	Xiang hua cai (Mand.) <i>Mentha piperita</i>	Xun yi cao (Mand.) <i>Lavandula angustifolia</i>	Yanggwoja (Korean) <i>Brassica juncea</i>	Yea (Twi) <i>Zanthoxylum xanthoxyloides</i>
Wuh jiu mukh (Canton.) <i>Zanthoxylum piperitum</i>	Xiang jia lan (Mand.) <i>Vanilla planifolia</i>	Xuyen tieu (Vietnam.) <i>Zanthoxylum nitidum</i>	Yang hui xiang (Mand.) <i>Pimpinella anisum</i>	Ye ai (Mand.) <i>Artemisia vulgaris</i>
Wuh louh ba (Canton.) <i>Trigonella foenum-graecum</i>	Xiang lan (Mand.) <i>Vanilla planifolia</i>	Yaban hargdahl (Turk.) <i>Sisymbrium officinale</i>	Yangmomil (Korean) <i>Houttuynia cordata</i>	Ye cong (Chines.) <i>Allium ursinum</i>
Wuh ma (Canton.) <i>Sesamum indicum</i>	Xiang lin tou (Mand.) <i>Pandanus amaryllifolius</i>	Yabanî gül (Turk.) <i>Rosa canina</i>	Yang-myeongaju (Korean) <i>Chenopodium ambrosioides</i>	Yee ra (Thai) <i>Ocimum gratissimum</i>
Wuh seui (Canton.) <i>Coriandrum sativum</i>	Xiang mao shu (Mand.) <i>Cymbopogon citratus</i>	Yabanî kerevizi (Turk.) <i>Apium graveolens</i>	Yang-myongaju (Korean) <i>Chenopodium ambrosioides</i>	Yee ra (Thai) <i>Foeniculum vulgare</i>
Wuih heung (Canton.) <i>Foeniculum vulgare</i>	Xiang su (Mand.) <i>Perilla frutescens</i>	Yabanî sarımsak (Turk.) <i>Allium ursinum</i>	Yang-myongaju (Korean) <i>Chenopodium ambrosioides</i>	Yee raa (Thai) <i>Cuminum cyminum</i>
Wurmkraut (Germ.) <i>Artemisia absinthium</i>	Xiang sui (Mand.) <i>Coriandrum sativum</i>	Yabanî sarımsaq (Azeri) <i>Allium ursinum</i>	Yangpa (Korean) <i>Allium cepa</i>	Yeghesbag (Armen.) <i>Salvia officinalis</i>
Wurstkraut (Germ.) <i>Majorana hortensis</i>	Xiang tao mu (Mand.) <i>Myrtus communis</i>	Yaban kerevizi (Turk.) <i>Levisticum officinale</i>	Yangssukkas (Korean) <i>Petroselinum crispum</i>	Ye gui (Mand.) <i>Cinnamomum burmannii</i>
Wusa (Fante) <i>Aframomum melegueta</i>	Xiang yuan (Mand.) <i>Citrus medica</i>	Yaban turbu (Turk.) <i>Armoracia rusticana</i>	Yang yuan sui (Mand.) <i>Eryngium foetidum</i>	Yeh faa jiu (Canton.) <i>Zanthoxylum nitidum</i>
Xa (Vietnam.) <i>Cymbopogon citratus</i>	Xiang zi lan (Mand.) <i>Vanilla planifolia</i>	Yachiyana (Japan.) <i>Myrica gale</i>	Yang yuan sui (Mand.) <i>Petroselinum crispum</i>	Yeh gi (Canton.) <i>Cocos nucifera</i>
Xa lach son (Vietnam.) <i>Lepidium sativum</i>	Xiao dou kou (Mand.) <i>Amomum krervanh</i>	Yafan (Lao) <i>Crocus sativus</i>	Yan-jiao (Chines.) <i>Zanthoxylum acanthopodium</i>	Yeh ngaai (Canton.) <i>Artemisia vulgaris</i>
Xang-hum (Khmer) <i>Persicaria odoratum</i>	Xiao hui xiang (Mand.) <i>Foeniculum vulgare</i>	Ya faran (Thai) <i>Crocus sativus</i>	Yan kok (Chines.) <i>Pimpinella anisum</i>	Yeh ssu (Mand.) <i>Perilla frutescens</i>
Xanthoxylum piperitum (bot.) <i>Zanthoxylum piperitum</i>	Xiao hui xiang (Mand.) <i>Cuminum cyminum</i>	Yafran (Amhar.) <i>Capsicum annuum</i>	Yan shi (Mand.) <i>Coriandrum sativum</i>	Ye hua jiao (Mand.) <i>Zanthoxylum nitidum</i>
Xan troc (Vietnam.) <i>Murraya koenigii</i>	Xiao xiang cao (Mand.) <i>Ruta graveolens</i>	Yağ gülü (Turk.) <i>Rosa damascena</i>	Yan Shi (Chines.) <i>Coriandrum sativum</i>	Yelakulu (Telugu) <i>Elettaria cardamomum</i>
Xantroc (Khmer) <i>Murraya koenigii</i>	Xia yi cong (Mand.) <i>Allium schoenoprasum</i>	Yaingang (Manipuri, Tangkhul) <i>Curcuma longa</i>	Yanshuj (Mong.) <i>Petroselinum crispum</i>	Yellow julienne (Engl.) <i>Sisymbrium officinale</i>
Xarbot (Basque) <i>Thymus vulgaris</i>	Xi lan rou gui (Mand.) <i>Cinnamomum zeylanicum</i>	Yaja-namu yeolmae (Korean) <i>Cocos nucifera</i>	Yansoon (Arab.) <i>Pimpinella anisum</i>	Yellu (Tamil) <i>Sesamum indicum</i>
Xardal (Azeri) <i>Brassica nigra</i>	Ximbla (Catalan) <i>Vitex agnus-castus</i>	Yaja-namu yolmae (Korean) <i>Cocos nucifera</i>	Yansoon najmee (Arab.) <i>Illicium verum</i>	Yenibahar (Turk.) <i>Pimenta dioica</i>
Xardal ağı (Azeri) <i>Sinapis alba</i>	Xing ren (Mand.) <i>Prunus dulcis</i>	Ya jiao (Mand.) <i>Zanthoxylum bungeanum</i>	Yansun (Arab.) <i>Pimpinella anisum</i>	Yensey (Dz.) <i>Coriandrum sativum</i>
Xarpoil (Basque) <i>Carum carvi</i>	Xixari belarr (Basque) <i>Artemisia absinthium</i>	Yala (Newari) <i>Amomum subulatum</i>	Yansun najmi (Arab.) <i>Illicium verum</i>	Yeoggwi (Korean) <i>Persicaria hydropiper</i>
Xaş-xaş (Azeri) <i>Papaver somniferum</i>	Xi xiang cong (Mand.) <i>Allium schoenoprasum</i>	Yalakkı (Kannada) <i>Elettaria cardamomum</i>	Yan zhi shu (Mand.) <i>Bixa orellana</i>	Yeoggwigwa (Korean) <i>Persicaria hydropiper</i>
Xaxvi (Georg.) <i>Allium cepa</i>	Xi yang cai (Mand.) <i>Nasturtium officinale</i>	Yalancı karabiber (Turk.) <i>Schinus terebinthifolius</i>	Yaponskij khren (Russ.) <i>Wasabia japonica</i>	Yerba Anis (Span.) <i>Tagetes lucida</i>
Xe (Ewe) <i>Zanthoxylum xanthoxyloides</i>	Xi Yang Cai (Chines.) <i>Nasturtium officinale</i>	Yalancı safran (Turk.) <i>Carthamus tinctorius</i>	Yaponskij perets (Russ.) <i>Zanthoxylum piperitum</i>	Yerba de Santa Maria (Span.) <i>Chenopodium ambrosioides</i>
Xenebro (Galic.) <i>Juniperus communis</i>	Xi yang e can (Mand.) <i>Anthriscus cerefolium</i>	Yalivets' zvychajnyj (Ukr.) <i>Juniperus communis</i>	Yashthimadhu (Bengali) <i>Glycyrrhiza glabra</i>	Yerba santa (Span.) <i>Piper auritum</i>
Xenxibre (Galic.) <i>Zingiber officinale</i>	Xi ye qin (Mand.) <i>Anthriscus cerefolium</i>	Yalovets (Yidd.) <i>Juniperus communis</i>	Yashtimadhugam (Malayalam) <i>Glycyrrhiza glabra</i>	Yerli teresi (Turk.) <i>Lepidium sativum</i>
Xeti (Ewe) <i>Zanthoxylum xanthoxyloides</i>	Xnkeni (Armen.) <i>Satureja hortensis</i>	Yalovets' zvychajnyj (Ukr.) <i>Juniperus communis</i>	Yashtimadhukkam (Telugu) <i>Glycyrrhiza glabra</i>	Yerma (Tibet.) <i>Zanthoxylum piperitum</i>
Xexo (Georg.) <i>Myristica fragrans</i>	Xnkuni (Armen.) <i>Rosmarinus officinalis</i>	Yalpiz (Uzbek) <i>Mentha piperita</i>	Yasthimadhu (Kannada,Sanskrit) <i>Glycyrrhiza glabra</i>	

Yerqalampir (Uzbek) <i>Artemisia rusticana</i>	Yubi (Manipuri,Tangkhal) <i>Cocos nucifera</i>	Yzop lekársky (Slovak) <i>Hyssopus officinalis</i>	Žajbelj (Sloven.) <i>Salvia officinalis</i>	Zautra (Aram.) <i>Satureja hortensis</i>
Yerravulli (Telugu) <i>Allium cepa</i>	Yu chin (Chines.) <i>Curcuma longa</i>	Yzop lékařský (Czech) <i>Hyssopus officinalis</i>	Zakuro (Japan.) <i>Punica granatum</i>	Zayit (Hebr.) <i>Olea europaea</i>
Yer-Tuvnik (Yidd.) <i>Vitex agnus-castus</i>	Yue gui (Mand.) <i>Laurus nobilis</i>	Za'afaran (Farsi) <i>Crocus sativus</i>	Žalfija (Croat.,Maced.,Serb.) <i>Salvia officinalis</i>	Zayton (Arab.) <i>Olea europaea</i>
Yeşil biber (Turk.) <i>Piper nigrum</i>	Yue gui ye (Mand.) <i>Laurus nobilis</i>	Za'afaran (Hebr.) <i>Crocus sativus</i>	Žalieji pipirai (Lith.) <i>Piper nigrum</i>	Zaytoon (Arab.) <i>Olea europaea</i>
Yeşil subiberi (Turk.) <i>Persicaria hydropiper</i>	Yueh kuei (Mand.) <i>Laurus nobilis</i>	Za'atar (Hebr.) <i>Maiorana syriaca</i>	Zaļie pipari (Latv.) <i>Piper nigrum</i>	Zaytun (Uzbek) <i>Olea europaea</i>
Yehng chung (Canton.) <i>Allium cepa</i>	Yue ji hua (Mand.) <i>Rosa chinensis</i>	Za'atar (Hebr.) <i>Satureja hortensis</i>	Žalioji rūta (Lith.) <i>Ruta graveolens</i>	Zäytün ağaşı (Kazakh) <i>Olea europaea</i>
Yehng ngaai (Canton.) <i>Artemisia absinthium</i>	Yue nan xiang cai (Mand.) <i>Persicaria odoratum</i>	Zabalin (Burmes.) <i>Cymbopogon citratus</i>	Zamatos turbolya (Hung.) <i>Anthriscus cerefolium</i>	Zäytwñ (Kazakh) <i>Olea europaea</i>
Yehng yuhn seui (Canton.) <i>Eryngium foetidum</i>	Yuen sai (Chines.) <i>Coriandrum sativum</i>	Zabur (Aram.) <i>Thymus vulgaris</i>	Zamorska kumina (Sloven.) <i>Cuminum cyminum</i>	Zázvor (Czech,Slovak) <i>Zingiber officinale</i>
Yeung wuih heong (Canton.) <i>Pimpinella anisum</i>	Yu gui (Mand.) <i>Cinnamomum cassia</i>	Zacate de limón (Span.) <i>Cymbopogon citratus</i>	Zangbil (Hebr.) <i>Zingiber officinale</i>	Zázvor, žlutý (Czech) <i>Curcuma longa</i>
Ye zi (Mand.) <i>Cocos nucifera</i>	Yu gui zi (Mand.) <i>Pimenta dioica</i>	Začimbná mleta paprika (Sloven.) <i>Capsicum annum</i>	Zang hong hua (Mand.) <i>Crocus sativus</i>	Zázvor kořen (Czech) <i>Zingiber officinale</i>
Yihk sou (Canton.) <i>Perilla frutescens</i>	Yu heung choi (Canton.) <i>Ocimum basilicum</i>	Zad' (Mong.) <i>Myristica fragrans</i>	Zangvil (Aram.,Hebr.) <i>Zingiber officinale</i>	Žebbuğ (Malt.) <i>Olea europaea</i>
Yıldız anasonu (Turk.) <i>Illium verum</i>	Yuhk dauh kau (Canton.) <i>Myristica fragrans</i>	Za'afaran (Pashto) <i>Crocus sativus</i>	Zanjabeel (Arab.) <i>Zingiber officinale</i>	Zédoaire (French) <i>Curcuma zedoaria</i>
Yin chen hao (Mand.) <i>Artemisia dracunculus</i>	Yuhk gwai (Canton.) <i>Cinnamomum zeylanicum</i>	Zafaran (Farsi,Hindi,Kashm.,Urdu) <i>Crocus sativus</i>	Zanjabil (Arab.,Farsi) <i>Zingiber officinale</i>	Zedoár (Czech,Slovak) <i>Curcuma zedoaria</i>
Yin du zang hui xiang (Mand.) <i>Trachyspermum copticum</i>	Yuhk gwai (Canton.) <i>Cinnamomum cassia</i>	Zafarani (Swahili) <i>Crocus sativus</i>	Zanthoxylum armatum (bot.) <i>Zanthoxylum armatum</i>	Zedoaria (Ital.) <i>Curcuma zedoaria</i>
Ying bat bohk (Canton.) <i>Zanthoxylum avicennae</i>	Yuhn sai (Canton.) <i>Coriandrum sativum</i>	Zafaron (Uzbek) <i>Crocus sativus</i>	Zanthoxylum limonella (bot.) <i>Zanthoxylum rhetsa</i>	Zedoária (Port.) <i>Curcuma zedoaria</i>
Ying bu bo (Mand.) <i>Zanthoxylum avicennae</i>	Yuhn sai (Canton.) <i>Petroselinum crispum</i>	Zaffarano (Ital.) <i>Crocus sativus</i>	Zanzafil (Kazakh) <i>Zingiber officinale</i>	Zedoária-rhizoma (pharm.) <i>Curcuma zedoaria</i>
Ying su (Mand.) <i>Papaver somniferum</i>	Yuhn seui (Canton.) <i>Coriandrum sativum</i>	Zaffarano Indiano (Ital.) <i>Curcuma longa</i>	Zapaliczka cuchnaça (Pol.) <i>Ferula assa-foetida</i>	Zedoária-gyökér (Hung.) <i>Curcuma zedoaria</i>
Ying suhk bohk (Canton.) <i>Papaver somniferum</i>	Yuhn yihp dong gwai (Canton.) <i>Levisticum officinale</i>	Zaffaron (Pashto) <i>Crocus sativus</i>	Zaphrana (Georg.) <i>Crocus sativus</i>	Zedoárie (Czech) <i>Curcuma zedoaria</i>
Ying su qiao (Mand.) <i>Papaver somniferum</i>	Yuht gwai (Canton.) <i>Laurus nobilis</i>	Zafferano (Ital.) <i>Crocus sativus</i>	Zapirangül (Kazakh) <i>Crocus sativus</i>	Zedoarij (Russ.) <i>Curcuma zedoaria</i>
Yin ju syuh (Canton.) <i>Bixa orellana</i>	Yuht gwai faa (Canton.) <i>Rosa chinensis</i>	Zafara (Greek) <i>Crocus sativus</i>	Zaprana (Aram.) <i>Crocus sativus</i>	Zedoárové koření (Czech) <i>Curcuma zedoaria</i>
Yin xiang (Mand.) <i>Cinnamomum burmannii</i>	Yuht naahm heung choi (Canton.) <i>Persicaria odoratum</i>	Zafraan (Arab.,Hindi) <i>Crocus sativus</i>	Zaprana (Georg.) <i>Crocus sativus</i>	Zedoary (Engl.) <i>Curcuma zedoaria</i>
Yira (Thai) <i>Foeniculum vulgare</i>	Yu jin (Mand.) <i>Curcuma longa</i>	Zafran (Arab.,Hebr.,Urdu) <i>Crocus sativus</i>	Zarbutz (Aram.) <i>Satureja hortensis</i>	Zedrate (Germ.) <i>Citrus medica</i>
Yira (Thai) <i>Ocimum gratissimum</i>	Yu jin (Mand.) <i>Curcuma zedoaria</i>	Žafran (Malt.) <i>Crocus sativus</i>	Zarbutz (Aram.) <i>Thymus vulgaris</i>	Zeera (Pashto) <i>Cuminum cyminum</i>
Yira (Thai) <i>Cuminum cyminum</i>	Yu jin xiang gen (Mand.) <i>Curcuma longa</i>	Žafran (Sloven.) <i>Crocus sativus</i>	Zarchoba (Pashto) <i>Curcuma longa</i>	Zë'fëran (Azeri) <i>Crocus sativus</i>
Yi su (Mand.) <i>Perilla frutescens</i>	Yuk gwai (Canton.) <i>Cinnamomum cassia</i>	Žafran, barvilni (Sloven.) <i>Carthamus tinctorius</i>	Zardak (Pahlavi) <i>Carthamus tinctorius</i>	Zeitun (Farsi) <i>Olea europaea</i>
Yogwi (Korean) <i>Persicaria hydropiper</i>	Yuk gwai ji (Canton.) <i>Pimenta dioica</i>	Žafranika (Sloven.) <i>Carthamus tinctorius</i>	Zardaqa (Aram.) <i>Carthamus tinctorius</i>	Zeituni (Swahili) <i>Olea europaea</i>
Yomogi (Japan.) <i>Artemisia vulgaris</i>	Yukkye (Korean) <i>Cinnamomum zeylanicum</i>	Zafran kadháb (Urdu) <i>Carthamus tinctorius</i>	Zard-choobag (Pahlavi) <i>Curcuma longa</i>	Zejlonskaja karyca (Belar.) <i>Cinnamomum zeylanicum</i>
Yong la (Dz.) <i>Curcuma longa</i>	Yuktugu (Korean) <i>Myristica fragrans</i>	Zafren (Yidd.) <i>Crocus sativus</i>	Zard chub (Urdu) <i>Curcuma longa</i>	Zelena (Sloven.) <i>Apium graveolens</i>
Yostimodhu (Assam.) <i>Glycyrrhiza glabra</i>	Yung pa (Tibet.) <i>Curcuma longa</i>	Zafren, vilder (Yidd.) <i>Crocus sativus</i>	Zard chovha (Tajik) <i>Curcuma longa</i>	Zelené koreníe (Slovak) <i>Piper nigrum</i>
Yovşan (Azeri) <i>Artemisia absinthium</i>	Yun xiang (Mand.) <i>Ruta graveolens</i>	Zafron (Yidd.) <i>Crocus sativus</i>	Zard chubeh (Farsi) <i>Curcuma longa</i>	Zeleni limun-sporiš (Croat.) <i>Lippia citriodora</i>
Ysop (Dan.,Germ.) <i>Hyssopus officinalis</i>	Yu sing chou (Canton.) <i>Houttuynia cordata</i>	Zağferan (Turk.) <i>Crocus sativus</i>	Zatar (Farsi) <i>Thymus vulgaris</i>	Zeleni papar (Croat.) <i>Piper nigrum</i>
Ysopus (Lat.) <i>Hyssopus officinalis</i>	Yu xiang cai (Mand.) <i>Ocimum basilicum</i>	Žağfran (Malt.) <i>Crocus sativus</i>	Zatar (Hebr.) <i>Satureja hortensis</i>	Zeleni poper (Sloven.) <i>Piper nigrum</i>
Yuan sui (Mand.) <i>Coriandrum sativum</i>	Yu xing cao (Mand.) <i>Houttuynia cordata</i>	Zağparan (Kazakh) <i>Crocus sativus</i>	Zatar (Hebr.) <i>Maiorana syriaca</i>	Zelen piper (Maced.) <i>Piper nigrum</i>
Yuan xi (Mand.) <i>Coriandrum sativum</i>	Yuzu (Japan.) <i>Citrus limon</i>	Žagrenis (Lith.) <i>Rhus coriaria</i>	Zatara (Hebr.) <i>Satureja hortensis</i>	Zelený pepř (Czech) <i>Piper nigrum</i>
Yuan xie gang gui (Mand.) <i>Levisticum officinale</i>	Yzerlik (Alb.) <i>Trigonella foenum-graecum</i>	Zahr (Arab.) <i>Citrus sinensis ssp. amara</i>	Zatara vruda (Hebr.) <i>Satureja thymbra</i>	Zeler (Slovak) <i>Apium graveolens</i>
Yuan xie ying tao (Mand.) <i>Prunus mahaleb</i>	Yzop (Czech) <i>Hyssopus officinalis</i>	Zait (Aram.) <i>Olea europaea</i>	Zater (Turk.) <i>Satureja hortensis</i>	Zeler, americký (Slovak) <i>Levisticum officinale</i>
Yuan ye dang gui (Mand.) <i>Levisticum officinale</i>		Zaithooni (Dhivehi) <i>Olea europaea</i>	Zatr (Arab.) <i>Thymus vulgaris</i>	Zelerové semená (Slovak) <i>Apium graveolens</i>

Zeler voňavý (Slovak) <i>Apium graveolens</i>	Zeytin (Turk.) <i>Olea europaea</i>	Zimt, Saigon- (Germ.) <i>Cinnamomum loureiroi</i>	Zitrone (Germ.) <i>Citrus limon</i>	Zorya (Russ.) <i>Levisticum officinale</i>
Zeller (Hung.) <i>Apium graveolens</i>	Zeytoon (Armen.) <i>Olea europaea</i>	Zimt, srilankanischer (Germ.) <i>Cinnamomum zeylanicum</i>	Zitronenblatt, indisches (Germ.) <i>Citrus hystrix</i>	Zoufa (Farsi) <i>Hyssopus officinalis</i>
Zelyonyj perets (Russ.) <i>Piper nigrum</i>	Zeytun (Armen., Azeri, Tajik) <i>Olea europaea</i>	Zimt, vietnamesischer (Germ.) <i>Cinnamomum loureiroi</i>	Zitronenblatt, indonesisches (Germ.) <i>Citrus hystrix</i>	Žouty imbir (Belar.) <i>Curcuma longa</i>
Zelzlane (Arab.) <i>Sesamum indicum</i>	Zhar (Arab.) <i>Citrus sinensis ssp. amara</i>	Zimtblüte (Germ.) <i>Cinnamomum zeylanicum</i>	Zitronengras (Germ.) <i>Cymbopogon citratus</i>	Zsálya (Hung.) <i>Salvia officinalis</i>
Zembil çiçeği (Turk.) <i>Borago officinalis</i>	Zhe er gen (Mand.) <i>Houttuynia cordata</i>	Zingiber (Lat.) <i>Zingiber officinale</i>	Zitronenmelisse (Germ.) <i>Melissa officinalis</i>	Zsidószalonna (Hung.) <i>Allium cepa</i>
Zencebil (Turk.) <i>Zingiber officinale</i>	Zhen jie shu (Mand.) <i>Vitex agnus-castus</i>	Zingibro (Esperanto) <i>Zingiber officinale</i>	Zitronenmonarde (Germ.) <i>Monarda didyma</i>	Zufa (Urdu) <i>Hyssopus officinalis</i>
Zencefil (Turk.) <i>Zingiber officinale</i>	Zherekhe (Yidd.) <i>Nasturtium officinale</i>	Zinjibil (Amhar.) <i>Zingiber officinale</i>	Zitronenmyrte (Germ.) <i>Backhousia citriodora</i>	Zufa otu (Turk.) <i>Hyssopus officinalis</i>
Zěncěfíl (Azeri) <i>Zingiber officinale</i>	Zhi ma (Mand.) <i>Sesamum indicum</i>	Zinzhibil (Amhar.) <i>Zingiber officinale</i>	Zitronenpfeffer, indonesischer (Germ.) <i>Zanthoxylum acanthopodium</i>	Zumake (Basque) <i>Rhus coriaria</i>
Zeneft, shvartser (Yidd.) <i>Brassica nigra</i>	Zhi qiao (Mand.) <i>Citrus medica</i>	Ziziber (Lat.) <i>Zingiber officinale</i>	Zitronenverbene (Germ.) <i>Lippia citriodora</i>	Zumaque (Span.) <i>Rhus coriaria</i>
Zeneft, vayser (Yidd.) <i>Sinapis alba</i>	Zhobi (Mao) <i>Cocos nucifera</i>	Zira (Pashto, Russ., Urdu, Uzbek) <i>Cuminum cyminum</i>	Zitstrin (Yidd.) <i>Citrus limon</i>	Zunda, kvapioji (Lith.) <i>Eryngium foetidum</i>
Zenian (Farsi) <i>Trachyspermum copticum</i>	Zhou zi su (Mand.) <i>Perilla frutescens</i>	Zirai kirmoni (Tajik) <i>Trachyspermum copticum</i>	Zittverrot (Swed.) <i>Curcuma zedoaria</i>	Zurbed (Aram.) <i>Zingiber officinale</i>
Zenzero (Ital.) <i>Zingiber officinale</i>	Zhumbrica (Alb.) <i>Thymus serpyllum</i>	Zira kar-po (Tibet.) <i>Cuminum cyminum</i>	Zitwer (Germ.) <i>Curcuma zedoaria</i>	Žuti ingver (Serb.) <i>Curcuma longa</i>
Zerdali (Turk.) <i>Curcuma longa</i>	Zhumbricë (Alb.) <i>Thymus serpyllum</i>	Zirai kirmoni (Tajik) <i>Trachyspermum copticum</i>	Ziya (Burmes.) <i>Cuminum cyminum</i>	Žutnjak (Serb.) <i>Curcuma longa</i>
Zerdečaf (Serb.) <i>Curcuma longa</i>	Zhürzh (Mong.) <i>Citrus sinensis</i>	Zira kar-po (Tibet.) <i>Cuminum cyminum</i>	Ziya (Burmes.) <i>Carum carvi</i>	Zuurkruid (Dutch) <i>Rhus coriaria</i>
Zerdeçal (Turk.) <i>Curcuma longa</i>	Zialiony perac (Belar.) <i>Piper nigrum</i>	Zi ran (Mand.) <i>Cuminum cyminum</i>	Ziyre (Kazakh) <i>Cuminum cyminum</i>	Žvaigždanyžiai (Lith.) <i>Illicium verum</i>
Zerdeçöp (Turk.) <i>Curcuma longa</i>	Ziape (Basque) <i>Brassica nigra</i>	Zira nagpo (Tibet.) <i>Nigella sativa</i>	Zlaf kotsani (Hebr.) <i>Capparis spinosa</i>	Zvezdasti anis (Serb.) <i>Illicium verum</i>
Zerdecube (Turk.) <i>Curcuma longa</i>	Ziegerklee (Germ.) <i>Trigonella caerulea</i>	Zirë (Azeri) <i>Cuminum cyminum</i>	Zlata melisa (Croat.) <i>Monarda didyma</i>	Zvezdasti janež (Sloven.) <i>Illicium verum</i>
Zere (Kazakh) <i>Cuminum cyminum</i>	Ziegerkraut (Germ.) <i>Trigonella caerulea</i>	Zireh (Farsi, Kashm., Urdu) <i>Cuminum cyminum</i>	Žlutý kořen (Czech) <i>Curcuma longa</i>	Zvezdchatyj anis (Russ.) <i>Illicium verum</i>
Zergefü (Hung.) <i>Coriandrum sativum</i>	Ziele angielskie (Pol.) <i>Pimenta dioica</i>	Zireh, kashmiri (Kashm.) <i>Bunium persicum</i>	Žlutý zázvor (Czech) <i>Curcuma longa</i>	Zviedrijas kadikis (Latv.) <i>Juniperus communis</i>
Žerucha siata (Slovak) <i>Lepidium sativum</i>	Zigerchrut (Germ.) <i>Trigonella caerulea</i>	Zireh e irani (Farsi) <i>Bunium persicum</i>	Zoete amandel (Dutch) <i>Prunus dulcis</i>	Zvezdasti anis (Croat.) <i>Illicium verum</i>
Zetis (Georg.) <i>Olea europaea</i>	Zi gui (Mand.) <i>Cinnamomum cassia</i>	Zireh kuhi (Farsi) <i>Bunium persicum</i>	Zoethout (Dutch) <i>Glycyrrhiza glabra</i>	Zwarte kardemom (Dutch) <i>Amomum subulatum</i>
Zetiskhili (Georg.) <i>Olea europaea</i>	Zi ma (Mand.) <i>Sesamum indicum</i>	Zireh sabz (Farsi) <i>Cuminum cyminum</i>	Zogala (Hausa) <i>Armoracia rusticana</i>	Zwarte komijn (Dutch) <i>Bunium persicum</i>
Zetisxili (Georg.) <i>Olea europaea</i>	Zimbro (Port.) <i>Juniperus oxycedrus</i>	Zise mandl (Yidd.) <i>Prunus dulcis</i>	Zöldbors (Hung.) <i>Piper nigrum</i>	Zwarte mosterd (Dutch) <i>Brassica nigra</i>
Zetun (Urdu) <i>Olea europaea</i>	Zi Moa (Mand.) <i>Sesamum indicum</i>	Zis feferl (Yidd.) <i>Capsicum annuum</i>	Zöldcitrom (Hung.) <i>Citrus aurantifolia</i>	Zwarte peper (Dutch) <i>Piper nigrum</i>
Zevengetijdeklaver (Dutch) <i>Trigonella caerulea</i>	Zimt, ceylonesischer (Germ.) <i>Cinnamomum zeylanicum</i>	Zi su (Mand.) <i>Perilla frutescens</i>	Zöldcitromfajta (Hung.) <i>Citrus aurantifolia</i>	Zwiebel (Germ.) <i>Allium cepa</i>
Zevenjaargetijden Klaver (Dutch) <i>Trigonella caerulea</i>	Zimt, chinesisches (Germ.) <i>Cinnamomum cassia</i>	Zi su cao (Mand.) <i>Limnophila aromatica</i>	Zöldhagyma (Hung.) <i>Allium cepa</i>	Zwiebelsame (Germ.) <i>Nigella sativa</i>
Zeyfblum (Yidd.) <i>Carthamus tinctorius</i>	Zimt, echter (Germ.) <i>Cinnamomum zeylanicum</i>	Ziswortsl (Yidd.) <i>Glycyrrhiza glabra</i>	Zöld kardámom (Hung.) <i>Elettaria cardamomum</i>	Zyniperum (Lat.) <i>Juniperus communis</i>
Zeytin (Turkmen) <i>Olea europaea</i>	Zimt, indonesischer (Germ.) <i>Cinnamomum burmannii</i>	Zitoon (Arab.) <i>Olea europaea</i>	Zöld mustármag (Hung.) <i>Sinapis alba</i>	Zynziber (Lat.) <i>Zingiber officinale</i>
	Zimt, Padang- (Germ.) <i>Cinnamomum burmannii</i>	Zitronatsitrone (Germ.) <i>Citrus medica</i>	Zöldtorma (Hung.) <i>Wasabia japonica</i>	